

# EXIGO 20



T: +31 (0)492 593 888  
 F: +31 (0)492 546 497  
[customerservice@sunrisemedical.nl](mailto:customerservice@sunrisemedical.nl)  
[www.SunriseMedical.nl](http://www.SunriseMedical.nl)

Valid until	Dec 2024	Version	1.0
Rev	01/11/2023		
Dealer		Date	
Reference No.			
Delivery address		Quantity	
		UNIT-ID 0208	



The picture shown may deviate from the standard configuration

## Basic configuration exclusive VAT

- Seat depth : 39 cm (can be adjusted from 39 to 46)
- Seat height front 44,5 cm (42-46,5 cm)
- Seat height rear : 42 cm ( 40 - 50 )
- Chassis : grey aluminium sideframe, black aluminium cross brace
- Brake : pull to lock
- Armrest : Flip up and detachable, with side guards, fixed height 23 cm
- Back height : 42 cm (can be adjusted to 46 cm)
- Fixe push handles
- Rear wheel : 24", 37 mm solid
- Front wheel 6", 33 mm solid
- User weight 135 kg
- Legrest hanger 70°, 80°, 90° setup 80°, swing in/out
- Footplate, foldable with heelstrap

The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.







THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.



### CHASSIS






			option ID
	<input type="checkbox"/>	1	Standard frame seat width 36 cm
	<input type="checkbox"/>	1	Standard frame seat width 39 cm
	<input type="checkbox"/>	1	Standard frame seat width 42 cm
	<input type="checkbox"/>	1	Standard frame seat width 45 cm
	<input type="checkbox"/>	1	Standard frame seat width 48 cm
	<input type="checkbox"/>	1	Standard frame seat width 51 cm

### WHEELS













			option ID		
	<input type="checkbox"/>	1	Front wheel solid		
	<input type="checkbox"/>	1	Front wheel 5" (only i.c.w. 20" rear wheels)		
	<input type="checkbox"/>	1	Front wheel 6" (not i.c.w. 20" rear wheels)		
	<input type="checkbox"/>	1	Front wheels 8" (only i.c.w 24" rear wheels and hanger in 70°)		
		<input type="checkbox"/>	2	Fork 146 mm with extension, for 8" wheel, for seat height front 49 cm (46 - 53 cm)	
			<input type="checkbox"/>	3	Rear wheel 20" requires other anti-tip, see accessories
			<input type="checkbox"/>	3	Rear wheel 22" requires other anti-tip, see accessories
			<input type="checkbox"/>	3	Rear wheel 24"
			<input type="checkbox"/>	3	Rear wheels solid 37 mm
			<input type="checkbox"/>	3	Rear wheels pneumatic 37 mm, not available for 16" or one hand drive
			<input type="checkbox"/>	3	Pushrim aluminium
			<input type="checkbox"/>	4	Pushrim grip-friction
			<input type="checkbox"/>	5	Silicon cover for pushrim, set
			<input type="checkbox"/>	6	Rear wheels solid with drumbrake
	<input type="checkbox"/>		6	Rear wheels pneumatic with drumbrakes	
	<input type="checkbox"/>		7	Rear wheel 16" with drumbrake (only solid)	
	<input type="checkbox"/>		8	One hand drive rear wheel 24", solid, right	
	<input type="checkbox"/>		8	One hand drive rear wheel 24", solid, left	
			<input type="checkbox"/>	9	Cambring 0°
		<input type="checkbox"/>	10	Cambring 3°	

BACKRESTS			option ID
			<input type="checkbox"/> 1 Back, slingback, fixed push handles, height 42-46 cm Y01178
			<input type="checkbox"/> 2 Back, Velcro, fixed push handles, height 42-46 cm Y00626
			<input type="checkbox"/> 3 Back, slingback, height adjustable push handles, height 40-44 cm Y01271
			<input type="checkbox"/> 4 Back, Velcro, height adjustable push handles, height 40-44 cm Y00603
			<input type="checkbox"/> 5 Back, Velcro, angle adjustable, height adj, push handles Y01484
			<input type="checkbox"/> 6 Half folding back, fixed push handles, Slingback Y01473
			<input type="checkbox"/> 6 Half folding back, fixed push handles, Velcro Y01474
There may be a potential conflict with the fixed armrest in combination with a back			


























BRAKES			option ID
		<input type="checkbox"/> 1 Pull brakes Y00601	
		<input type="checkbox"/> 2 Pull to lock, foldable Y00602	
, Pull to lock foldable is not possible in combination with Armrest Exigo 10 ( Y0104)			

ARMRESTS			option ID
			<input type="checkbox"/> 1 ARMRESTS EXIGO 20
			<input type="checkbox"/> 1 Armrest flip-up, detachable, height 22-27 cm, 30 cm pads, right Y00606
			<input type="checkbox"/> 1 Armrest flip-up, detachable, height 22-27 cm, 30 cm pads, left Y00604
			<input type="checkbox"/> 1 Armrest flip-up, detachable, height 22-27 cm, 40 cm pads, right Y00607
			<input type="checkbox"/> 1 Armrest flip-up, detachable, height 22-27 cm, 40 cm pads, left Y00605
			<input type="checkbox"/> 2 Hemiplegia armrest, height 22-27 cm, right Y01394
			<input type="checkbox"/> 2 Hemiplegia armrest, height 22-27 cm, left Y01393
ARMRESTS EXIGO 30			
			<input type="checkbox"/> 3 Armrest 30 cm pad, incl. sideguard, height 17-24 cm, right, requires fixation bracke Y00620
			<input type="checkbox"/> 3 Armrest 30 cm pad, incl. sideguard, height 17-24 cm, left, requires fixation bracket Y00616
			<input type="checkbox"/> 3 Armrest 40 cm pad, incl. sideguard, height 17-24 cm, right, requires fixation bracke Y00621
			<input type="checkbox"/> 3 Armrest 40 cm pad, incl. sideguard, height 17-24 cm, left, requires fixation bracket Y00617
			<input type="checkbox"/> 3 Armrest 30 cm pad, incl. sideguard, height 22-29 cm, right, requires fixation bracke Y00731
			<input type="checkbox"/> 3 Armrest 30 cm pad, incl. sideguard., height 22-29 cm, left, requires fixation bracke Y00729
			<input type="checkbox"/> 3 Armrest 40 cm pad, incl. sideguard, height 22-29 cm, right, requires fixation bracke Y01386
			<input type="checkbox"/> 3 Armrest 40 cm pad, incl. sideguard, height 22-29 cm, left, requires fixation bracket Y01387
			<input type="checkbox"/> 4 Hemiplegia armrest, incl. sideguard. height 17 - 24 cm, right, requires fixation bracke Y00078
			<input type="checkbox"/> 4 Hemiplegia armrest, incl. sideguard. height 17 - 24 cm, left, requires fixation bracke Y00065
			<input type="checkbox"/> 4 Hemiplegia armrest, incl. sideguard, height 22-29 cm, right, requires fixation bracke Y00732
			<input type="checkbox"/> 4 Hemiplegia armrest, incl. sideguard, height 22-29 cm, left, requires fixation bracket Y00730
			<input type="checkbox"/> 5 Fixation bracket armrest Exigo 30 Y01043

**LEGRESTS** option ID

			<input type="checkbox"/>	1	HANGERS AND FOOTPLATE REQUIRES EXIGO 20/30 FIXATION	
			<input type="checkbox"/>	1	Legrest hanger, adjustable 70°, 80° or 90°, set up 80°, right	Y00741
			<input type="checkbox"/>	1	Legrest hanger, adjustable 70°, 80° or 90°, set up 80°, left	Y00740
			<input type="checkbox"/>	2	Angle adjustable legrest hanger, right	Y00737
			<input type="checkbox"/>	2	Angle adjustable legrest hanger, left	Y00736
			<input type="checkbox"/>	3	Calf support SW 36-39, right	Y00640
			<input type="checkbox"/>	3	Calf support SW 36-39, left	Y00636
			<input type="checkbox"/>	3	Calf support SW 42-51 right	Y00641
			<input type="checkbox"/>	3	Calf support SW 42-51 left	Y00637
			<input type="checkbox"/>	4	Footplate fixed without heelstrap for hanger 70° 80° 90°, right	Y00898
			<input type="checkbox"/>	4	Footplate fixed without heelstrap for hanger 70° 80° 90°, left	Y00897
			<input type="checkbox"/>	5	Footplate fixed with heelstrap, right	Y00834
			<input type="checkbox"/>	5	Footplate fixed with heelstrap, left	Y00833
			<input type="checkbox"/>	6	Footplate angle adjustable without heelstrap, right	Y00890
			<input type="checkbox"/>	6	Footplate angle adjustable without heelstrap, left	Y00889
			<input type="checkbox"/>	7	Footplate angle adjustable with heelstrap, right	Y00892
			<input type="checkbox"/>	7	Footplate angle adjustable with heelstrap, left	Y00891
			<input type="checkbox"/>	8	Footplate angle and depth adjustable without heelstrap, right	Y00894
			<input type="checkbox"/>	8	Footplate angle and depth adjustable without heelstrap, left	Y00893
			<input type="checkbox"/>	9	Footplate angle and depth adjustable with heelstrap, right	Y00836
			<input type="checkbox"/>	9	Footplate angle and depth adjustable with heelstrap, left	Y00835
			<input type="checkbox"/>		Footplate with long heelstrap, right	Y02263
			<input type="checkbox"/>		Footplate with long heelstrap, left	Y02264
<b>AMPUTATION SUPPORT / PLASTER CASTER</b>						
			<input type="checkbox"/>	10	Amputation support, right	Y01273
			<input type="checkbox"/>	10	Amputation support, left	Y01272
			<input type="checkbox"/>	11	Amputation support, right advanced, right, requires Exigo 20/30 fixation	Y00287
			<input type="checkbox"/>	11	Amputation support, left advanced, left, requires Exigo 20/30 fixation	Y00286
			<input type="checkbox"/>	12	Plaster cast support, right, requires Exigo 20/30 fixation	Y01052
			<input type="checkbox"/>	12	Plaster cast support, left, requires Exigo 20/30 fixation	Y01051

**ACCESSORIES** option ID

			<input type="checkbox"/>	1	Anti-tip stabiliser 24" wheels, right	Y00866
			<input type="checkbox"/>	1	Anti-tip stabiliser 24" wheels, extra (in addition), left, extra (in addition)	Y00865
			<input type="checkbox"/>		Anti-tip with step angle, right	Y01663
			<input type="checkbox"/>		Anti-tip with step angle, left	Y01664
			<input type="checkbox"/>	2	Anti-tip stabiliser with Step-tip for 20" and 22" rear wheels, right	Y00868
			<input type="checkbox"/>	2	Anti-tip stabiliser with Step-tip for 20" and 22" rear wheels, left	Y00867
			<input type="checkbox"/>	4	Anti-tip stabiliser, swing forward with leg, basic, right	Y01375
			<input type="checkbox"/>	4	Anti-tip stabiliser, swing forward with leg, basic, left	Y01374
			<input type="checkbox"/>		Y01375 / Y01374 - Not for use w/wheelbase in the highest hole in the sideframe w/	
			<input type="checkbox"/>	5	Cane/crutch holder for 2 walking canes	Y00012
			<input type="checkbox"/>	6	Front pouch/satchel	Y00019
			<input type="checkbox"/>	7	Positioning belt with plastic buckle	Y01330
			<input type="checkbox"/>	8	Positioning belt with steel buckle	Y01331
			<input type="checkbox"/>	9	Padding for positioning belt, small	Y01332
			<input type="checkbox"/>	10	Padding for positioning belt, large	Y01333
			<input type="checkbox"/>	11	Amputation axle plates	Y00082
			<input type="checkbox"/>	12	Table, seat width 36 cm	Y01397
			<input type="checkbox"/>	13	Table, seat width 39-51 cm	Y00427
			<input type="checkbox"/>	14	Spoke protectors, set clear, set	Y00034
			<input type="checkbox"/>	15	Height adjustable push bar, requires back with height adjustable push handles	Y00127
			<input type="checkbox"/>	16	Height adjustable push bar with headrest junction, requires back with height adjust	Y00126
			<input type="checkbox"/>	17	Headrest Basic	Y00665
			<input type="checkbox"/>	18	Headrest Basic, Advanced pad	Y00666
			<input type="checkbox"/>	19	Headrest Advanced	Y00667
			<input type="checkbox"/>	20	Headrest Advanced, Basic Pad	Y00668
			<input type="checkbox"/>	21	Cover headrest Basic pad	Y00648
			<input type="checkbox"/>	21	Cover headrest Advanced pad	Y00649
			<input type="checkbox"/>	22	Positioning cushion, small, set	Y00378
			<input type="checkbox"/>	22	Positioning cushion, large, set	Y00377
			<input type="checkbox"/>	23	Manual inflator	Y01392
			<input type="checkbox"/>	24	Electrical inflator	Y00609
			<input type="checkbox"/>	25	Seat cushion	Y00476
			<input type="checkbox"/>		Seat cushion depth 39 cm	Y00550
			<input type="checkbox"/>		Seat cushion depth 42 cm	Y00551
			<input type="checkbox"/>		Seat cushion depth 45 cm	Y00552
			<input type="checkbox"/>			
			<input type="checkbox"/>			

**REMARKS**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Sunrise Medical HCM can tailor solutions to meet your requirements. Please contact your Sunrise Medical HCM contact person for all additional wishes that are not described above.