



Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- Order Calculation Built 4 me

Reimbursement code: 18.50.03.1070
 Art. no. IC: 062001-000
 Art. no. DE: 062000-000

- = Standard = Cost option
 ./ = Price reduction = No cost option

Max. user weight: **65 kg**
USER WEIGHT kg
 Mandatory information to ensure correct configuration

Base Price €

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from inside sideguard to inside sideguard (mm)

220*	240*	260*	280	300	320	340	360
<input type="checkbox"/>							

* only abduction frame

Each seat width can be extended by 20 mm without extra parts

SEAT DEPTH SELECTION - measured in mm

240	260	280	300	320	340	360	380
<input type="checkbox"/>							

Each seat depth can be extended by 40 mm without extra parts

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, Carbotecture forks and frame versions

Front seat height in mm

		Fork type	Frame	370	380	390	400	410	420	430	440	450	460	470	480
3"		111 mm	Low	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
		111 mm	High				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
4"		111 mm	Low	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
		115 mm (1)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
		111 mm	High				<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5"		111 mm	Low				<input type="checkbox"/>	<input type="checkbox"/>							
		115 mm (1)					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
		111 mm	High							<input type="checkbox"/>	<input type="checkbox"/>				
		123 mm								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6"		111 mm	Low						<input type="checkbox"/>	<input type="checkbox"/>					
		115 mm (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		111 mm	High										<input type="checkbox"/>	<input type="checkbox"/>	
	115 mm (1)											<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear Wheel	290	300	310	320	330	340	350	360	370	380	390	400	410	420	430	440	450	460
20" (2)	<input type="checkbox"/>																	
22"					<input type="checkbox"/>													
24"										<input type="checkbox"/>								

The rear seat height can only be between 0 mm and 130 mm below the selected front seat height.

(1) fork compatible with additional drive
 (2) only with Proton wheels/Right Run tyres

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether).
- b) On the wheelchair: From inside sideguard to inside sideguard.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground (min. 30 mm longer than user measurement).
Note: Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm.

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.

Technical Data Overview:

Max. overall height:	1000 mm			
Max. overall length:	850 mm			
Max. turning circle:	650 mm			
Max. safe slope:	10°			
Wheelchair weight:	from 9,0 kg			
Dismantled weight:	from 6,9 kg			
Weight of heaviest part:	2,1 kg			
Max. overall width:	Camber	20" rear wheel	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 160 mm	SW + 160 mm	SW + 160 mm
	For 3° camber:	SW + 200 mm	SW + 210 mm	SW + 220 mm
	For 6° camber:	SW + 260 mm	SW + 270 mm	SW + 280 mm
	For 9° camber:	SW + 310 mm	SW + 320 mm	SW + 330 mm

Product is **crash tested** according to **ISO 7176-19** and therefore approved for transportation in a vehicle.
For transport without a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

Simba

● = Standard ○ = No cost option □ = Cost option

Price in €

SEAT

Seat sling

SIB020002	<input type="radio"/>	Seat sling, nylon, 1 utility bag	
SIB020004	<input type="checkbox"/>	Seat sling, nylon, 1 utility bag, 1 catheter bag	(only from SW 340 mm)
SIB020000	<input type="radio"/>	Without seat sling	

Seat cushion, cover with zipper, black

Foam (medium-soft)	Thickness:	SIB020101	<input type="checkbox"/>	30 mm	SIB020102	<input type="checkbox"/>	50 mm
--------------------	------------	-----------	--------------------------	-------	-----------	--------------------------	-------

Seat accessories

SIB090018	<input type="checkbox"/>	Lap belt with buckle, metal	
-----------	--------------------------	-----------------------------	--

BACKREST

Back height range

Choose back height factory setting (mm).
Height adjustments of in total 50 mm possible.

200 - 250	250 - 300	300 - 350	350 - 400
<input type="radio"/> 200	<input type="radio"/> 250	<input type="radio"/> 300	<input type="radio"/> 350
<input type="radio"/> 225	<input type="radio"/> 275	<input type="radio"/> 325	<input type="radio"/> 375
<input type="radio"/> 250	<input type="radio"/> 300	<input type="radio"/> 350	<input type="radio"/> 400

SIB030015	<input type="radio"/>	Backrest, angle-adjustable, fold-down	(-16° to +20°)
SIB030102	<input type="checkbox"/>	Backrest, angle-adjustable, lock when folded	
SIB030530	<input type="checkbox"/>	Backrest angle 100° (Relax position)	(not in combination with double locking)

Push handles

SIB030200	<input type="radio"/>	Without push handles	
SIB030201	<input type="radio"/>	Push handles, long	
SIB030203	<input type="checkbox"/>	Push handles, fold-down	(only available from back height 300 mm)
SIB030204	<input type="checkbox"/>	Push handles, height-adjustable	
SIB030208	<input type="checkbox"/>	Push bar, height-adjustable, width and angle-adjustable	(not with SW 220)
SIB030210	<input type="checkbox"/>	Preparation for JAY Zip back (available with height-adjustable push handles)	

Backrest upholstery

SIB030316	<input type="radio"/>	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version) Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	
SIB030317	<input type="checkbox"/>	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version) Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	
SIB030300	<input type="checkbox"/>	Without backrest upholstery	

Accessories for backrest

	<input type="checkbox"/>	Headrest, depth- and angle-adjustable*	(only available from back height 300 - 350 mm)
SIB030411	<input type="checkbox"/>	Small pad (200 x 110 mm)	SIB030410 <input type="checkbox"/> Large pad (230 x 110 mm)

* Not available with JAY Zip Back, see back accessories on separate JAY Zip Back order form)

SIDEGUARDS AND ARMREST

Sideguards

SIB040103	<input type="checkbox"/>	Sideguard, aluminium, fender, cold weather protection (in frame colour)	
-----------	--------------------------	---	--

Armrest (pair)

SIB040055	<input type="checkbox"/>	Armpad, height-adjustable, short	(only with aluminium sideguard; not available with the Safari wheel lock)
-----------	--------------------------	----------------------------------	---

Accessories for sideguards and armrests

SIB090111	<input type="checkbox"/>	Tray, wood, elevated frame, push-fit, SW 220 - 360 mm	(not with aluminium sideguards)
	<input type="checkbox"/>	Tray, plastic, swing-away, SW 260 - 380 mm	(not with aluminium sideguards)
	Mounted:	<input type="checkbox"/> right SIB090113 <input type="checkbox"/> left SIB090112	

For more information
www.SunriseMedical.eu
© Sunrise Medical 2025



Seat sling, nylon, 1 utility bag



Lap belt with buckle



Push handles,
long



Push handles,
fold-down



Push bar, height-adjustable,
width and angle-adjustable



Sideguard, aluminium, fender, cold weather protection (in frame colour)
(here also with Safari wheel lock)

Simba

● = Standard ○ = No cost option □ = Cost option

Price in €

FOOTBOARDS

Footboard, platform, lightweight

SIB050025	<input type="checkbox"/>	Plastic, angle and depth-adjustable, calf strap, black	(LLL between 230 - 360 mm)	
SIB050056	<input type="checkbox"/>	Aluminum, angle and depth-adjustable, calf strap, black	(LLL between 230 - 360 mm)	
SIB050032	<input type="checkbox"/>	Plastic, angle and depth-adjustable, flip-up (to the back), calf strap, black	(LLL between 230 - 360 mm)	
SIB050048	<input type="checkbox"/>	Plastic, angle and depth-adjustable, high-mount, calf strap, black	(LLL 170 - 250 mm)	

Accessories for footboards

SIB050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	(not with swing back footplate)	
-----------	--------------------------	--	---------------------------------	--

LOWER LEG LENGTH (LLL): LLL has to be 25 mm less than front seat height; all measurements are in mm

- 170 180 190 200 220 230 240 250
 260 270 280 290 300 310 320 330
 340 350 360

FRAME VERSIONS

SIB010018	<input type="radio"/>	Frame FF 95° (integrated footrest), straight	(available from seat width 280 mm)	
SIB010019	<input type="radio"/>	Frame FF 95° (integrated footrest), abducted (30 mm on each side)		

CENTRE OF GRAVITY (COG)

(measured from front of back post in mm)

COG20	<input type="radio"/>	20 mm		
COG30	<input type="radio"/>	30 mm		
COG40	<input type="radio"/>	40 mm		
COG50	<input type="radio"/>	50 mm		
COG60	<input type="radio"/>	60 mm		
COG70	<input type="radio"/>	70 mm		
COG80	<input type="radio"/>	80 mm		
COG90	<input type="radio"/>	90 mm		
COG100	<input type="radio"/>	100 mm		

EMPULSE M90 BUNDLING

EMO000501	<input type="radio"/>	With M90 order, not mounted to the wheelchair	(Please use separate OF to order the M90, Only with 24" wheel, Only with 0° Camber)	
EMO000502	<input type="radio"/>	With M90 order, mounted to the wheelchair	(Please use separate OF to order the M90, Only with 24" wheel, Only with 0° Camber)	

FRAME ACCESSORIES

(choose either tip assist or anti-tip tubes, not both)

SIB090100	<input type="checkbox"/>	Tie down brackets for transportation	(includes SIB030405)	
Tip assist				
SIB090001	<input type="checkbox"/>	left	SIB090002 <input type="checkbox"/> right	
SIB090009	<input type="checkbox"/>	Crutch holder, loop	(only in combination with tip assist)	
Anti-tip tubes, swing-away				
SIB090004	<input type="checkbox"/>	left	SIB090005 <input type="checkbox"/> right	
SIB090006	<input type="checkbox"/>	Pair		

CASTOR FORK

(compare with your choice on the first page)

SIB080013	<input type="radio"/>	Fork Carbotecture®	(only 111 mm)	
SIB080029	<input type="radio"/>	Fork Aluminum		

STANDARD CASTORS

(compare with your choice on the first page)

SIB080301	<input type="radio"/>	Castor, solid (hard), rim: composite		
SIB080302	<input type="radio"/>	Castor, solid (soft), rim: composite	(only for 5" & 6")	
SIB080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite	(only for 4" & 5")	
SIB080304	<input type="checkbox"/>	Castor, solid (hard), rim: Aluminum	(only for 4" & 5")	
SIB080306	<input type="checkbox"/>	Castor, solid (soft), rim: Aluminum	(only for 4" & 5")	

REAR WHEELS

(compare with your choice on the first page; choose only one wheel type)

SIB070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes, cross-wise spokes	(only 22" & 24")	
SIB070002	<input type="radio"/>	Rear wheel, Design, 36 spokes, straight spokes	(only 24")	
SIB070003	<input type="checkbox"/>	Rear wheel, Lightweight, 24 spokes, straight spokes	(only 22" & 24")	
SIB070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes, straight spokes		
SIB070009	<input type="checkbox"/>	Rear wheel, Mountainbike, 36 spokes, straight spokes	(only 24")	
SIB070010	<input type="checkbox"/>	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)	(only 24")	



Plastic, angle and depth-adjustable



Adjustable side protection



Tip assist



Anti tip tubes,
swing away



Rear Wheel
Universal



Rear Wheel
Design



Rear Wheel
Lightweight



Rear Wheel
Proton



Rear Wheel
Mountainbike



Schwalbe Right Run



Schwalbe One



Schwalbe Marathon Plus Evolution



puncture proof, tread

Simba		● = Standard ○ = No cost option □ = Cost option		Price in €
TYRES				(choose only one tyre type)
SIB070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run		
SIB070102	<input type="radio"/>	Tyre, puncture proof, tread	(only 22", 24")	
SIB070107	<input type="checkbox"/>	Tyre, pneumatic, slick, Schwalbe One	(only 24")	
SIB070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	(only 24")	
SIB090163	<input type="checkbox"/>	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube	(not with solid tyres)	
HANDRIMS				
SIB070202	<input type="radio"/>	Handrims, aluminium, anodised, silver		
SIB070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear		
SIB070204	<input type="radio"/>	Handrims, stainless steel, silver	(with 22" thin diameter of 15 mm)	
SIB070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured	(select colour on last page)	
SIB070205	<input type="checkbox"/>	Handrims, titanium, untreated	(only 24")	
SIB070206	<input type="checkbox"/>	Handrims, titanium, powder-coated, clear	(only 24")	
SIB070207	<input type="checkbox"/>	Handrims, Supergrip®	(only 22" & 24")	
SIB070208	<input type="checkbox"/>	Handrims, Maxgrepp®	(only 22" & 24")	
Hand rim mounting				
SIB070307	<input type="checkbox"/>	Handrim mount, super narrow (7 mm)		
(only with stainless steel; not in combination with Spinergy, Proton and Lightweight Wheels and stainless steel Handrim, not with Maxgrepp)				
SIB070317	<input type="radio"/>	Handrim mount, narrow (17 mm)	Not with Maxgrepp	
SIB070327	<input type="radio"/>	Handrim mount, wide (27 mm)		
SIB070250	<input type="checkbox"/>	Handrim cover, rubber	(only 22" & 24")	
WHEEL CAMBER				(choose only one option)
SIB070600	<input type="radio"/>	0°		
SIB070603	<input type="radio"/>	3°		
SIB070606	<input type="radio"/>	6°		
SIB070609	<input type="radio"/>	9°		
SPOKE GUARDS				(available in 22" and 24")
SIB070831	<input type="checkbox"/>	Transparent	(also available in 20")	
		SIB070813 <input type="checkbox"/> Glaktica		
SIB070823	<input type="checkbox"/>	Princess	SIB070818 <input type="checkbox"/> Jungle Fever	
SIB070816	<input type="checkbox"/>	Happy Lions		
SIB070819	<input type="checkbox"/>	Monkeys	SIB070821 <input type="checkbox"/> Pirates	SIB070811 <input type="checkbox"/> Feather
SIB070820	<input type="checkbox"/>	Oriental		
SIB070829	<input type="checkbox"/>	Superhero	SIB070814 <input type="checkbox"/> Graffiti	SIB070806 <input type="checkbox"/> Chrome
SIB070817	<input type="checkbox"/>	Hot Wheels	SIB070802 <input type="checkbox"/> Basketball	SIB070803 <input type="checkbox"/> Basketball 2
SIB070822	<input type="checkbox"/>	Pool	SIB070812 <input type="checkbox"/> Flying Water	SIB070828 <input type="checkbox"/> Space
SIB070827	<input type="checkbox"/>	Silk		
SIB070830	<input type="checkbox"/>	Tiger	SIB070833 <input type="checkbox"/> Zebra	
WHEEL LOCKS				(choose only one option)
SIB060001	<input type="radio"/>	Standard brake		
SIB060002	<input type="checkbox"/>	Knee-lever brake		
SIB060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down		
SIB060003	<input type="checkbox"/>	Compact brake	(only available on straight frame)	
SIB060013	<input type="checkbox"/>	Push to lock brake, integrated in sideguard, Safari	(not with solid tyres)	
SIB060014	<input type="checkbox"/>	Additional brake actuation for attendant for Safari brake, integrated in sideguard	(incl. Safari wheel lock)	
ACCESSORIES				
SIB090000	<input type="radio"/>	Tool kit		
SIB090024	<input type="checkbox"/>	High pressure pump (0 - 14 bar)		
SIB090025	<input type="checkbox"/>	Air pump		
SIB090030	<input type="checkbox"/>	Back pack		
SIB090016	<input type="checkbox"/>	Frame protection, black	(not with platform footplates high-mount)	
SIB090026	<input type="checkbox"/>	Mobile phone pocket		
				For more information visit our webpage www.SunriseMedical.eu © Sunrise Medical 2025



Handrims, aluminium,
anodised, silver



Handrims, aluminium,
powder-coated, clear, coloured



Han andrim
Maxgrepp ®



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,
integrated in sideguard, Safari



Tool kit



High pressure pump



Air pump



Back pack

Simba

● = Standard ○ = No cost option □ = Cost option

COLOURS

	Frame	Handrim	Hub/rim		Frame	Handrim	Hub/rim
	-	€	€		-	€	€
01 Matte Black	○	□	□	12 Royal Blue	○	□	□
02 Gloss Black	○	□	□	13 Brilliant Ocean	○	□	
03 Metallic Shadow	○	□		14 Scarlet Noir	○	□	
04 Starlight White	○	□		15 Red Pepper	○	□	□
05 Silver Ore	○	□		16 Cherry Lustre	○	□	□
06 Storm Gray	○	□		17 Turbo Green	○	□	
07 Desert Tan	○	□		18 Pink Power	○	□	
08 Desert Sage	○	□		19 Satin Rose	○	□	
09 Salute Green	○	□		20 Mystic Purple	○	□	
10 Velvet Sapphire	○	□		21 Solar Orange	○	□	
11 Midnight Blue	○	□		22 Velocity Yellow	○	□	

STYLE PACKAGE - colours for forks

SIB100502	○	Black	-
SIB100503	□	Silver	€

FRAME STICKER

SIB100550	○	Black	-
SIB100551	□	Silver	€

Comments for special build - please apply for a quote; lead time conditions may change.



Simba - Base Price

Option price	
Packaging and transport	
Exclusive VAT	
VAT.	
Total Price	

Sunrise Medical Customer Service

Address:

Tel.

Fax.

E-mail:

E-commerce:

Website:

For more information
visit our webpage

www.SunriseMedical.eu

© Sunrise Medical 2025