



Ti
Grade 2

CE

Customer Contact Details

Customer Name: _____	Ship to Customer Address: <input type="checkbox"/>
Advisor: _____	Shipping Name: _____
Address: _____	Shipping Address: _____
_____	_____
_____	_____
Phone: _____	Phone: _____
Email: _____	Email: _____

Additional Information

Notes: _____	Current Wheelchair: _____
_____	Customer Weight: _____
_____	Customer Height: _____
_____	Customer Disability: _____

Other

<p>VAT Exemption Declaration (UK Only):</p> <p>I declare that I am chronically sick or disabled by reason of:</p> <p>_____</p> <p>and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.</p> <p>Signature: _____ Date: _____</p>	<p>RGK Contact Authorisation:</p> <p>From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.</p> <p>I would like to be contacted by RGK: <input type="checkbox"/></p> <p>Signature: _____ Date: _____</p>
--	---


Guide: Base product Required option Optional Extra Critical Information Information Needed

PRODUCT STYLE


HLTXZ010 HI-LITE

XA070 Open design

XA080 Closed design



XA070 - Open design



XA080 - Closed design

Max User Weight 125kg (275lbs)

PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM

CAD APPROVAL

XW009 QUOTE ONLY (NO CAD FOR APPROVAL)


XW011 ORDER (NO CAD FOR APPROVAL)

XW012 QUOTE CAD drawing for approval
(2 customer amendments ONLY)


XW010 ORDER CAD drawing for approval
(2 customer amendments ONLY)

KEY MEASUREMENTS


XY010 Seat width *(Inside to inside of sideguards)*




XY020 Seat length




XY030 Extra Seat Length *(Provides additional leg support & hand grip)*



XY050 Front frame height




XY060 Rear frame height



XY070 Frame length







XY072 Castor position



Optimise measurements

XA020 Ergonomic seat




FRONT FRAME AND FOOTREST

Front Frame Options

XY080 Seat taper design

i Specify width mm


(When combined with XY091, dimension is inbetween the centre of the main bends)



XY091 Parallel taper design

i Specify width mm


(When combined with XY080, dimensions must be smaller by 20mm)



Footrest Design (Choose One)


XY100 Round design

Castor Size	Max Height	With XB200
3"	140mm	190mm
4"	150mm	200mm
5"	160mm	210mm




XY105 Square design


Castor Size	Max Height	With XB200
3"	135mm	185mm
4"	145mm	195mm
5"	155mm	205mm



XB200 High level footrest (Only with XB010, XB080 & XB150)



XB200 High level footrest (Only with XB010, XB080 & XB150)



Footrest Individual Measurements

XY115 Front footrest height


! mm

XY120 Rear footrest height

i mm (Std = 20 lower than front height)

XY125 Footrest length

i mm (Std = 100mm) (160mm and over requires heavy duty upgrade XB150)



Footrest Style (Choose One)

XB010 Tubular aluminium footrest (Height adjustable)

XB030 Flip up plastic footrest (Angle/height adjustable, with closed frame only)

XB070 Angle adjustable aluminium footrest (Angle/height adjustable)

XB150 Heavy duty tubular footrest (Height adjustable, for Freewheel use)

HLTXB080 Tubular footrest welded into frame (No height adjustment)

Footrest Cover

XB050 Carbon fibre cover (Not with XB070 & XB030)

XB170 Aluminium cover (Not with XB070 & XB030)








XB040 Plastic Cover (Not with XB070 & XB030)

XB165 Rubber grip tape (3M Safety walk)(not with XB030)






CASTOR WHEELS, FORKS & WHEEL LOCKS			
Castor Wheels 100mm (4")			
<input type="checkbox"/> XC060	Soft roll 4"x1.3" <i>(Black)</i>		
<input type="checkbox"/> XC110	Aluminium centre 4"x1" <i>(Silver hub and black urethane tyre only)</i>		
<input type="checkbox"/> XC130	Aluminium centre 4"x1.4" <i>(choose colour below)</i>		
<input type="checkbox"/> Silver hub & black tyre (Std)	<input type="checkbox"/> Gold hub & black tyre	<input type="checkbox"/> Purple hub & black tyre	
<input type="checkbox"/> Black hub & black tyre	<input type="checkbox"/> Green hub & black tyre		
<input type="checkbox"/> Red hub & black tyre	<input type="checkbox"/> Blue hub & black tyre		
125mm (5")			
<input type="checkbox"/> XC070	Soft roll 5"x1.3" <i>(Black)</i>	<input type="checkbox"/> XC120	Froglegs Aluminium centre 5"x1" <i>(Silver hub and black urethane tyre only)</i>
<input type="checkbox"/> XC100	Pneumatic Aluminium centre 5"x1" <i>(Grey)</i>	<input type="checkbox"/> XC140	Froglegs Aluminium centre 5"x1.4" <i>(Silver hub and black urethane tyre only)</i>
150mm (6")			
<input type="checkbox"/> XC080	Soft roll 6"x1.3"	<input type="checkbox"/> XC145	Frog Legs aluminium centre 6"x1.4" <i>(Silver hub and black urethane tyre only)</i>
Castor Forks			
<input type="checkbox"/> XC190	Performance castor fork <i>(Std when no option selected)</i> <i>Note: Colour follows accent</i>	<input type="checkbox"/> XC210	Froglegs suspension castor fork
<input type="checkbox"/> XC192	High trail castor fork <i>Note: Greater distance between contact patch and steering axis reduces flutter at higher speeds. Colour follows accent</i>	<input type="checkbox"/> Black	<input type="checkbox"/> Silver
Castor Pin Width			
<input type="checkbox"/> XY330	Castor pin width		
<input type="checkbox"/> Optimise measurements	<input type="checkbox"/> mm		
Wheel Lock Options (choose one)			
<input type="checkbox"/> XD020	Underseat Scissor	<input type="checkbox"/> XD050	Push to lock
<input type="checkbox"/> XD030	Compact scissor	<input type="checkbox"/> XD046	Out Front push to lock
<input type="checkbox"/> XD035	Compact scissor with lightweight fixing <i>(Only with fixed centre of gravity)</i>	<input type="checkbox"/> XD085	Eagle wheel locks (Indicate colour)
<input type="checkbox"/> XD010	Omit wheel locks	<input type="checkbox"/> XD086	Eagle WL with L/W fixing (Indicate colour) <i>(Only with fixed centre of gravity)</i>
		<input type="checkbox"/> BLACK	<input type="checkbox"/> PURPLE
		<input type="checkbox"/> RED	<input type="checkbox"/> BLUE
Black Std if no option selected			

SIDEGUARDS AND ARMRESTS

Sideguard Aluminium Options		Sideguard with Fender Aluminium Options	
<input type="checkbox"/> XE030	Screw on aluminium	<input type="checkbox"/> XE040	Screw on aluminium with fender
<input type="checkbox"/> XE080	Lift out aluminium	<input type="checkbox"/> XE090	Lift out aluminium with fender
<input type="checkbox"/> HLTXE130	Fold flat aluminium	<input type="checkbox"/> HLTXE140	Fold flat aluminium with fender
<input type="checkbox"/> XE180	Flip back aluminium	<input type="checkbox"/> XE190	Flip back aluminium with fender
Carbon Fibre Options		Carbon Fibre Options	
<input type="checkbox"/> XE050	Screw on carbon fibre	<input type="checkbox"/> XE060	Screw on carbon fibre with fender
<input type="checkbox"/> XE100	Lift out carbon fibre	<input type="checkbox"/> XE110	Lift out carbon fibre with fender
<input type="checkbox"/> HLTXE150	Fold flat carbon fibre	<input type="checkbox"/> HLTXE160	Fold flat carbon fibre with fender
<input type="checkbox"/> XE200	Flip back carbon fibre	<input type="checkbox"/> XE210	Flip back carbon fibre with fender
ABS Plastic Options		Sideguard Measurements	
<input type="checkbox"/> XE070	Screw on ABS plastic	Fender Height	
<input type="checkbox"/> XE120	Lift out ABS plastic	<input type="checkbox"/> 10mm above tyre <i>(Standard)</i>	
<input type="checkbox"/> HLTXE170	Fold flat ABS plastic	<input type="checkbox"/> Individual above tyre <i>(Min = 10mm)</i>	
		<input type="checkbox"/> <input type="text" value="mm"/>	
Titanium Options		Fender position	
<input type="checkbox"/> HLTXE220	Welded with 6mm bead	<input type="checkbox"/> Centre of tyre <i>(Standard if no option selected)</i>	
		<input type="checkbox"/> Outside of tyre	
Sideguard Measurements Optimised measurements		Armrest Options	
<input type="checkbox"/> 25mm above tyre <i>(Follow tyre)</i>		<input type="checkbox"/> XF010	Lift out armrest with plastic sideguard <i>(Indicate fixed height)</i>
<input type="checkbox"/> Individual above tyre <i>(Follow tyre)</i>		<input type="checkbox"/> XF020	Lift out armrest with Aluminium sideguard <i>(Indicate fixed height)</i>
<input type="checkbox"/> Level with tyre <i>(Follow tyre)</i>			
Individual measurements		<input type="checkbox"/> Height <i>(Top of seatrail to top of armrest)</i> <input type="checkbox"/> <input type="text" value="mm"/>	
<input type="checkbox"/> Sideguard length			
<input type="checkbox"/> Sideguard height			
<input type="checkbox"/> <input type="text" value="mm"/>			

BACKREST									
Backrest Height - Fixed or Adjustable (Choose One)									
<input type="checkbox"/> XY230 Fixed height backrest Specify height <input style="width: 100px;" type="text"/> mm 	<input type="checkbox"/> XY245 Adjustable height backrest (+/25mm) Specify height <input style="width: 100px;" type="text"/> mm 								
Backrest Design									
<input type="checkbox"/> XG010 Fixed backrest (Non-folding)	<input type="checkbox"/> HLTXG020 Folding backrest with 2 position snap lock and angle adjust (± 5 Deg)								
Ergonomic Options									
<input checked="" type="checkbox"/> XY360 Backrest angle -5 <input type="checkbox"/> -3 <input type="checkbox"/> 0 <input type="checkbox"/> +3 <input type="checkbox"/> +5 Individual <input style="width: 100px;" type="text"/> Deg (Max -10/+20 Deg) 	<input type="checkbox"/> XG100 Ergonomic backrest Vertical height <input style="width: 100px;" type="text"/> mm Rearward position <input style="width: 100px;" type="text"/> mm 								
<input type="checkbox"/> XG110 Inward taper (inside of backrest posts) Specify width or per side <input style="width: 100px;" type="text"/> mm 	<input type="checkbox"/> XG120 Outward flare (inside of backrest posts) Specify width or per side <input style="width: 100px;" type="text"/> mm 								
Push handle Options									
<input type="checkbox"/> XG070 Screw in push handles (N/A with XY245) <input type="checkbox"/> XG080 Flip down push handles (N/A with XY245) <input type="checkbox"/> XG085 Flip down push handles height adjustable (N/A with XY245)	<input type="checkbox"/> XG090 Stroller push handles height adjustable Height from floor <input style="width: 100px;" type="text"/> mm <input type="checkbox"/> Optimise (1000mm from floor) <input type="checkbox"/> XG097 Integrated push handle (quickie design)								
Backrest Options									
<input type="checkbox"/> XG040 Heavy duty backrest upgrade (Recommended for hand cycling) (Not with XY245)	<input type="checkbox"/> XG130 Extra deep brace bar (Recommended for JAY backs) (Std - 90mm) Specify depth <input style="width: 100px;" type="text"/> mm								
ILSA Backrest Options									
<input type="checkbox"/> XG140 Integrated lateral support <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">A - Left <input style="width: 100px;" type="text"/> mm</td> <td style="width: 50%;">A - Right <input style="width: 100px;" type="text"/> mm</td> </tr> <tr> <td>B - Left <input style="width: 100px;" type="text"/> mm</td> <td>B - Right <input style="width: 100px;" type="text"/> mm</td> </tr> <tr> <td>C - Left <input style="width: 100px;" type="text"/> mm</td> <td>C - Right <input style="width: 100px;" type="text"/> mm</td> </tr> <tr> <td>D - Left <input style="width: 100px;" type="text"/> mm</td> <td>D - Right <input style="width: 100px;" type="text"/> mm</td> </tr> </table>	A - Left <input style="width: 100px;" type="text"/> mm	A - Right <input style="width: 100px;" type="text"/> mm	B - Left <input style="width: 100px;" type="text"/> mm	B - Right <input style="width: 100px;" type="text"/> mm	C - Left <input style="width: 100px;" type="text"/> mm	C - Right <input style="width: 100px;" type="text"/> mm	D - Left <input style="width: 100px;" type="text"/> mm	D - Right <input style="width: 100px;" type="text"/> mm	
A - Left <input style="width: 100px;" type="text"/> mm	A - Right <input style="width: 100px;" type="text"/> mm								
B - Left <input style="width: 100px;" type="text"/> mm	B - Right <input style="width: 100px;" type="text"/> mm								
C - Left <input style="width: 100px;" type="text"/> mm	C - Right <input style="width: 100px;" type="text"/> mm								
D - Left <input style="width: 100px;" type="text"/> mm	D - Right <input style="width: 100px;" type="text"/> mm								

CAMBER BAR	
Adjustable Centre of Gravity	
<input type="checkbox"/> XH110 Square back adjustable centre of gravity (25-150mm) <input type="checkbox"/> XH120 Round back adjustable centre of gravity (60-150mm)	<input type="checkbox"/> HLTXH090 V-style fixed centre of gravity (25-125mm)
<input style="width: 100px; height: 20px;" type="text"/> mm 	<input style="width: 100px; height: 20px;" type="text"/> mm
Specify Camber Angle	
<input checked="" type="checkbox"/> XY390 Camber angle <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 5	<input checked="" type="checkbox"/> XY390 Camber angle <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 5
Camber Bar Options	
<input type="checkbox"/> XH040 Handbike camber bar fixed Camber angle (<i>Handbike camber bar</i>) <input checked="" type="checkbox"/> 0 <input type="checkbox"/> 5 Castor height from floor for handbike fitting (<i>Standard 30mm if not indicated</i>) <input type="checkbox"/> 30 <input type="checkbox"/> 50	<input type="checkbox"/> XH040 Handbike camber bar fixed Camber angle (<i>Handbike camber bar</i>) <input type="checkbox"/> 0 <input type="checkbox"/> 5 Castor height from floor for handbike fitting (<i>Standard 30mm if not indicated</i>) <input type="checkbox"/> 30 <input type="checkbox"/> 50
<input type="checkbox"/> XH030 Frog Legs suspension camber bar	
Anti-Tip Options	
<input type="checkbox"/> XJ010 Swingaway anti tip LEFT side (<i>Only with square back frame. Not with XH040</i>) <input type="checkbox"/> XJ020 Swingaway anti tip RIGHT side (<i>Only with square back frame. Not with XH040</i>)	<input type="checkbox"/> XJ100 Single sport anti tip (<i>centre mounted</i>)


REAR WHEELS			
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels	<input type="checkbox"/> XY430	25" Wheels
		<input type="checkbox"/> XY440	26" Wheels
Rear Wheel Gap			
<input checked="" type="checkbox"/> XY460	Rear wheel gap		
	<input type="checkbox"/> 15 <input type="checkbox"/> 20 <input type="checkbox"/> 25 Individual <input style="width: 100px;" type="text"/> mm		
Wheel Options (Choose one)			
<input type="checkbox"/> XK010	Fusion 16 spoke <i>(Silver Hub, black spokes)</i>	<input type="checkbox"/> XK320	Spinergy XLX 12 spoke
<input type="checkbox"/> XK050	Spinergy LX 12 spoke	<input type="checkbox"/> XK060	Spinergy SPOX 18 spoke
<input type="checkbox"/> XK150	Spinergy CLX 18 carbon blade spoke N/A IN SILVER HUB	<input type="checkbox"/> XK070	Spinergy BLXL 18 blade spoke N/A IN SILVER HUB
Spinergy Colour Options: 			
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	<input type="checkbox"/> XK180 Individual spoke design <i>(Specify colour)</i> Inside: _____ Outside: _____
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes	<input type="checkbox"/> Green spokes	
Spinergy Anodise Options			
<input type="checkbox"/> XK190 Black hub <i>(std option)</i>	<input type="checkbox"/> XK200 Silver hub <i>(n/a with BLXL/CLX)</i>	<input type="checkbox"/> XK201 Red hub/rims <i>(LX, XLX & BLXL only)</i>	
<input type="checkbox"/> XK202 Purple hub/rims <i>(LX, XLX & BLXL only)</i>	<input type="checkbox"/> XK203 Blue hub/rims <i>(LX, XLX & BLXL only)</i>	<input type="checkbox"/> XK204 Gold hub/rims <i>(LX, XLX & BLXL only)</i>	
Supply Without Wheels			
<input type="checkbox"/> XK040	Supply without Wheels		Wheel Type: <input style="width: 150px;" type="text"/> Tyre Type: <input style="width: 150px;" type="text"/>
Handrim Position / Options			
<input type="checkbox"/> XY480	Narrow set handrim	<input type="checkbox"/> XY485	Wide set handrim
<input type="checkbox"/> XL090	Remove excess mounting tabs <i>(recommended for small wheel gaps)</i>		
Handrim Styles			
<input type="checkbox"/> XL010	Aluminium hard anodised 6 tab	<input type="checkbox"/> XL040	Titanium 6 tab
<input type="checkbox"/> XL160	Elipse 6 tab <i>(replacement for Surge)</i>	<input type="checkbox"/> XL035	Natural Fit LT
<input type="checkbox"/> XL020	Tetra grip 6 tab	<input type="checkbox"/> XL150	Carbolife Gekko <input type="checkbox"/> Black <input type="checkbox"/> Silver
<input type="checkbox"/> XL100	Para grip 6 tab	<input type="checkbox"/> XL170	Carbolife Curve L (Black)
Tyre Options			
<input type="checkbox"/> XM010	Kenda <input type="checkbox"/> Grey (Std) <input type="checkbox"/> Blue <input type="checkbox"/> Red	<input type="checkbox"/> XM060	Schwalbe One <i>(24", 25" only)</i>
<input type="checkbox"/> XM130	Kenda black	<input type="checkbox"/> XM050	Kenda K885 mountain bike tyre <i>(24", 25" only)</i>
<input type="checkbox"/> XM020	Schwalbe Marathon Plus		
<input type="checkbox"/> XM040	Shox solid airless <i>(Black)</i>		
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve <i>(Standard if no option selected)</i>	<input type="checkbox"/> XY490	Presta inner tube valve 
Wheel Accessories			
<input type="checkbox"/> XK220	Titanium 130mm quick release axle pins <i>(pair)</i> (N/A with XK010 & XK070)	<input type="checkbox"/> XK300	Offroad wheel set 22" rim with handrim, MTB tyre and axle pins (Replaces 24" wheel with XM010)
<input type="checkbox"/> XK240	Quad release axle nuts <i>(pair)</i>	<input type="checkbox"/> XK310	Offroad wheel set 24" rim with handrim, MTB tyre and axle pins (Replaces 25" wheel with XM010)

FINISH OPTIONS					
Frame & Component Finish					
<input type="checkbox"/> XN010 Powder coated frame		<input type="checkbox"/> XN150 Powder coated components <i>(Frame colour if not specified)</i>			
Frame Comp.	<u>Gloss</u>	Frame Comp.	<u>Matt</u>	Frame Comp.	<u>Special</u>
<input type="checkbox"/>	<input type="checkbox"/> Black gloss 103	<input type="checkbox"/>	<input type="checkbox"/> Black matt 105	<input type="checkbox"/>	<input type="checkbox"/> Chrome Mirror 300
<input type="checkbox"/>	<input type="checkbox"/> White gloss 100	<input type="checkbox"/>	<input type="checkbox"/> White matt 101	<input type="checkbox"/>	<input type="checkbox"/> Sparkle silver 170
<input type="checkbox"/>	<input type="checkbox"/> Grey gloss 132	<input type="checkbox"/>	<input type="checkbox"/> Grey matt 131	<input type="checkbox"/>	<input type="checkbox"/> Metallic black matt 104
<input type="checkbox"/>	<input type="checkbox"/> Cream gloss 135	<input type="checkbox"/>	<input type="checkbox"/> Light grey matt 133	<input type="checkbox"/>	<input type="checkbox"/> Metallic grey matt 130
<input type="checkbox"/>	<input type="checkbox"/> Red gloss 108	<input type="checkbox"/>	<input type="checkbox"/> Navy blue matt 152	<input type="checkbox"/>	<input type="checkbox"/> Black sandpaper 201
<input type="checkbox"/>	<input type="checkbox"/> Yellow gloss 120			<input type="checkbox"/>	<input type="checkbox"/> Grey sandpaper 202
<input type="checkbox"/>	<input type="checkbox"/> Forest green gloss 143			<input type="checkbox"/>	<input type="checkbox"/> White sandpaper 200
<input type="checkbox"/>	<input type="checkbox"/> Green gloss 107				
<input type="checkbox"/>	<input type="checkbox"/> Dark blue gloss 151	<input type="checkbox"/>	<input type="checkbox"/> XN200 Individual paint colour (State Colour/RAL code)	Frame	Comp
<input type="checkbox"/>	<input type="checkbox"/> Royal blue gloss 154			<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/> Blue gloss 174				
<input type="checkbox"/>	<input type="checkbox"/> Duckegg blue gloss 141				
<input type="checkbox"/>	<input type="checkbox"/> Pink gloss 188				
<input type="checkbox"/>	<input type="checkbox"/> Orange gloss 180				
<input type="checkbox"/>	<input type="checkbox"/> Purple gloss 157				
<input type="checkbox"/>	HLTXN030 Bead blast frame <i>(All parts black unless XN160 chosen)</i>	<input type="checkbox"/>	XN165 Bead blast components		
<input type="checkbox"/>	HLTXN050 Polished frame <i>(All parts black unless XN160 chosen)</i>	<input type="checkbox"/>	XN170 Polished components		
Accent Colour					
Note: Accent colour includes, forks, castor caps and axle clamps.					
<input type="checkbox"/>	Black accent	<input type="checkbox"/>	Silver accent	<input type="checkbox"/>	XN250 Individual Accent Colour
<input type="checkbox"/>	Red accent	<input type="checkbox"/>	Blue accent		
<input type="checkbox"/>	Purple accent				
UPHOLSTERY					
Seat Upholstery					
<input type="checkbox"/>	XP040 Seat sling adjustable tension with straps	<input type="checkbox"/>	XR050 Carbon fibre seat plate		
Backrest Upholstery					
<input type="checkbox"/>	XP050 Airtech backrest strap adjustable	<input type="checkbox"/>	XP070 Backrest upgrade to leather corners <i>(Black)</i>		
Backrest Stitching Colour					
<input type="checkbox"/>	Silver	<input type="checkbox"/>	Black	<input type="checkbox"/>	Blue
<input type="checkbox"/>	Red	<input type="checkbox"/>	Orange	<input type="checkbox"/>	Purple
				<input type="checkbox"/>	Individual:

RGK Logo Colour					
<input type="checkbox"/>	White (Std)	<input type="checkbox"/>	Green	<input type="checkbox"/>	Blue
<input type="checkbox"/>	Red	<input type="checkbox"/>	Orange	<input type="checkbox"/>	Purple
				<input type="checkbox"/>	Individual:

Model Logo Colour					
<input type="checkbox"/>	White (Std)	<input type="checkbox"/>	Green	<input type="checkbox"/>	Blue
<input type="checkbox"/>	Red	<input type="checkbox"/>	Orange	<input type="checkbox"/>	Purple
				<input type="checkbox"/>	Individual:

Backrest Accessories					
<input type="checkbox"/>	XP110 Backrest with zip pocket	<input type="checkbox"/>	XP170 Individual backrest embroidery <i>PLEASE COMPLETE PAGE 11</i>		

CUSHION	
Cushion foam options	
<input type="checkbox"/> XP080	Cushion foam <i>(select density and size below)</i>
<input type="checkbox"/> Soft (CMS040)	<input type="checkbox"/> Medium (CMS050)
<input type="checkbox"/> 50mm	<input type="checkbox"/> 75mm <input type="checkbox"/> 100mm
Cushion cover options	
<input type="checkbox"/> XP085	Nylon cushion cover <i>(Black)</i>
<input type="checkbox"/> XP090	Air Lite cushion cover <i>(Black)</i>
<input type="checkbox"/> XP100	Leather cushion cover <i>(Black)</i>
Jay Products - PLEASE PROVIDE JAY ORDER FORM	
<input type="checkbox"/> JAY Cushion <i>(Price dependant on size / option)</i>	<input type="checkbox"/> Jay Order form attached
<input type="checkbox"/> JAY Backrest <i>(Price dependant on size / option)</i>	<input type="checkbox"/> Jay Order form attached
<input type="checkbox"/> JAY Whitmyer Headrest <i>(Price dependant on size / option)</i>	<input type="checkbox"/> Jay Order form attached
FRAME OPTIONS	
<input type="checkbox"/> XR060	Welded calf strap mounting loops <i>(To locate calf strap on front frame)</i>
	Specify height from floor <input style="width: 100px; height: 20px;" type="text"/>
<input type="checkbox"/>	Optimise measurements
	
ACCESSORIES	
<input type="checkbox"/> XR080	Frontwheel assembly <i>(Only with Tubular style footrest)</i>
<input type="checkbox"/> XP120	Frame protectors Neoprene zip fasten <i>(Black)</i>
<input type="checkbox"/> XP420	Frame protectors Nylon velcro fasten <i>(Black)</i>
<input type="checkbox"/> XR010	Seat pouch velcro attach <i>(Black)</i>
<input type="checkbox"/> XR200	Rucksack with RGK logo <i>(Black)</i>
<input checked="" type="checkbox"/> XR090	Tool kit
<input checked="" type="checkbox"/> XS060	Calf strap

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:

OFF SPEC REQUEST* *(please specify below the page number(s) and details to which the off spec request applies.*

**OFF SPEC REQUEST
APPROVED** *(for internal
RGK office only)*

X

RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*