




Ti Grade 2	
CE	

Customer C	Contact Details
Customer Name:	Ship to Customer Address:
Advisor:	Shipping Name:
Address:	Shipping Address:
Phone:	Phone:
Email:	Email:
Additional	Information
Notes:	Current Wheelchair:
	Customer Weight:
	Customer Height:
	Customer Disability:
0	ther



SERIAL NO:









		FRONT FRAME AN			
XY080	Seat taper design Seat taper design	XY080	XY091	Parallel taper design Parallel taper design	
XY091,	mm combined with dimension is en the centre of the		XY080 , di smaller by	mbined with imensions must be	- Ais
_		Footrest Design (Ch			
XY100	Round design Round design	1	□ XY105	Square design Square design	
		Footrest Individual M	easurements		
XY115 ∴ XY120	Front footrest height Front footrest height mm Rear footrest height Rear footrest height	(Min - 40mm or 60mm for front wheel attachment) (Std = 20 lower than front height) (Min - 40mm or 60mm for			
XY125	mm Footrest length	(Min - 40mm or 60mm for front wheel attachment)	XY115	XY125 XY120	
1	Footrest length mm	(Std = 100mm) (160mm and over requires heavy			_
		Footrest Style (Cho	oose One)		
XB010	Tubular aluminium footrest Tubular aluminium footrest	(Height adjustable) (Height adjustable)	XB020	Tubular Titanium footrest (Height adjusta Tubular Titanium footrest (Height adjusta	
XB070	Angle adjustable aluminium foo (Angle/height adjustable) Angle adjustable aluminium foo (Angle/height adjustable) Tubular footrest welded into fro (No height adjustment) Tubular footrest welded into fro (No height adjustment)	otrest ame	XB030 XB150	Flip up plastic footrest (Angle/height adjustable, with closed frame on Flip up plastic footrest (Angle/height adjustable, with closed frame on Heavy duty tubular footrest (Height adjustable, for Freewheel use) Heavy duty tubular footrest (Height adjustable, for Freewheel use)	
	(No neight adjustment)	Footrest Co	ver	(Height adjustable, for Freewheer ase)	
XB050		h XB070 & XB030) h XB070 & XB030)	XB170	Aluminium cover (Not with XB070 & XB0. (Not with XB070 & XB0.)	
XB040	Plastic Cover (Not with XB07) Plastic Cover (Not with XB07)		XB165	Rubber grip tape (3M Safety walk)(not with XB030) Rubber grip tape (3M Safety walk)(not with XB030)	








	CAS	STOR WHEELS, FORK		OCKS
		Castor Whe 100mm (4		
XC060	Soft roll 4"x1.3" (Black) Soft roll 4"x1.3" (Black)			
XC110	Aluminium centre 4"x1" Aluminium centre 4"x1"	(Silver hub and black urethan		
XC130	Aluminium centre 4"x1.4" Aluminium centre 4"x1.4"	(choose colour below) (choose colour below)		
	Silver hub & black tyre (Std) Silver hub & black tyre (Std) Black hub & black tyre Black hub & black tyre Red hub & black tyre Red hub & black tyre	Gold hub & black tyre Gold hub & black tyre Green hub & black tyre Green hub & black tyre Blue hub & black tyre Blue hub & black tyre		& black tyre & black tyre
		125mm (5	5")	
 xc070	Soft roll 5"x1.3" (Black) Soft roll 5"x1.3" (Black)		XC120	Froglegs Aluminium centre 5"x1" (Silver hub and black urethane tyre only) Froglegs Aluminium centre 5"x1" (Silver hub and black urethane tyre only)
XC100	Pneumatic Aluminium centr Pneumatic Aluminium centr		XC140	Froglegs Aluminium centre 5"x1.4" (Silver hub and black urethane tyre only) Froglegs Aluminium centre 5"x1.4"
		150mm (6	5")	(Silver hub and black urethane tyre only)
xc080	Soft roll 6"x1.3" Soft roll 6"x1.3"		XC145	Frog Legs aluminium centre 6"x1.4" (Silver hub and black urethane tyre only) Frog Legs aluminium centre 6"x1.4" (Silver hub and black urethane tyre only)
		Castor For	·ks	
XC190	Performance castor fork Performance castor fork	(Std when no option selected) (Std when no option selected) Note: Colour follows accent		XC210 Froglegs suspension castor fork Froglegs suspension castor fork
XC192	High trail castor fork High trail castor fork	Note: Greater distance betwee steering axis reduces flutter at follows accent	·	Black Silver
		Castor Pin W	/idth	
XY330	Castor pin width Castor pin width mm			
		Ψ Ψ		
	Optimise measurements Optimise measurements	XY330		
	Optimise measurements Optimise measurements	XY330 Wheel Lock Options	(choose one)	
	-		(choose one)	Push to lock
	Optimise measurements		_	Push to lock Push to lock Out Front push to lock Out Front push to lock
XD020	Underseat Scissor Underseat Scissor Compact scissor Compact scissor Compact scissor White in the scissor Compact scissor Compact scissor with lightw (Only with fixed centre of g.	Wheel Lock Options eight fixing ravity)	XD050	Push to lock Out Front push to lock
xd020	Underseat Scissor Underseat Scissor Compact scissor Compact scissor	Wheel Lock Options eight fixing ravity) eight fixing	XD050	Push to lock Out Front push to lock Out Front push to lock Eagle wheel locks (Indicate colour)



	DS AND ARMRESTS
Sideguard Sideguard Aluminium Options	Sideguard with Fender Aluminium Options
XE030 Screw on aluminium Screw on aluminium Lift out aluminium Lift out aluminium Lift out aluminium Fold flat aluminium Fold flat aluminium Fold sek aluminium Fold flat aluminium Fold Flip back aluminium Flip back aluminium Carbon Fibre Options XE050 Screw on carbon fibre Screw on carbon fibre Screw on carbon fibre	XE040 Screw on aluminium with fender Screw on aluminium with fender Lift out aluminium with fender Lift out aluminium with fender Fold flat aluminium with fender Carbon Fibre Options XE060 Screw on carbon fibre with fender
Lift out carbon fibre Lift out carbon fibre Fold flat carbon fibre Fold flat carbon fibre Fold flat carbon fibre Flip back carbon fibre Flip back carbon fibre ABS Plastic Options XE070 Screw on ABS plastic	Screw on carbon fibre with fender Lift out carbon fibre with fender Lift out carbon fibre with fender Fold flat carbon fibre with fender Fold flat carbon fibre with fender Fold flat carbon fibre with fender Filip back carbon fibre with fender Flip back carbon fibre with fender Sideguard Measurements
Screw on ABS plastic	Fender Height
Lift out ABS plastic Lift out ABS plastic Fold flat ABS plastic Fold flat ABS plastic Fold flat ABS plastic Titanium Options HLTXE220 Welded with 6mm bead	10mm above tyre (Standard) 10mm above tyre (Standard) Individual above tyre Individual above tyre (Min = 10mm)
Welded with 6mm bead	
Sideguard Measurements Optimised measurements 25mm above tyre (Follow tyre) 25mm above tyre (Follow tyre) Individual above tyre (Follow tyre) Individual above tyre (Follow tyre)	Fender position Centre of tyre (Standard if no option selected) (Standard if no option selected) Outside of tyre Outside of tyre
(1) Individual above tyle	
Ψ	
Level with tyre (Follow tyre) Individual measurements	Armrest Options XF010 Lift out armrest with plastic sideguard (Indicate fixed height) Lift out armrest with plastic sideguard
Sideguard length Sideguard length mm Sideguard height Sideguard height mm	(Indicate fixed height) Lift out armrest w/ Aluminium sideguard (Indicate fixed height) Lift out armrest w/Aluminium sideguard (Indicate fixed height) Height (Top of seatrail to top of armrest) Height (Top of seatrail to top of armrest) mm







	CAMB	ER BAR	
	Adjustable Centre of Gravity		
XH110	Square back adjustable centre of gravity Square back adjustable centre of gravity (25-150mm)	ПНГТХН090	V-style fixed centre of gravity V-style fixed centre of gravity (25-125mm)
Ţ	mm	<u>^</u>	mm
XH120	Round back adjustable centre of gravity Round back adjustable centre of gi (60-150mm)		
<u> </u>	Specify Compar Angle		
_	Specify Camber Angle	_	
XY390	Camber angle Camber angle 0 1 2 3 5	XY390	Camber angle Camber angle 0 1 2 3 5
	Camber Bar Options		
хно40	Handbike camber bar fixed Handbike camber bar fixed	XH040	Handbike camber bar fixed Handbike camber bar fixed
①	Camber angle (Handbike camber bar) Camber angle (Handbike camber bar) 0 5	①	Camber angle (Handbike camber bar) Camber angle (Handbike camber bar) 0 5
①	Castor height from floor for handbike fitting (Standard 30mm if not indicated) Castor height from floor for handbike fitting (Standard 30mm if not indicated) 30 50	①	Castor height from floor for handbike fitting (Standard 30mm if not indicated) Castor height from floor for handbike fitting (Standard 30mm if not indicated) 30 50
хнозо	Frog Legs suspension camber bar Frog Legs suspension camber bar		
	Nake Ready for Batec Bloc (Upgraded Camber Bar to suit) Nake Ready for Batec Bloc (Upgraded Camber Bar to suit)	XA227	Batec Bloc and Mount Batec Bloc and Mount
	Anti-Ti _r	Options Options	
XJ010	Swingaway anti tip LEFT side (Only with square back frame. Not with XH040) Swingaway anti tip LEFT side (Only with square back frame. Not with XH040)	XJ100	Single sport anti tip (centre mounted) Single sport anti tip (centre mounted)
XJ020	Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040) Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040)		



H	M
- 6	_

		REAR W			
XY420	24" Wheels	Rear Wh	Wheels	XY440	26" Wheels
	24" Wheels	25"	Wheels		26" Wheels
XY460	Rear wheel gap	Rear Wh	eei Gap XY460		
X1400	Rear wheel gap				
	5 20 25 Individ	dual	mm A	## ##	
		Wheel Options	(Choose one)		
XK010		, black spokes)	XK320	Spinergy XLX 12 spoke	
ХК050	Fusion 16 spoke (Silver Hub Spinergy LX 12 spoke	, black spokes)	XK060	Spinergy XLX 12 spoke Spinergy SPOX 18 spoke	
<u> </u>	Spinergy LX 12 spoke		_	Spinergy SPOX 18 spoke	
XK150	Spinergy CLX 18 carbon blade : N/A IN SILVER HUB	spoke	XK070	Spinergy BLXL 18 blade s N/A IN SILVER HUB	poke
	Spinergy CLX 18 carbon blade : N/A IN SILVER HUB	spoke		Spinergy BLXL 18 blade s N/A IN SILVER HUB	poke
Spinergy C	Colour Options:			N/A IN SILVEN HOB	
Black sp	okes White spokes	Yellow spokes	XK180	Individual spoke design	(Specify colour)
Black spo		Yellow spokes Pink spokes		Individual spoke design	(Specify colour)
Red spol	kes Blue spokes	Pink spokes Green spokes		Inside:	
Purple s	pokes Orange spokes	Green spokes		Outside:	
XK190	Anodise Options Black hub (std) XK200	Silver hub	XK201 Red hub/ri	Outside:	
XIKISO	Black hub (std)	(n/a with BLXL/CLX)	(LX, XLX &	BLXL only)	
_	<u></u>	Silver hub (n/a with BLXL/CLX)		BLXL only)	
XK202	Purple hub/rims XK203 (LX, XLX & BLXL only)	Blue hub/rims (LX, XLX & BLXL only)	XK204 Gold hub/ (LX, XLX &	rims BLXL only)	
	Purple hub/rims (LX, XLX & BLXL only)	Blue hub/rims (LX, XLX & BLXL only)	Gold hub/	rims <i>BLXL only)</i>	
_		Supply With	out Wheels		
XK040	Supply without Wheels and Ax Supply without Wheelsand Axl		Туре:	Туге Туре:	
XY480		Handrim Posit	ion / Options XY485	Mids set benedice	
X1460	Narrow set handrim Narrow set handrim		X1463	Wide set handrim Wide set handrim	
XL090	Remove excess mounting tabs Remove excess mounting tabs	(recommended for si (recommended for si			
_	nemote excess mounting tass	Handrim			
XL010	Aluminium hard anodised 6 tal Aluminium hard anodised 6 tal		XL040	Titanium 6 tab Titanium 6 tab	
XL160	Elipse 6 tab (replacement)	for Surge)	XL035	Natural Fit LT	
XL020	Elipse 6 tab (replacement) Tetra grip 6 tab	for Surge)	XL150	Natural Fit LT	
XL020	Tetra grip 6 tab		ALISO	Carbolife Gekko Carbolife Gekko	Black Silver
XL100	Para grip 6 tab		XL170	Carbolife Curve L (Black)	Black Silver
	Para grip 6 tab				
				Carbolife Curve L (Black)	
		Tyre Op			l only)
XM010	Kenda Grey Kenda (Std)	Tyre Op Blue Red Blue Red	xM060	Schwalbe One (24",25' Schwalbe One (24",25'	
XM010 XM130	Kenda Grey	Blue Red		Schwalbe One (24",25'	only)
	Kenda Grey Kenda (Std) Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus	Blue Red	XM060	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi	only) ke tyre (24",25" only)
XM130	Kenda Grey Kenda (Std) Kenda black Grey Kenda black (Std)	Blue Red	XM060 XM050 XM040	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (£	only) ke tyre (24",25" only) ke tyre (24",25" only)
XM130 XM020	Kenda Grey Kenda (Std) Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus	Blue Red Red	XM060 XM050 XM040 alve Options	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (I Shox solid airless (I	ke tyre (24",25" only) ke tyre (24",25" only) slack) slack)
XM130	Kenda Grey Kenda (Std) Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus	Blue Red	XM060 XM050 XM040 alve Options tted)	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (I Shox solid airless (I	ke tyre (24",25" only) ke tyre (24",25" only) Black) Black) r tube valve
XM130 XM020	Kenda Grey Kenda (Std) Kenda black Grey Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus	Blue Red Blue Red Inner Tube Va	XM060 XM050 XM040 alve Options cted)	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (! Shox solid airless (! XY490 Presta inne	ke tyre (24",25" only) ke tyre (24",25" only) Black) Black) r tube valve
XM130 XM020	Kenda Grey Kenda (Std) Kenda black Grey Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus Schraeder inner tube valve Schraeder inner tube valve	Blue Red Blue Red Inner Tube Vi (Standard if no option select (Standard if no option select Wheel Acc	XM060 XM050 XM040 alve Options cted)	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (! Shox solid airless (! XY490 Presta inne Presta inne	ke tyre (24",25" only) ke tyre (24",25" only) Black) slack) r tube valve r tube valve
XM130 XM020 XY500	Kenda Grey Kenda (Std) Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus Schraeder inner tube valve	Inner Tube Va (Standard if no option select (Standard if no option select (Standard if no option select Wheel Accordance)	XM050 XM050 XM040 alve Options cted) cessories	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (! Shox solid airless (! XY490 Presta inne Presta inne	ke tyre (24",25" only) ke tyre (24",25" only) slack) slack) r tube valve r tube valve
XM130 XM020 XY500 XK220	Kenda Grey Kenda (Std) Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus Schraeder inner tube valve Schraeder inner tube valve Schraeder inner tube valve Titanium 130mm quick release (N/A with XK010 & XK070) Titanium 130mm quick release (N/A with XK010 & XK070)	Inner Tube Va (Standard if no option select (Standard if no option select (Standard if no option select Wheel Accordance)	xM050 xM050 xM040 silve Options cted) ctessories xK300	Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (£ Shox solid airless (£ XY490 Presta inne Presta inne Offroad wheel set 22" ria	ke tyre (24",25" only) ke tyre (24",25" only) ke tyre (24",25" only) Black) It tube valve It tube valve In with handrim, MTB tyre and and 25" wheel with XM010)
XM130 XM020 XY500	Kenda Grey Kenda (Std) Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus Schraeder inner tube valve Schraeder inner tube valve Titanium 130mm quick release (N/A with XK010 & XK070) Titanium 130mm quick release	Inner Tube Va (Standard if no option select (Standard if no option select (Standard if no option select Wheel Accordance)	XM050 XM050 XM040 alve Options cted) cessories	Schwalbe One (24",25' Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (£ Shox solid airless (ke tyre (24",25" only) ke tyre (24",25" only) ke tyre (24",25" only) Black) Ir tube valve Ir tube valve In with handrim, MTB tyre and and 25" wheel with XM010) In with handrim, MTB tyre and wheel with XM010)
XM130	Kenda Grey Kenda (Std) Kenda black Grey Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus Schraeder inner tube valve Schraeder inner tube valve Titanium 130mm quick release (N/A with XK010 & XK070) Titanium 130mm quick release (N/A with XK010 & XK070) Quad release axle nuts (pair)	Inner Tube Va (Standard if no option select (Standard if no option select (Standard if no option select Wheel Accordance)	xM050 xM050 xM040 alve Options cted) cessories xK300	Schwalbe One (24",25' Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (It Shox solid airless (It Ay490 Presta inne Presta inne Offroad wheel set 22" rir axle pins (Replaces 24" co	ke tyre (24",25" only)
XM130 XM020 XY500 XK220	Kenda Grey Kenda (Std) Kenda black Grey Kenda black Grey Kenda black (Std) Schwalbe Marathon Plus Schwalbe Marathon Plus Schraeder inner tube valve Schraeder inner tube valve Titanium 130mm quick release (N/A with XK010 & XK070) Titanium 130mm quick release (N/A with XK010 & XK070) Quad release axle nuts (pair)	Inner Tube Va (Standard if no option select (Standard if no option select (Standard if no option select Wheel Accordance)	xM050 xM050 xM040 silve Options cted) ctessories xK300	Schwalbe One (24",25' Schwalbe One (24",25' Schwalbe One (24",25' Kenda K885 mountain bi Kenda K885 mountain bi Shox solid airless (£ Shox solid airless (ke tyre (24",25" only) ke tyre (24",25" only) ke tyre (24",25" only) Black) Ir tube valve Ir tube valve In with handrim, MTB tyre and and 25" wheel with XM010) In with handrim, MTB tyre and wheel with XM010)





H	
-6	7 -

		FINISH C			
_		_	ponent Finish		
XN010 Frame Comp.	Powder coated frame Powder coated frame <u>Gloss</u>	XN150 Frame Comp.		d components (Frame colour if not specified components (Frame colour if not specified Frame Comp. Special	
	Black gloss 103	Black ma	itt 105	Chrome Mirror 300	
	White gloss 100	White ma	att 101	Sparkle silver 170	
	Grey gloss 132	Grey mat	tt 131	Metallic black matt 1	04
	Cream gloss 135	= = =	y matt 133	Metallic grey matt 1	
	Red gloss 108		e matt 152	Black sandpaper 201	
	Yellow gloss 120	Havy Sia	e matt 132	Grey sandpaper 202	
	Forest green gloss 143			White sandpaper 20	
88	Green gloss 107				
	Dark blue gloss 151				
	Royal blue gloss 154				
	Blue gloss 174				
	Duckegg blue gloss 141				
	Pink gloss 188				
	Orange gloss 180				
	Purple gloss 157				
HLTXN03	O Bead blast frame (All p	oarts black unless XN160 cho	osen) XN1	Bead blast components Bead blast components	
HLTXN05		s black uplace VN150 shasa	n)		
LITETATION	 Polished frame (All part Polished frame 	s black unless XN160 choser	n) XN1	Polished components Polished components	
		Accent	Colour		
Note: Accent co	lour includes, forks, castor caps	and axle clamps.			
	Black accent Black accent		accent accent		
(i) 🗆	Red accent	Blue a	accent		
l –	Red accent Purple accent	Blue a	accent		
	Purple accent		A		
		UPHOL Seat Up	LSTERY holstery		
XP040	Seat sling adjustable tension	·	XR050	Carbon fibre seat plate	
	Seat sling adjustable tension	<u> </u>		Carbon fibre seat plate	
XP050	Airtech backrest strap adjus		Jpholstery XP070	Packrost ungrado to loather corners	(Black)
XP030	Airtech backrest strap adjus		XP070	Backrest upgrade to leather corners Backrest upgrade to leather corners	(Black)
		Backrest Stit	ching Colour		
Silver Silver	Black Black	Blue Blue	Individ Individ		
Red	Orange	Purple	- Individ		
Red	Orange	Purple RGK Log	o Colour		
White		Blue	Individ		
White Red	(Std) Green Orange	Blue Purple	Individ	ual:	
Red	Orange	Purple Model Lo	go Colour		
White		Blue	Individ		
White Red	(Std) Green Orange	Blue Purple	Individ	ual:	
Red	Orange	Purple Backrest A	ccessories		
XP110	Backrest with zip pocket	- Duckiest A	XP170	Individual backrest embroidery	
	Backrest with zip pocket		— """	PLEASE COMPLETE PAGE 11	
				Individual backrest embroidery	
1					





		CUSHION		
		Cushion foam options		
XP080	Cushion foam (select density and (select density and			
(i)	Soft (CMS040)	Medium (CMS050) Medium (CMS050)	П	
L	50mm 50mm	75mm 75mm	100mm 100mm	
		Cushion cover options		
XP085	Nylon cushion cover (Black) Nylon cushion cover (Black)			
XP090	Air Lite cushion cover (Black) Air Lite cushion cover (Black)			
XP100	Leather cushion cover (Black Black B			
	Jay Prod	ducts - PLEASE PROVIDE JAY	ORDER FORM	
JAY Cu	, , ,		Jay Order form attached Jay Order form attached	
JAY Bad			Jay Order form attached Jay Order form attached	
	, , ,	nt on size / option) nt on size / option)	Jay Order form attached Jay Order form attached	
		FRAME OPTIONS	6	
XR060	Welded calf strap mounting loops Welded calf strap mounting loops Specify height from floor	(To locate calf strap on j (To locate calf strap on j		
	Optimise measurements			
	Optimise measurements	ACCECCODIEC		
		ACCESSORIES		
XR080	•	th Tubular footrest) th Tubular footrest) red	purple blue silver	
XP120	Frame protectors Neoprene zip fast Frame protectors Neoprene zip fast			
XP420	Frame protectors Nylon velcro faste Frame protectors Nylon velcro faste	(0) (1)		
XR010	Seat pouch velcro attach Seat pouch velcro attach (Black			
XR200	Rucksack with RGK logo (Black Rucksack with RGK logo (Black			
XR090	Tool kit Tool kit			
XS060	Calf strap Calf strap			





ADDITIONAL NOTES INDIVIDUAL BACKREST EMBROIDERY PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW RCK HILITE **BRACE BAR SPEC NOTES: OFF SPEC REQUEST OFF SPEC REQUEST*** (please specify below the page number(s) and details **APPROVED** (for internal to which the off spec request applies. RGK office only) RGK Internal Sign-off Off spec requests require a feasability study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*