







-0	V						1				OF_Neon:) Ell-Tamplata '	.	
ali: .aa.								م د صا	ioo to:			LO-Template_/	2025-01-14	
eliver to:								IIIVC	oice to:					
ame:								Nar	ne:					
reet:								Stre	et:					
own:			Pos	tal code:				Tov	'n.			Postal o	ode.	
			. 00	tai oodo.				E-M				i ootai t	, ouo.	
-Mail:			_								_			
el:			Fax	:			J	Tel:				Fax:		
rder date:							1	Mar	ked for:					
	٠							liviai	Red for.					
irchase ord														
ımber requ	ıired:								rise ord					
								•	= Stand	lard		□ = C	ost option	
□ Orde	□ Order □ Calculation □ Built 4 me								= No co	st optior	1		•	
													(4)	
Reimbu	ırsemeı	nt code	:					Ma	x. user	weight	:		140 kg ⁽¹⁾	
Art no	. 05300	000 DE	/ 05001					US						
ALL HO.			7 05300	0001 IC					FR WE	IGHT			l ka	
AIL IIO.	. 00000		/ 05300	0001 IC			Mandatory information to ensure correct configuration							
Art. 110.	. 00000		/ 0530(0001 IC					ER WE	mation to er			kg	
Art. 110.	. 00000		/ 05300	0001 IC						mation to er	nsure corre		kg	
Art. 110.	. 0000		/ 05300	0001 IC						mation to er			kg	
Art. 110.					ASURE	MENTS	(all me		datory infori	mation to er	se Pri		kg	
			CLIE	NT ME			•	Mano	ents wit	Ba	se Pri		kg	
			CLIE	NT ME			•	Mano asureme	ents wit	Ba	se Pri		kg	
	T WIDTI	H SELEC	CLIE	NT ME/	d from ou	ıtside frar	ne tube t	asureme o outside	ents with	Bance (mm)	shion)		kg	
	T WIDTI	H SELEC	CLIE CTION -	NT ME	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Ba nout cus noe (mm) 480	shion)		kg	
	T WIDTI	H SELEC	CLIE CTION -	NT ME	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg	
	T WIDTI	H SELEC	CLIE CTION -	NT ME	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg	
	T WIDTI	H SELEC	CLIE CTION -	NT ME	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg kg	
	T WIDTI	H SELEC	CLIE CTION -	NT ME	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg kg	
	T WIDTI	H SELEC	CLIE CTION -	NT ME	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg	
SEA	T WIDTI 300 ○	320 O	CLIE	measure	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg kg	
SEA	T WIDTI	320 O	CLIE	measure	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg	
SEA	T WIDTI 300 ○	320 O	CLIE	measure	d from ou 380	itside fran	ne tube t	asureme o outside	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg kg	
SEA	T DEPT	H SELEC	CTION -	measure 360 O	d from ou 380 ○	tside frar	ne tube t	asureme o outside 440 Includes User wei	ents with	nation to en Bannout cus pe (mm) 480 SW01666	shion)		kg	

n ²																									
	•	= Standard	0	= No	cost	optic	n		= Co	st op	tion														
FRO	ONT SEA	AT HEIGHT S					-		ce of	tron	t cas	stors	s, tor	ks a	ind fi	rame	e ver	sion	S						
					at h																				
	Frame	Fork (length)	350	360	370	380	390	400	410	420					470	480	490	500	510	520	530	540	550	560	5
		111 mm								0	0	0	0	0											
		115 mm (1)										0	0	0	0										
		131 mm (1)											0	0	0	0									
3"		174 mm (1)														0	0	0	0	0					
		One Arm (1)								0	0	0	0	0											┖
		111 mm (1)																							
	Hemi	131 mm (1)																							
		174 mm* (1)																							L
		111 mm									0	0	0	0	0										
		115 mm (1)											0	0	0	0									L
		131 mm (1)												0	0	0	0	0			_				L
4"		174 mm (1)														0	0	0	0	0	0				L
		One Arm (1)									0	0	0	0	0										4
		111 mm (1)																							
	Hemi	131 mm (1)																							
₅⊢		174 mm (1)																							L
316		111 mm												0	0	0	0								
2		115 mm (1)												0	0	0	0								
5"		131 mm (1)													0	0	0	0	0						L
5 5"		174 mm (1)															0	0	0	0	0	0			
		One Arm (1)												0	0	0	0								L
		111 mm (1)																							L
	Hemi	131 mm (1)																							
		174 mm (1)																							L
		111 mm														0	0								
		115 mm (1)														0	0	0							
		131 mm (1)														0	0	0	0	0					
6"		174 mm (1)																0	0	0	0	0	0		
		One Arm (1)														0	0								
		111 mm (1)																							
	Hemi	131 mm (1)																							
		174 mm (1)																							
		115 mm (1)																0	0						
		131 mm (1)																	0	0	0				
		174 mm (1)																		0	0	0	0	0	ď
	Hemi	174 mm (1)																							

Rear seat height in mm

			_																		
Rear wheels	330	340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530
22"	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
24"				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
25"					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
26"						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:1020 mmMax. overall length:1150 mmMax. pivot width:700 mm

Max. safe slope: 7° (for use of parking brakes)

Wheelchair weight: from 11,5 kg
Dismantled weight: from 9,1 kg
Mass of heaviest part: 2,1 kg
Max. overall width: Camber

For 0° camber: SW + 160 mmFor 2° camber: SW + 220 mmFor 4° camber: SW + 270 mm

Intended use and environment - for people with limited mobility; self-propelling or being pushedby an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport wihout a user fixe the chair safe in the vehicle (e.g. car or plane)

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

Neon ²	•	= Standard O = No cost	option		= Cos	t optic	on							Price in €
		SEAT												
		Seat sling												
VSW020002	0	Seat sling, nylon, tension adjus												
VSW020003		Seat sling, nylon, tension adjus										ly from SW		
VSW020004		Seat sling, nylon, tension adjus	stable, 1 util	ity bag,	1 cath	neter	bag				(or	ly from SW	340 mm)	
VSW020000	0	Without seat sling												
Seat cushio	n, co	er with zipper, black												
oam (mediu	ım-so	ft) Thickness: NSI	W020101 □	□ 30 m	nm	NSW	020102		50 m	m				
														_
		Seat accessories												
ISW020050		Additional padding for seat uph	olstery, ren	novable)									
ISW090018		Lap belt with buckle, metal												
		IAV Cushians for complete	nroduot ro	2000	a lov	ordo	r 60 rm							
AY020002		JAY Cushions - for complete	product ra	ange se	e Jay	orae	r torm	15						
AY020002 AY020003		JAY Basic JAY Soft Combi P												
AY020003 AY020001		JAY Easy Visco, Curved Base												
AY020001 AY020004		JAY Lite												
AY020007		JAY Easy Fluid, Curved Base												
		BACKREST												
ank haint	rona		250 - 30	0 200	- 350	350	- 400	400	- 450	450	175			
Back height	_													
	·	nt factory setting.	0 25		300	0	350	0	400		50			
ieignt adjus	tment	s of in total 50 mm possible.	0 27	_	325	0	375	0	425	0 4	175			
			O 30	0 0	350	0	400	0	450					
ISW030010	0	Backrest, fixed (90°)												
ISW030031		☐ Backrest, fold-down (to the	ne front)	(1))									
ISW030012		Backrest, angle-adjustable										(75°	to 103°)	
ISW030031		□ Backrest, fold-down (to the property of the property)	ne front)	(1))									
		Pushhandles												_
ISW030200	0	Without push handles												
VSW030200	0	Push handles long												
ISW030203		Push handles, fold-down							- (availah	le from	back height	325 mm)	
ISW030205		Push handles, height-adjustable	e for Jay ba	acks					•			back height		
ISW030204		Push handles, height-adjustable		20110								back height		
		<u> </u>											,	
		Backrest upholstery											1	
ISW030316	0	EXO Backrest sling, padded, a										0 51		
1014/000047	_	<u> </u>	Black		Oran	_		Silve			Red	O Blue		
ISW030317		EXO PRO Backrest, padded, a	-	-				ssory Silve	_		-	O Blue	-	
1614/030300	0	· · · · · · · · · · · · · · · · · · ·	Black	0	Oran	ge	- 0	Silve	er	0	Red	O Blue		
ISW030300	0	Without backrest upholstery												
		Accessories for backrest												
SW030402		Stabilising bar, automatic foldir	ng						(on	nly avail	able fro	m SW 360-	480 mm)	
SW030401		Stabilising bar, swing-away												
ISW030412		□ Headrest, medium, heigh	-	_	-									
ISW030411		☐ Headrest, tall, height, dep	oth and ang	le-adjus	stable,	200x	110 m	m						
(1)		Not with height adjustable push					-							or more informat
		folding-Matrix on next page. If		U		•			_	it 300	mm a	/ailable;		visit our webpag
		if push handles fold-down chos	sen only froi	m back	neight	350	mm av	allab	ie					v.SunriseMedica
													ဖ S	unrise Medical



NSW020002 Seat sling with 1 utility bag



NSW020003 Seat sling with 2 utility bags



NSW090018 Lap belt with buckle, metal



NSW030012 Backrest, angle adjustable



NSW030201 Push handles long



NSW030203 Push handles, fold-down



NSW030204 Push handles , height-adjustable



NSW030316 EXO backrest sling (new EXO Evo



NSW030317 EXO PRO backrest sling (new EXO Evo version)



NSW030412 Headrest, medium

Folding-Matrix for NSW030031 Backrest, fold-down to the front.

Back height

Seat width



NSW030031 Backrest, fold-down

	325	350	375	400	425	450	475
320	✓	✓	✓	✓	✓	✓	✓
340	✓	✓	✓	✓	✓	✓	✓
360	✓	✓	✓	✓	✓	✓	✓
380		✓	✓	✓	✓	✓	✓
400			✓	✓	✓	✓	✓
420						✓	✓
440							✓
460							
480						✓	✓
500							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

Neon		= Standard	Price in €
		JAY J3 BACKS	i ilog ili G
IAV I2 Boo	ı, cı	allow Contour	
Mid Thoracio		□ JAY030010 Medium - 340 mm □ JAY030033 Tall - 380 n	nm
Upper Thora		□ JAY030012 Short - 420 mm □ JAY030019 Medium - 460 mm □ JAY030025 Tall - 500 r	
Shoulder He		□ JAY030015 Short - 530 mm □ JAY030022 Medium - 570 mm □ JAY030028 Tall - 610 r	
JAY J3 Bac			
Mid Thoracio		□ JAY030011 Medium - 340 mm □ JAY030018 Tall - 380 r	nm
Upper Thora	cic:	□ JAY030013 Short - 420 mm □ JAY030020 Medium - 460 mm □ JAY030026 Tall - 500 r	nm
Shoulder He		☐ JAY030016 Short - 530 mm ☐ JAY030023 Medium - 570 mm ☐ JAY030029 Tall - 610 r	
		Deep Contour (150 mm Contour Depth)	
Mid Thoracio		□ JAY030044 Medium - 340 mm □ JAY030041 Tall - 380 r	nm
Upper Thora		□ JAY030045 Short - 420 mm □ JAY030042 Medium - 460 mm □ JAY030046 Tall - 500 n	
Shoulder He		□ JAY030043 Short - 530 mm □ JAY030047 Medium - 570 mm □ JAY030048 Tall - 610 r	
	_	ack - Shallow Contour	
Lower Thora		□ JAY060001 Short - 170 mm □ JAY060002 Tall - 240 r	nm
Mid Thoratic		□ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 r	
THE THOTAGO	•		
	s for .	IAY J3 Backs	
WHT030415		□ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 b	
WHT030416		□ Whitmyer Headrest, AXYS, Standard (only with JAY J3 b	acks)
JAY090058		☐ JAY Accessory bag (only with JAY J3 Carbon b	acks)
		ARMREST AND SIDEGUARDS	
		Armrest	
NSW040005		Desk sideguard, flip-up, removable	
NSW040001		Desk sideguard, armpad (250 mm), fixed, flip-up, removable	
NSW040002		Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable	
NSW040003		Desk sideguard, armpad (310 mm), fixed, flip-up, removable	
NSW040004		Desk sideguard, armpad (310 mm), height-adjustable, flip-up, removable	
NSW040050		Single-post sideguard, armpad (250 mm), height-adjustable, removable (1)	
NSW040051		Single-post sideguard, armpad (360 mm), height-adjustable, removable (1)	
NSW040052		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable (1)	
NSW040117		Tubular armrest, Aluminium, swing away (sideways), padded, removable (only with backrest, angle	e adj.)
		Accessories and options for desk sideguards	
NSW040020	0	Release assistance for tetraplegics (only with desk sideg	ruard)
NSW090012		Tray, swing-away (to the side), SW 340 - 500 mm, left-mount (only with desk sides	
NSW090013		Tray, swing-away (to the side), SW 340 - 500 mm, right-mount (only with desk sides	· ·
NSW090011		Tray, push-fit, SW 380 - 480 mm (only with desk sides	
11311030011		Tray, pusit-int, 5vv 500 - 400 mm	(dard)
		Sideguards	
NSW040107		Sideguard, composite, removable, 210 mm high (310 mm long), black	
NSW040102		Sideguard, aluminium, cold weather protection (in frame colour)	
NSW040103		Sideguard, aluminium, fender, cold weather protection (in frame colour)	
NSW040104		Sideguard, carbon fibre, fender, cold weather protection (black)	
		HANGER	
NSW050001		Hanger angle 80°	
NSW050002		Hanger angle 70° (2)	
		Hanger, aluminum, swing-away	
NSW050006		Hanger, aluminium, swing-away, LH	
NSW050007		Hanger, aluminium, swing-away, ET	
NSW050007		Hanger, aluminium, swing-away, Kn Hanger, aluminium, swing-away, pair	
V3VV030000		Tidilger, aluminum, Swing-away, pail	
		Hanger, aluminum, flip-up (0-90°), swing-away	
NSW050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	
NSW050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	
NSW050011		Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (from SW 380) mm)
(1)		Only with COG Adapter Standard	For more information
(2)		In combination with NSW010024 "Frame, Hemi" only 70° hangers available	visit our webpage
			www.SunriseMedical.d
		l l	© Sunrise Medical 20

JAY J3 Back Shallow Contour



JAY J3 Back Mid Contour

JAY J3 Back Mid Deep Contour









JAY J3 Carbon Back Shallow Contour



NSW04000x Desk sideguard, armpad, flipup, removable



NSW040050 Single-post sideguard



NSW040052 Single-post sideguard, armpad (33 cm)



NSW040117 Tubular armrest, swing away, removable, padded



NSW040107 Sideguard, composite, removable (black)



NSW040103 Aluminium, cold weather protection, fender



NSW040104 Carbon fibre, cold weather protection, fender



NSW050011 Hanger, aluminum, flip-up (0-90°, Swing-away

Neon ²			
	•	= Standard O = No cost option \square = Cost option	Price in €
		FOOTBOARDS	
NSW050104		Footboard, divided, composit, flip-up, heel loop, black (from SW 380	mm)
NSW050020		Footboard, divided, composit, angle-adjustable, flip-up, heel loop, black (from SW 380) mm)
NSW050022		Footboard, divided, aluminum, angle-adjustable, flip-up, heel loop, frame colour	
NSW050051		Footboard, divided, aluminum, angle-adjustable, flip-up, high-mount, heel loop, frame colour (1)	
NSW050023		Footboard, platform, aluminum, angle-adjustable, flip-up, heel loop, frame colour	
NSW050126		□ Swing-away mechanism for platform footboard	
NSW050059		Footboard, platform, Performance, aluminum, angle-adjustable, flip-up, calf strap (from SW 320)	(mm)
NSW050131 NSW050132		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up, calf strap, black	
11311030132		Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable, flip up, calf strap, black (1)	
NSW050127		Accessories for footboards Adjustable side protection, to create a side-stop on the footboard (2)	
11011000127			
		LOWER LEG LENGTH (LLL) (LLL has to be 25 mm less than front seat height; measurements in	
	0		310
	0		410 510
		pelow appoximately 320 mm require high-mount footboards- depends on configuration, please check configurator for details	510
	LLL	relow appositiately 320 min require high-mount rootsboards- depends on configuration, please check configuration for details	
		FRAME VERSIONS	
NSW010015	0	Frame SA	
NSW010602		Frame reinforcement for max. user weight 140 kg	
NSW010024	0	Frame, Hemi for lower Seat heights (compare with your choice on the first p	page)
		CENTRE OF GRAVITY (COG) (20 mm= very passive; 120 mm= very a	ctive)
NSW070703	Ada	pter standard O 20 O 30 O 40 O 50 O 60 O 70 O 80 O	90
		O 100 O 110 O 120	
NSW070701	Ada	pter lightweight 0 50 0 60 0 70 0 80 0 90 0 100 0 110 0	120
		FRAME ACCESSORIES (choose either tip assit or anti- tip tube per	side)
NSW090016		Frame protection, black	
NSW090100		Tie down brackets for transportation	
NSW090010		Transit wheels (not in combination with anti-tip tubes or tip a	issist)
		Anti-tip tubes, swing-away	
NSW090004		Left NSW090005 □ Right	
NSW090006		Pair (no additional tip assist pos	sible)
		Tip assist	
NSW090001		Left NSW090002 □ Right	
NSW090003		Tip assist, pair (no additional anti-tip tube pos	
NSW090009		Crutch holder, loop (only in combination with tip a	ssist)
		EMPULSE F55 BUNDLING	
EMO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMO000102	0	With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
Germany only		EM0000210 O StVZO Kit incl. Attachment and TÜV approval (only in combination with EM0000: the wheelchair, not discountable)	102 F55 mounted to
		FORKS (compare with your choice on the first)	
NSW080013	0	Castor fork, Carbotecture ®, 111mm Colour: Black	Std.
NCIM/00000		Colour: Silver Orange Red (3) Blue (3)	for(so) Ctd
NSW080029		Castor fork, Aluminium Colour: Black (only for 115mm, 131mm and 174mm) Colour: Silver	forks) Std.
NSW080008		Colour: Silver Castor fork, aluminium, one-arm Colour: Black	- -
71077000000		Colour: ☐ Silver ☐ Orange ☐ Red ☐ Blue	
		-	
		STANDARD CASTORS (compare with your choice on the first)	page)
NSW080301	0	Castor, solid (hard), rim: composite, black	-
NSW080302 NSW080303	0	Castor, solid (soft), rim: composite, black Castor, solid (hard), light-up, rim: composite, black (only in 4" ar	
NSW080303 NSW080304		Castor, solid (hard), light-up, rim: composite, black Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" (only 4")	
NSW080304 NSW080305			aly 7") -
NSW080305		Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4"	
	_	Colour, rim:	/
(1)		From SW 340 mm available	For more information
(2)		Only for footboard, platform lightweight or Performance	visit our webpage
(3)		Only available in combination with castor, soft (NSW080302 or NSW080306)	www.SunriseMedical.com
Ī			© Sunrise Medical 2025



NSW050022 Footboard divided, aluminium, frame colour



NSW050059 Footboard platform, Performance



NSW050132 Footboard platform, lightweight, carbon fibre



NSW050127 Adjustable side protection



NSW090010 Transit wheels



NSW090006 Anti-tip tubes, swing away



NSW090001 Tip assist



NSW080013 & NSW080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



NSW080008 Castor fork, aluminum, one-arm, red

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

	Seat Depth												
COG	380	400	420	440	460	480	500						
40	×	×	×	~	~	~	~						
60	×	×	×	×	~	~	~						
70	×	×	×	×	~	~	~						
80	×	×	×	×	×	~	~						
90	×	×	×	×	×	~	~						
100	×	×	×	×	×	×	~						
110	×	×	×	×	×	×	~						
120	×	×	×	×	×	×	×						
130	×	X	×	X	X	×	×						

Neon ²	•	= Standard O = No cost option □ = Cost option	Price in €
		REAR WHEELS (compare with your choice on the first	
NSW070000	0	Without rear wheel	
NSW070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (not a	in 25")
NSW070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24" and	nd 26")
NSW070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (not in 26"; see colour options on last	page)
NSW070004		Rear wheel, Proton, 24 spokes (black), straight spokes (not in 26"; user weight limit 1	100kg)
NSW070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver (not in	in 22")
NSW070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black (only 24"	& 25")
NSW070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only 22"	& 24")
NSW070009		, , , , , , , , , , , , , , , , , , , ,	ly 24")
NSW070010		Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) (on	ly 24")
		Axle	
NSW070150	0	Quick-release axle	
NSW070151		Quick-release axle, designed for quads (2)	
		TYRES	
NSW070101	0	7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	in 25")
NSW070102	0		in 26")
NSW070107		Tyre, pneumatic, slick, Schwalbe One (only 24" and	d 25")
NSW070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	
NSW090163		Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid	tyres)
		HANDRIMS	
NSW070204	0	Handrims, stainless steel, silver	
NSW070202	0	Handrins, stainless steel, silver Handrins, aluminium, anodised, silver	
NSW070201	0	Handrims, aluminium, powder-coated, clear	
NSW070203		Handrims, aluminium, powder-coated, coloured (select colour on last	page)
NSW070205		·	in 22")
NSW070206			in 22")
NSW070207		Handrims, Supergrip ®	
NSW070208		Handrims, Maxgrepp ® (only 22"	& 24")
NSW070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25	" only)
		Hand rim mounting	
NSW070307	_	Handrim mount, super narrow (7 mm)	
,		h stainless steel; not in combination with Spinergy, Proton and Lightweight Wheels and stainless steel Handrim, Not with Max Handrim mount, narrow (17 mm) (Not with Max	9 117
NSW070317	0	Transmit mount, narrow (17 mm)	grepp)
NSW070327	0	Handrim mount, wide (27 mm)	
		Handrim accessories	
NSW070250		Handrim cover, rubber (not with 25" and	nd 26")
		WHEEL CAMBER	
NSW070600	0	0°	-
NSW070602	0	2° (3)	
NSW070604	0	<u>4° (3)</u>	-
		SPOKE GUARDS (coloured: only 22 & 24"; transparent: only 22", 24"	& 26")
NSW070831		Transparent	420)
NSW070823		Princess NSW070813 □ Glaktica NSW070818 □ Jungle Fever	- -
NSW070816		Happy Lions NSW070821 □ Pirates NSW070811 □ Feather	
NSW070819		Monkeys NSW070814 □ Graffiti NSW070806 □ Chrome	
NSW070820		Oriental NSW070802	
NSW070829		Superhero NSW070812	
NSW070817		Hot Wheels NSW070833 Zebra	
NSW070822		Pool	
NSW070827		Silk	
NSW070830		Tiger	
		<u></u>	
(1)		Not with push handles fold down & not without push handles	For more information
		only with adapter, standard and only with 0° and 4° wheel camber	visit our webpage
(2)		Not with rear wheels Spinergy / mountainbike/ drum brakes	www.SunriseMedical.com
(3)		Not with COG Adapter, lightweight	© Sunrise Medical 2025



NSW070001 Universal wheel



NSW070002 Design wheel



NSW070003 Lightweight wheel



NSW070004 Proton wheel



NSW070010 Mountainbike wheel



NSW070101 Schwalbe Right Run



NSW070107 Schwalbe One



NSW070104 Schwalbe Marathon Plus Evolution



NSW070102 Tyre, puncture proof



NSW070208 Handrims Maxgrepp



NSW070212 Handrims Ellipse 3R

Neon ²										
	•	= Standard	0 = 1	No cost option	□ = Cost option				Price in €	
		WHEEL LOCK	S				(choose only	one option)		
NSW060001	0	Standard brake							Std.	
NSW060002		Knee-lever brake								
NSW060010				on, knee-lever bra	ke, fold-down					
NSW060015		Push to lock brake								
NSW060016		Push to lock brake		arm, right actuation	n					
NSW060023		Compact brake E\	/0							
		ACCESSORIE	S							
NSW090000	0	Tool kit							Std.	
NSW090025		Air pump								
NSW090024		High pressure pur	np (0 -	11 bar)						
NSW090030		Back pack								
NSW090026		Mobile phone pocl	ket							
		COLOURS			(Please consult our colo	our catalogue to n	eview vour co	lour choice)		
			ndrim	Hub/rim (1)	(Fibase consult our con	Frame	-	n Hub/rim	(1)	
		Traine Trai	i Giiiii	1105/11111 (1)		Traine	Hananii	1 1100/11111	(1)	
02 Brilliant S	ilver	0			27 Graphitemetallic	0				
03 Silver Mat	tt	0			29 Black	0				
06 Sun Yello		0			31 Matt Black	0				
14 Blue		0			32 Signal White	0				
15 Brilliant M	larine	0			33 Pink	0				
16 Matt Marii	ne	0			34 Dark Chocolate Metallic	0				
19 Brilliant P		0			35 Skyblue	0				
15 Brilliant M		0			36 Cyan-Metallic	0				
21 Red Ruby					37 Marsred (Orange)	0				
22 Brilliant R		0			40 Kiwi	0				
23 Matt Red		0			41 Flamingo-Glitter	0				
24 Tutti Frutt	i Orai	nge O			42 Matt Anthracite	0				
		<u> </u>			46 Mamba Green (new)					
(1)	only	with rear wheel, U	niversa	al 22" and 24"	, ,					
					IGHTWEIGHT, 24"	(hub and rim	anodized, bla	ack spokes)		
NSW100336		Anodized, orange		•	·	(only with Rear	wheel, lightw	eight in 24")		
NSW100337		Anodized, blue				(only with Rear	wheel, lightw	eight in 24")		
NSW100338		Anodized, red				(only with Rear	wheel, lightw	eight in 24")		
		COLOURS for	otiokor	c ("Noon?" on the	rame and "Quickie" on sidegua	ord)				
NSW100550	0	black	SUCKE	s (Neon- on the	Tame and Quickle on sidegua	aiu)			_	
NSW100551		silver							_	
NSW100552		orange							-	
NSW100553		red							-	
NSW100554	0	blue							-	
	•									
Comment	s foi	r special build -	please	apply for a quote	; lead time conditions my chang	ge.				
									In the	12000
									built	me
0	NI	² D:- D	•				I			
Quickie	nec	n ² - Basic Pr	ice							
Option pric										€
Packaging		transport								€
Exclusive \	VAT									€
VAT.										€
Total Price	е									€
	_									
	dical	Customer Service							more informa	
Address:					E-mail:				sit our webpa	-
Tel.					E-commerce:				<u>SunriseMedic</u>	
Fax.					Website:			© Sui	nrise Medica	ı 2025



NSW060001 Standard brake



NSW060002 Knee lever brake



NSW060003 Compact brake



NSW090000 Tool kit



NSW090024 High pressure pump



NSW090025 Air pump



NSW090030 Back pack



NSW090026 Mobile phone pocket



NSW100336 Lightweight wheel, anodized orange



NSW100337 Lightweight wheel, anodized blue



NSW100338 Lightweight wheel, anodized red