



OF_Neon2_EU-Template_2023-12-19

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Invoice to:
 Name:
 Street: Postal code:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- Order
- Calculation
- Built 4 me

- = Standard = Cost option
- = No cost option

Reimbursement code:

Max. user weight: **140 kg** ⁽¹⁾

Art. no.: 05300000 DE / 05300001 IC

USER WEIGHT kg

Mandatory information to ensure correct configuration

Base Price

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

300	320	340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Includes option NSW016602:
 User weight 140 kg

SEAT DEPTH SELECTION - in mm

340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

(1) Max user weight 140kg only with option NSW010602 or with SW 440-500 mm;
 Standard maximum user weight: 120kg.

Neon²

● = Standard ○ = No cost option □ = Cost option

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, forks and frame versions

		Front seat height in mm																										
		Frame	Fork (length)	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570		
Front castor	3"		111 mm								○	○	○	○	○													
			123 mm (1)											○	○	○	○											
			138 mm (1)												○	○	○	○										
			174 mm (1)															○	○	○	○	○						
			One Arm (1)										○	○	○	○	○											
		Hemi	111 mm (1)	□	□	□																						
			138 mm (1)		□	□	□	□																				
			174 mm* (1)					□	□	□	□	□																
		4"		111 mm									○	○	○	○	○											
			123 mm (1)												○	○	○	○										
			138 mm (1)													○	○	○	○	○								
			174 mm (1)															○	○	○	○	○	○					
			One Arm (1)											○	○	○	○	○										
		Hemi	111 mm (1)	□	□	□	□																					
			138 mm (1)			□	□	□	□	□																		
	174 mm (1)						□	□	□	□	□	□																
	5"		111 mm												○	○	○	○										
		123 mm (1)													○	○	○	○										
		138 mm (1)														○	○	○	○	○								
		174 mm (1)																○	○	○	○	○	○	○				
		One Arm (1)														○	○	○	○									
	Hemi	111 mm (1)			□	□	□	□																				
		138 mm (1)				□	□	□	□	□																		
		174 mm (1)					□	□	□	□	□	□																
	6"		111 mm														○	○										
		123 mm (1)															○	○	○									
		138 mm (1)																○	○	○	○	○						
		174 mm (1)																		○	○	○	○	○	○			
		One Arm (1)																○	○									
	Hemi	111 mm (1)				□	□																					
		138 mm (1)				□	□	□	□	□																		
		174 mm (1)					□	□	□	□	□	□																
			123 mm (1)																○	○								
			138 mm (1)																	○	○	○						
			174 mm (1)																		○	○	○	○	○	○		
	Hemi		174 mm (1)									□	□	□	□	□	□											

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

		Rear seat height in mm																						
		Rear wheels	330	340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530	
	22"		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○						
	24"					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○			
	25"						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○		
	26"							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) Compatible with power add on devices.

For more information
visit our webpage
www.SunriseMedical.com
© Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 110 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.

Technical Data Overview:

Max. overall height:	1020 mm
Max. overall length:	1150 mm
Max. pivot width:	700 mm
Max. safe slope:	7° (for use of parking brakes)
Wheelchair weight:	from 11,5 kg
Dismantled weight:	from 9,1 kg
Mass of heaviest part:	2,1 kg
Max. overall width:	Camber
	For 0° camber: SW + 160 mm
	For 2° camber: SW + 220 mm
	For 4° camber: SW + 270 mm

Intended use and environment - for people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user fix the chair safe in the vehicle (e.g. car or plane)

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 10 mm

Neon²

● = Standard ○ = No cost option □ = Cost option

Price in €

SEAT

Seat sling

NSW020002	<input type="radio"/>	Seat sling, nylon, tension adjustable, 1 utility bag	
NSW020003	<input type="checkbox"/>	Seat sling, nylon, tension adjustable, 2 utility bags	(only from SW 380 mm)
NSW020004	<input type="checkbox"/>	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag	(only from SW 340 mm)
NSW020000	<input type="radio"/>	Without seat sling	

Seat cushion, cover with zipper, black

Foam (medium-soft)	Thickness:	NSW020101	<input type="checkbox"/>	30 mm	NSW020102	<input type="checkbox"/>	50 mm
--------------------	------------	-----------	--------------------------	-------	-----------	--------------------------	-------

Seat accessories

NSW020050	<input type="checkbox"/>	Additional padding for seat upholstery, removable	
NSW090018	<input type="checkbox"/>	Lap belt with buckle, metal	

JAY Cushions - for complete product range see Jay order forms

JAY020002	<input type="checkbox"/>	JAY Basic	
JAY020003	<input type="checkbox"/>	JAY Soft Combi P	
JAY020001	<input type="checkbox"/>	JAY Easy Visco, Curved Base	
JAY020004	<input type="checkbox"/>	JAY Lite	
JAY020007	<input type="checkbox"/>	JAY Easy Fluid, Curved Base	

BACKREST

Back height range (mm)

Choose back height factory setting.

Height adjustments of in total 50 mm possible.

250 - 300	300 - 350	350 - 400	400 - 450	450 - 475
<input type="radio"/> 250	<input type="radio"/> 300	<input type="radio"/> 350	<input type="radio"/> 400	<input type="radio"/> 450
<input type="radio"/> 275	<input type="radio"/> 325	<input type="radio"/> 375	<input type="radio"/> 425	<input type="radio"/> 475
<input type="radio"/> 300	<input type="radio"/> 350	<input type="radio"/> 400	<input type="radio"/> 450	

NSW030010	<input type="radio"/>	Backrest, fixed (90°)	
NSW030031	<input type="checkbox"/>	Backrest, fold-down (to the front)	(1)
NSW030012	<input type="checkbox"/>	Backrest, angle-adjustable	(75° to 103°)
NSW030031	<input type="checkbox"/>	Backrest, fold-down (to the front)	(1)

Pushhandles

NSW030200	<input type="radio"/>	Without push handles	
NSW030201	<input type="radio"/>	Push handles long	
NSW030203	<input type="checkbox"/>	Push handles, fold-down	(available from back height 325 mm)
NSW030205	<input type="checkbox"/>	Push handles, height-adjustable for Jay backs	(available from back height 300 mm)
NSW030204	<input type="checkbox"/>	Push handles, height-adjustable	(available from back height 300 mm)

Backrest upholstery


NSW030316	<input type="radio"/>	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version) Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	
NSW030317	<input type="checkbox"/>	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version) Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	
NSW030300	<input type="radio"/>	Without backrest upholstery	

Accessories for backrest

NSW030402	<input type="checkbox"/>	Stabilising bar, automatic folding	(only available from SW 360- 480 mm)
NSW030401	<input type="checkbox"/>	Stabilising bar, swing-away	
NSW030412	<input type="checkbox"/>	Headrest, medium, height, depth and angle-adjustable	
NSW030411	<input type="checkbox"/>	Headrest, tall, height, depth and angle-adjustable, 200x110 mm	

(1) Not with height adjustable push handles, JAY backs, stabilising bar or headrest. Please note folding-Matrix on next page. If push handles long chosen only from back height 300 mm available; if push handles fold-down chosen only from back height 350 mm available

For more information
visit our webpage
www.SunriseMedical.com
© Sunrise Medical 2024



NSW020002
Seat sling with 1 utility bag



NSW020003
Seat sling with 2 utility bags



NSW090018
Lap belt with buckle, metal



NSW030012
Backrest, angle adjustable



NSW030201
Push handles long



NSW030203
Push handles, fold-down



NSW030204
Push handles, height-adjustable



NSW030316
EXO backrest sling (new EXO Evo



NSW030317
EXO PRO backrest sling (new EXO Evo version)



NSW030412
Headrest, medium

Folding-Matrix for NSW030031 Backrest, fold-down to the front.



NSW030031
Backrest, fold-down

		Back height						
		325	350	375	400	425	450	475
Seat width	320	✓	✓	✓	✓	✓	✓	✓
	340	✓	✓	✓	✓	✓	✓	✓
	360	✓	✓	✓	✓	✓	✓	✓
	380		✓	✓	✓	✓	✓	✓
	400			✓	✓	✓	✓	✓
	420						✓	✓
	440							✓
	460							
	480						✓	✓
	500							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

Neon²

● = Standard ○ = No cost option □ = Cost option

Price in €

JAY J3 BACKS

JAY J3 Back - Shallow Contour

Mid Thoracic:	<input type="checkbox"/> JAY030010	Medium - 340 mm	<input type="checkbox"/> JAY030033	Tall - 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short - 420 mm	<input type="checkbox"/> JAY030019	Medium - 460 mm	<input type="checkbox"/> JAY030025 Tall - 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030015	Short - 530 mm	<input type="checkbox"/> JAY030022	Medium - 570 mm	<input type="checkbox"/> JAY030028 Tall - 610 mm

JAY J3 Back - Mid Contour

Mid Thoracic:	<input type="checkbox"/> JAY030011	Medium - 340 mm	<input type="checkbox"/> JAY030018	Tall - 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short - 420 mm	<input type="checkbox"/> JAY030020	Medium - 460 mm	<input type="checkbox"/> JAY030026 Tall - 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030016	Short - 530 mm	<input type="checkbox"/> JAY030023	Medium - 570 mm	<input type="checkbox"/> JAY030029 Tall - 610 mm

JAY 3 Back - Mid Deep Contour (150 mm Contour Depth)

Mid Thoracic:	<input type="checkbox"/> JAY030044	Medium - 340 mm	<input type="checkbox"/> JAY030041	Tall - 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030045	Short - 420 mm	<input type="checkbox"/> JAY030042	Medium - 460 mm	<input type="checkbox"/> JAY030046 Tall - 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030043	Short - 530 mm	<input type="checkbox"/> JAY030047	Medium - 570 mm	<input type="checkbox"/> JAY030048 Tall - 610 mm

JAY J3 Carbon Back - Shallow Contour

Lower Thoracic:	<input type="checkbox"/> JAY060001	Short - 170 mm	<input type="checkbox"/> JAY060002	Tall - 240 mm	
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 300 mm	<input type="checkbox"/> JAY060004	Tall - 380 mm	

Accessories for JAY J3 Backs

WHT030415	<input type="checkbox"/> Whitmyer Headrest, COBRA XTRA, flip back	<i>(only with JAY J3 backs)</i>	
WHT030416	<input type="checkbox"/> Whitmyer Headrest, AXYS, Standard	<i>(only with JAY J3 backs)</i>	
JAY090058	<input type="checkbox"/> JAY Accessory bag	<i>(only with JAY J3 Carbon backs)</i>	

ARMREST AND SIDEGUARDS

Armrest

NSW040005	<input type="checkbox"/> Desk sideguard, flip-up, removable	
NSW040001	<input type="checkbox"/> Desk sideguard, armpad (250 mm), fixed, flip-up, removable	
NSW040002	<input type="checkbox"/> Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable	
NSW040003	<input type="checkbox"/> Desk sideguard, armpad (310 mm), fixed, flip-up, removable	
NSW040004	<input type="checkbox"/> Desk sideguard, armpad (310 mm), height-adjustable, flip-up, removable	
NSW040050	<input type="checkbox"/> Single-post sideguard, armpad (250 mm), height-adjustable, removable (1)	
NSW040051	<input type="checkbox"/> Single-post sideguard, armpad (360 mm), height-adjustable, removable (1)	
NSW040052	<input type="checkbox"/> Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable (1)	
NSW040117	<input type="checkbox"/> Tubular armrest, Aluminium, swing away (sideways), padded, removable <i>(only with backrest, angle adj.)</i>	

Accessories and options for desk sideguards

NSW040020	<input type="checkbox"/> Release assistance for tetraplegics	<i>(only with desk sideguard)</i>	
NSW090012	<input type="checkbox"/> Tray, swing-away (to the side), SW 340 - 500 mm, left-mount	<i>(only with desk sideguard)</i>	
NSW090013	<input type="checkbox"/> Tray, swing-away (to the side), SW 340 - 500 mm, right-mount	<i>(only with desk sideguard)</i>	
NSW090011	<input type="checkbox"/> Tray, push-fit, SW 380 - 480 mm	<i>(only with desk sideguard)</i>	

Sideguards

NSW040107	<input type="checkbox"/> Sideguard, composite, removable, 210 mm high (310 mm long), black	
NSW040102	<input type="checkbox"/> Sideguard, aluminium, cold weather protection (in frame colour)	
NSW040103	<input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (in frame colour)	
NSW040104	<input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection (black)	

HANGER

NSW050001	<input type="checkbox"/> Hanger angle 80°	
NSW050002	<input type="checkbox"/> Hanger angle 70° (2)	

Hanger, aluminum, swing-away

NSW050006	<input type="checkbox"/> Hanger, aluminium, swing-away, LH	
NSW050007	<input type="checkbox"/> Hanger, aluminium, swing-away, RH	
NSW050008	<input type="checkbox"/> Hanger, aluminium, swing-away, pair	

Hanger, aluminum, flip-up (0-90°), swing-away

NSW050009	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	
NSW050010	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	
NSW050011	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, pair <i>(from SW 380 mm)</i>	

(1) Only with COG Adapter Standard
(2) In combination with NSW010024 "Frame, Hemi" only 70° hangers available

JAY J3 Back
Shallow Contour



JAY J3 Back
Mid Contour



JAY J3 Back
Mid Deep Contour



JAY J3 Carbon Back
Shallow Contour



NSW04000x
Desk sideguard, armpad, flip-
up, removable



NSW040050
Single-post sideguard



NSW040052
Single-post sideguard, armpad
(33 cm)



NSW040117
Tubular armrest, swing away,
removable, padded



NSW040107
Sideguard, composite,
removable (black)



NSW040103
Aluminium, cold weather
protection, fender



NSW040104
Carbon fibre, cold weather
protection, fender



NSW050011
Hanger, aluminum, flip-up (0-
90°, Swing-away

Neon²

● = Standard ○ = No cost option □ = Cost option

Price in €

FOOTBOARDS

NSW050104	<input type="checkbox"/>	Footboard, divided, composit, flip-up, heel loop, black	(from SW 380 mm)	
NSW050020	<input type="checkbox"/>	Footboard, divided, composit, angle-adjustable, flip-up, heel loop, black	(from SW 380 mm)	
NSW050022	<input type="checkbox"/>	Footboard, divided, aluminum, angle-adjustable, flip-up, heel loop, frame colour		
NSW050051	<input type="checkbox"/>	Footboard, divided, aluminum, angle-adjustable, flip-up, high-mount, heel loop, frame colour	(1)	
NSW050023	<input type="checkbox"/>	Footboard, platform, aluminum, angle-adjustable, flip-up, heel loop, frame colour		
NSW050126	<input type="checkbox"/>	Swing-away mechanism for platform footboard		
NSW050059	<input type="checkbox"/>	Footboard, platform, Performance, aluminum, angle-adjustable, flip-up, calf strap	(from SW 320 mm)	
NSW050131	<input type="checkbox"/>	Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up, calf strap, black		
NSW050132	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable, flip up, calf strap, black	(1)	

Accessories for footboards

NSW050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	(2)	
-----------	--------------------------	--	-----	--

LOWER LEG LENGTH (LLL)

(LLL has to be 25 mm less than front seat height; measurements in mm)

<input type="radio"/>	220	<input type="radio"/>	230	<input type="radio"/>	240	<input type="radio"/>	250	<input type="radio"/>	260	<input type="radio"/>	270	<input type="radio"/>	280	<input type="radio"/>	290	<input type="radio"/>	300	<input type="radio"/>	310
<input type="radio"/>	320	<input type="radio"/>	330	<input type="radio"/>	340	<input type="radio"/>	350	<input type="radio"/>	360	<input type="radio"/>	370	<input type="radio"/>	380	<input type="radio"/>	390	<input type="radio"/>	400	<input type="radio"/>	410
<input type="radio"/>	420	<input type="radio"/>	430	<input type="radio"/>	440	<input type="radio"/>	450	<input type="radio"/>	460	<input type="radio"/>	470	<input type="radio"/>	480	<input type="radio"/>	490	<input type="radio"/>	500	<input type="radio"/>	510

LLL below approximately 320 mm require high-mount footboards- depends on configuration, please check configurator for details

FRAME VERSIONS

NSW010015	<input type="radio"/>	Frame SA		
NSW010602	<input type="checkbox"/>	Frame reinforcement for max. user weight 140 kg		
NSW010024	<input type="radio"/>	Frame, Hemi for lower Seat heights	(compare with your choice on the first page)	

CENTRE OF GRAVITY (COG)

(20 mm= very passive; 120 mm= very active)

NSW070703	Adapter standard	<input type="radio"/>	20	<input type="radio"/>	30	<input type="radio"/>	40	<input type="radio"/>	50	<input type="radio"/>	60	<input type="radio"/>	70	<input type="radio"/>	80	<input type="radio"/>	90	
		<input type="radio"/>	100	<input type="radio"/>	110	<input type="radio"/>	120											
NSW070701	Adapter lightweight	<input type="radio"/>	50	<input type="radio"/>	60	<input type="radio"/>	70	<input type="radio"/>	80	<input type="radio"/>	90	<input type="radio"/>	100	<input type="radio"/>	110	<input type="radio"/>	120	

FRAME ACCESSORIES

(choose either tip assist or anti- tip tube per side)

NSW090016	<input type="checkbox"/>	Frame protection, black		
NSW090100	<input type="checkbox"/>	Tie down brackets for transportation		
NSW090010	<input type="checkbox"/>	Transit wheels	(not in combination with anti-tip tubes or tip assist)	

Anti-tip tubes, swing-away

NSW090004	<input type="checkbox"/>	Left	NSW090005	<input type="checkbox"/>	Right	
NSW090006	<input type="checkbox"/>	Pair				(no additional tip assist possible)

Tip assist

NSW090001	<input type="checkbox"/>	Left	NSW090002	<input type="checkbox"/>	Right	
NSW090003	<input type="checkbox"/>	Tip assist, pair				(no additional anti-tip tube possible)
NSW090009	<input type="checkbox"/>	Crutch holder, loop				(only in combination with tip assist)

EMPULSE F55 BUNDLING

EMO000101	<input type="radio"/>	With F55 order, not mounted to the wheelchair	(Please use separate OF to order the F55.)
EMO000102	<input type="radio"/>	With F55 order, mounted to the wheelchair	(Please use separate OF to order the F55.)
Germany only	EMO000210	<input type="radio"/>	StVZO Kit incl. Attachment and TÜV approval (only in combination with EMO000102 F55 mounted to the wheelchair, not discountable)

FORKS

(compare with your choice on the first page)

NSW080013	<input type="radio"/>	Castor fork, Carbotecture®, 111mm	Colour: Black							
		Colour:	<input type="checkbox"/>	Silver	<input type="checkbox"/>	Orange	<input type="checkbox"/>	Red (3)	<input type="checkbox"/>	Blue (3)
NSW080029	<input type="checkbox"/>	Castor fork, Aluminium	Colour: Black	(only for 123mm, 138mm and 174mm forks)						
		Colour:	<input type="checkbox"/>	Silver	<input type="checkbox"/>	Orange				
NSW080008	<input type="checkbox"/>	Castor fork, aluminium, one-arm	Colour: Black							
		Colour:	<input type="checkbox"/>	Silver	<input type="checkbox"/>	Orange	<input type="checkbox"/>	Red	<input type="checkbox"/>	Blue

STANDARD CASTORS

(compare with your choice on the first page)

NSW080301	<input type="radio"/>	Castor, solid (hard), rim: composite, black								
NSW080302	<input type="radio"/>	Castor, solid (soft), rim: composite, black	(only 5" & 6")							
NSW080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite, black	(only in 4" and 5")							
NSW080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium	Colour, rim: Silver (only 4" & 5")							
NSW080305	<input type="checkbox"/>	Castor, pneumatic, rim: composite, black	(only 7")							
NSW080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium	Colour, rim: Silver (only 4" & 5")							
		Colour, rim:	<input type="checkbox"/>	Black	<input type="checkbox"/>	Orange	<input type="checkbox"/>	Red	<input type="checkbox"/>	Blue

- (1) From SW 340 mm available
 (2) Only for footboard, platform lightweight or Performance
 (3) Only available in combination with castor, soft (NSW080302 or NSW080306)

For more information
 visit our webpage
www.SunriseMedical.com
 © Sunrise Medical 2024



NSW050022
Footboard divided,
aluminium, frame colour



NSW050059
Footboard platform,
Performance



NSW050132
Footboard platform,
lightweight, carbon fibre



NSW050127
Adjustable side protection



NSW090010
Transit wheels



NSW090006
Anti-tip tubes, swing away



NSW090001
Tip assist



NSW080013 & NSW080306
Castor fork, Carbotecture & Castor solid (soft) aluminum



NSW080008
Castor fork, aluminum, one-arm, red

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

COG	Seat Depth						
	380	400	420	440	460	480	500
40	X	X	X	✓	✓	✓	✓
60	X	X	X	X	✓	✓	✓
70	X	X	X	X	✓	✓	✓
80	X	X	X	X	X	✓	✓
90	X	X	X	X	X	✓	✓
100	X	X	X	X	X	X	✓
110	X	X	X	X	X	X	✓
120	X	X	X	X	X	X	X
130	X	X	X	X	X	X	X

Neon²

● = Standard ○ = No cost option □ = Cost option

Price in €

REAR WHEELS (compare with your choice on the first page)

NSW070000	<input type="radio"/>	Without rear wheel	
NSW070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes <small>(not in 25")</small>	
NSW070002	<input type="radio"/>	Rear wheel, Design, 36 spokes (silver), straight spokes <small>(only 24" and 26")</small>	
NSW070003	<input type="radio"/>	Rear wheel, Lightweight, 24 spokes (silver), straight spokes <small>(not in 26"; see colour options on last page)</small>	
NSW070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes (black), straight spokes <small>(not in 26"; user weight limit 100kg)</small>	
NSW070005	<input type="checkbox"/>	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver <small>(not in 22")</small>	
NSW070007	<input type="checkbox"/>	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black <small>(only 24" & 25")</small>	
NSW070008	<input type="checkbox"/>	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) <small>(only 22" & 24")</small>	
NSW070009	<input type="checkbox"/>	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes <small>(only 24")</small>	
NSW070010	<input type="checkbox"/>	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) <small>(only 24")</small>	

Axle

NSW070150	<input type="radio"/>	Quick-release axle	
NSW070151	<input type="checkbox"/>	Quick-release axle, designed for quads (2)	

TYRES

NSW070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run <small>(not in 25")</small>	
NSW070102	<input type="radio"/>	Tyre, puncture proof, tread <small>(not in 26")</small>	
NSW070107	<input type="checkbox"/>	Tyre, pneumatic, slick, Schwalbe One <small>(only 24" and 25")</small>	
NSW070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	

NSW090163	<input type="checkbox"/>	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube <small>(not with solid tyres)</small>	
-----------	--------------------------	--	--

HANDRIMS

NSW070204	<input type="radio"/>	Handrims, stainless steel, silver	
NSW070202	<input type="radio"/>	Handrims, aluminium, anodised, silver	
NSW070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear	
NSW070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured <small>(select colour on last page)</small>	
NSW070205	<input type="checkbox"/>	Handrims, titanium, untreated <small>(not in 22")</small>	
NSW070206	<input type="checkbox"/>	Handrims, titanium, powder-coated, clear <small>(not in 22")</small>	
NSW070207	<input type="checkbox"/>	Handrims, Supergrip®	
NSW070208	<input type="checkbox"/>	Handrims, Maxgrepp® <small>(only 22" & 24")</small>	
NSW070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black <small>(ergonomic handrims with rubber-strip, 24" and 25" only)</small>	

Hand rim mounting

NSW070307	<input type="checkbox"/>	Handrim mount, super narrow (7 mm) <small>(only with stainless steel)</small>	
NSW070317	<input type="radio"/>	Handrim mount, narrow (17 mm)	
NSW070327	<input type="radio"/>	Handrim mount, wide (27 mm)	

Handrim accessories

NSW070250	<input type="checkbox"/>	Handrim cover, rubber <small>(not with 25" and 26")</small>	
-----------	--------------------------	---	--

WHEEL CAMBER

NSW070600	<input type="radio"/>	0°	
NSW070602	<input type="radio"/>	2° (3)	
NSW070604	<input type="radio"/>	4° (3)	

SPOKE GUARDS (coloured: only 22 & 24"; transparent: only 22", 24" & 26")

NSW070831	<input type="checkbox"/>	Transparent	
NSW070823	<input type="checkbox"/>	Princess <small>NSW070813</small>	<input type="checkbox"/>
NSW070816	<input type="checkbox"/>	Happy Lions <small>NSW070821</small>	<input type="checkbox"/>
NSW070819	<input type="checkbox"/>	Monkeys <small>NSW070814</small>	<input type="checkbox"/>
NSW070820	<input type="checkbox"/>	Oriental <small>NSW070802</small>	<input type="checkbox"/>
NSW070829	<input type="checkbox"/>	Superhero <small>NSW070812</small>	<input type="checkbox"/>
NSW070817	<input type="checkbox"/>	Hot Wheels <small>NSW070833</small>	<input type="checkbox"/>
NSW070822	<input type="checkbox"/>	Pool	
NSW070827	<input type="checkbox"/>	Silk	
NSW070830	<input type="checkbox"/>	Tiger	

- (1)** Not with push handles fold down & not without push handles only with adapter, standard and only with 0° and 4° wheel camber
- (2)** Not with rear wheels Spinergy / mountainbike/ drum brakes
- (3)** Not with COG Adapter, lightweight

For more information visit our webpage www.SunriseMedical.com
© Sunrise Medical 2024



NSW070001
Universal wheel



NSW070002
Design wheel



NSW070003
Lightweight wheel



NSW070004
Proton wheel



NSW070010
Mountainbike wheel



NSW070101
Schwalbe Right Run



NSW070107
Schwalbe One



NSW070104
Schwalbe Marathon Plus
Evolution



NSW070102
Tyre, puncture proof



NSW070208
Handrims Maxgrepp



NSW070212
Handrims Ellipse 3R

Neon²

● = Standard ○ = No cost option □ = Cost option

Price in €

WHEEL LOCKS

(choose only one option)

NSW060001	<input type="radio"/>	Standard brake	
NSW060002	<input type="checkbox"/>	Knee-lever brake	
NSW060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down	
NSW060015	<input type="checkbox"/>	Push to lock brake, one-arm, left actuation	
NSW060016	<input type="checkbox"/>	Push to lock brake, one-arm, right actuation	
NSW060023	<input type="checkbox"/>	Compact brake EVO	

ACCESSORIES

NSW090000	<input type="radio"/>	Tool kit	
NSW090025	<input type="checkbox"/>	Air pump	
NSW090024	<input type="checkbox"/>	High pressure pump (0 - 11 bar)	
NSW090030	<input type="checkbox"/>	Back pack	
NSW090026	<input type="checkbox"/>	Mobile phone pocket	

COLOURS

(Please consult our colour catalogue to review your colour choice)

	Frame	Handrim	Hub/rim (1)		Frame	Handrim	Hub/rim (1)
02 Brilliant Silver	<input type="radio"/>	<input type="checkbox"/>		27 Graphitemetallic	<input type="radio"/>	<input type="checkbox"/>	
03 Silver Matt	<input type="radio"/>	<input type="checkbox"/>		29 Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
06 Sun Yellow	<input type="radio"/>	<input type="checkbox"/>		31 Matt Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
14 Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	32 Signal White	<input type="radio"/>	<input type="checkbox"/>	
15 Brilliant Marine	<input type="radio"/>	<input type="checkbox"/>		33 Pink	<input type="radio"/>	<input type="checkbox"/>	
16 Matt Marine	<input type="radio"/>	<input type="checkbox"/>		34 Dark Chocolate Metallic	<input type="radio"/>	<input type="checkbox"/>	
19 Brilliant Purple	<input type="radio"/>	<input type="checkbox"/>		35 Skyblue	<input type="radio"/>	<input type="checkbox"/>	
15 Brilliant Marine	<input type="radio"/>	<input type="checkbox"/>		36 Cyan-Metallic	<input type="radio"/>	<input type="checkbox"/>	
21 Red Ruby	<input type="radio"/>	<input type="checkbox"/>		37 Marsred (Orange)	<input type="radio"/>	<input type="checkbox"/>	
22 Brilliant Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	40 Kiwi	<input type="radio"/>	<input type="checkbox"/>	
23 Matt Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	41 Flamingo-Glitter	<input type="radio"/>	<input type="checkbox"/>	
24 Tutti Frutti Orange	<input type="radio"/>	<input type="checkbox"/>		42 Matt Anthracite	<input type="radio"/>	<input type="checkbox"/>	
				46 Mamba Green (new)			

(1) only with rear wheel, Universal 22" and 24"

COLOURS FOR REAR WHEEL, LIGHTWEIGHT, 24"

(hub and rim anodized, black spokes)

NSW100336	<input type="checkbox"/>	Anodized, orange	(only with Rear wheel, lightweight in 24")	
NSW100337	<input type="checkbox"/>	Anodized, blue	(only with Rear wheel, lightweight in 24")	
NSW100338	<input type="checkbox"/>	Anodized, red	(only with Rear wheel, lightweight in 24")	

COLOURS - for stickers ("Neon²" on the frame and "Quickie" on sideguard)

NSW100550	<input type="radio"/>	black	-
NSW100551	<input type="radio"/>	silver	-
NSW100552	<input type="radio"/>	orange	-
NSW100553	<input type="radio"/>	red	-
NSW100554	<input type="radio"/>	blue	-

Comments for special build - please apply for a quote; lead time conditions may change.



Quickie Neon² - Basic Price

Option price	€
Packaging and transport	€
Exclusive VAT	€
VAT.	€
Total Price	€

Sunrise Medical Customer Service

Address:
Tel.
Fax.

E-mail:
E-commerce:
Website:

For more information
visit our webpage
www.SunriseMedical.com
© Sunrise Medical 2024



NSW060001
Standard brake



NSW060002
Knee lever brake



NSW060003
Compact brake



NSW090000
Tool kit



NSW090024
High pressure pump



NSW090025
Air pump



NSW090030
Back pack



NSW090026
Mobile phone pocket



NSW100336
Lightweight wheel, anodized orange



NSW100337
Lightweight wheel, anodized blue



NSW100338
Lightweight wheel, anodized red