







| Deliver to: | | | Deliver to: | | |
|----------------|---|----------------|---------------------------------|---------------|----------|
| Name: | | | Name: | | |
| Street: | | | Street: | | |
| Town: | Postal code: | | Town: | Postal code | e: |
| E-Mail: | | | E-Mail: | | |
| Tel: | Fax: | | Tel: | Fax: | |
| Order date: | | | Marked for: | | |
| Purchase orde | r· | | mamea ier. | | |
| Number require | | | Sunrise order no: | | |
| rambor roquir | <u></u> | | • = Standard | □ = Cost | option |
| □ Order | □ Calculation □ Built 4 me (longer leadtime |) | ./. = Price reduction | ○ = No co | • |
| Reimburs | sement code: | | Max. user weight: | 14 | 0 kg |
| Art. no. l | C: 76 800 001 | | USER WEIGHT | | kg |
| | | | | | _ |
| Art. No. [| DE : 76 800 000 | | Mandatory information to ensure | _ | |
| | | | Base | Price | |
| | PAC | KAGES | | | |
| \/FF000040 | Ta et a contract | | | | 7 |
| XFF000040 | Active package | | | | |
| | Frame FF 92 ° (integrated footrest), performance (Uk | K 8 Inset: Sli | ght (10 mm) | | |
| | Push handles, fold-down | | | romular price | |
| | Donofit | | | regular price | 4 |
| | Benefit | | | package price | _ |
| XFF000041 | Lightweight pookage (not with Hybrid from | 20) | | | 7 |
| X11 000041 | Lightweight package (not with Hybrid fram | - | | | |
| | Rear wheel, Proton, 24 spokes (black), straight spoke | es | | | |
| | Compact brake, lightweight | | | rogular price | |
| | Benefit | | | regular price | - |
| | Denent | | | package price | 4 |
| XFF000042 | Add on hike pookens (not with Hybrid from | 20) | | | 7 |
| X11 000042 | Add on bike package (not with Hybrid fram | - | | | |
| | EXO PRO backr. sling, synthetic fibre, padded, adj., | breathable, | spacer fabric, 1 accessory | bag, black | |
| | Frame reinforcement kit for add on bike | | | | |
| | | | | regular price | 4 |
| | Benefit | | | package price | |
| | | | | | = |
| XFF000043 | Carbon package | | | | |
| | Sideguard, carbon fibre, fender, cold weather protect | tion (black) | | | |
| | Footboard, platform, lightweight, carbon fibre, angle a | and depth-a | djustable, calf strap, black | | |
| ш | | | | regular price | |
| | Benefit | | | package price | |
| | | | | | |
| XFF000044 | JAY package (not in combination with add on bil | ke package) | | | |
| | Jay 3 Carbon Back - Shallow Contour | no paonago, | | | |
| | JAY Lite Cushion | | | | |
| | JAT Lite Custilott | | | rogular price | |
| | Ponofit | | | regular price | 4 |
| | Benefit | | | package price | _ |
| XFF000046 | Pack package | | | | ٦ |
| A1 FUUUU40 | Back package | | | | |
| | Backrest, angle-adjustable | | | | |
| | Backrest, fold-down (to the front) | | | | |
| | | | | regular price | 4 |
| | Benefit | | | package price | J |
| | | | | | |

Xenon² = Standard O = No cost option ☐ = Cost option **CLIENT MEASUREMENTS** (all measurements in cm without cushion) **SEAT WIDTH SELECTION** - measured from outside frame tube to outside frame tube (mm) 340 360 380 400 420 440 460 480 500 320 0 0 0 0 0 0 0 0 0 0 only Hybrid frame **SEAT DEPTH SELECTION** - in mm

| | 340 | 360 | 380 | 400 | 420 | 440 | 460 | 480 | 500 |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ı | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, forks and frame versions

| | Fork (length) | Frame: | 430 | 440 | 450 | 460 | 470 | 480 | 490 | 500 | 510 | 520 | 530 | 540 | 550 |
|----|---------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 111 mm | | 0 | 0 | 0 | | | | | | | | | | |
| | 115 mm <i>(1)</i> | low | | | 0 | 0 | 0 | | | | | | | | |
| | Frog Leg (1) | 1000 | | | | | | | | | | | | | |
| 3" | One Arm <i>(1)</i> | | | | | | | | | | | | | | |
| ľ | 111 mm | | | | | | 0 | 0 | 0 | | | | | | |
| | 115 mm <i>(1)</i> | high | | | | | | | 0 | 0 | 0 | | | | |
| | Frog Leg <i>(1)</i> | ı.ı.g.ı | | | | | | | | | | | | | |
| | One Arm <i>(1)</i> | | | | | | | | | | | | | | |
| | 111 mm | | | 0 | 0 | 0 | 0 | | | | | | | | |
| | 115 mm <i>(1)</i> | low | | | | | | | | | | | | | |
| 4" | Frog Leg (1) | .0 | | | | | | | | | | | | | |
| | One Arm <i>(1)</i> | | | | | | | | | | | | | | |
| | 111 mm | | | | | | | 0 | 0 | 0 | 0 | | | | |
| | 115 mm <i>(1)</i> | high | | | | | | | | | | | | | |
| | Frog Leg <i>(1)</i> | 9 | | | | | | | | | | | | | |
| | One Arm <i>(1)</i> | | | | | | | | | | | | | | |
| | 111 mm | | | | | 0 | 0 | 0 | | | | | | | |
| | 115 mm <i>(1)</i> | low | | | | | | | | | | | | | |
| | Frog Leg (1) | | | | | | | | | | | | | | |
| | One Arm (1) | | | | | | | | | | | | | | |
| 5" | 111 mm | | | | | | | | | 0 | 0 | 0 | | | |
| | 115 mm <i>(1)</i> | high | | | | | | | | | | | | | |
| | Frog Leg <i>(1)</i> | 9 | | | | | | | | | | | | | |
| | One Arm <i>(1)</i> | | | | | | | | | | | | | | |
| | 115 mm <i>(1)</i> | | | | | | | | | | | | | | |
| | Frog Leg <i>(1)</i> | | | | | | | | | | | | | | |
| | 115 mm <i>(1)</i> | | | | | | | | | | | | | | |
| | Frog Leg <i>(1)</i> | | | | | | | | | | | | | | |

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

| . todi obdi neight in niin | | | | | | | | | | | | | | |
|----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|-----------|
| Rear Wheels | 370 | 380 | 390 | 400 | 410 | 420 | 430 | 440 | 450 | 460 | 470 | 480 | 490 | 500 |
| 24" | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | $O^{(2)}$ | |
| 25" | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | $O^{(2)}$ |

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

(2) only with lightweight adapter

For more information visit our webpage www.SunriseMedical.eu © Sunrise Medical 2025

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

te: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:1020 mmMax. overall length:1050 mmMax. turning circle:700 mmMax. safe slope:10°Wheelchair weight:from 8,8 kg

Dismantled weight: from 6,3 kg

Weight of heaviest part: 2,1 kg

Max. overall width: Camber 24" rear wheel 25" rear wheel

For 0° camber: SW + 160 mm SW + 160 mm For 2° camber: SW + 210 mm SW + 220 mm For 4° camber: SW + 260 mm SW + 270 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle.

in combination with XFF090100 (Tie down brackets for transportation)

For transport wihout a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

| Xenon² | | | | |
|------------------------|----------|---|------------------|--------|
| | • | = Standard O = No cost option □ = Cost option | Price in € | |
| | | SEAT | | |
| Seat sling | | | | |
| XFF020002 | 0 | Seat sling, nylon, tension adjustable, 1 utility bag | - | |
| XFF020003 | | Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 340 mm) | | |
| XFF020004 | | Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 340 mm) | | |
| XFF020000 | 0 | Without seat sling | - | |
| Seat cushion | , co\ | er with zipper, black | | |
| Foam (mediu | n-so | t) Thickness: XFF020101 | | |
| | | | | |
| Seat accesso | | | | |
| XFF090018 | <u> </u> | Lap belt with buckle, metal | | |
| XFF020050 | | Additional padding for seat upholstery, removable | | |
| JAY Cushion | s - fo | or complete product range see Jay order forms | | |
| JAY020002 | | JAY Basic | | |
| JAY020003 | | JAY Soft Combi P | | |
| JAY020001 | | JAY Easy Visco, Curved Base | | |
| JAY020004 | | JAY Lite | | |
| JAY020007 | | JAY Easy Fluid, Curved Base | | |
| | | BACKREST | | |
| | | | | |
| Back height | _ | | | |
| | _ | nt factory setting (mm). O 250 O 300 O 350 O 400 O 450 | | |
| Height adjustr | nent | of in total 50 mm possible. O 275 O 325 O 375 O 425 O 475 | | |
| | | O 300 O 350 O 400 O 450 | | |
| | | | | |
| | _ | carbon fiber tubes (1) | | |
| Fixed neight, | non r | eight adjustable | | |
| XFF030010 | 0 | Backrest, fixed (90°) | - | |
| XFF030029 | | O Desk sideguard preparation for later replacement (2) | - | |
| XFF030031 | _ | Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adjustable) | | |
| XFF030012 XFF030029 | | Backrest, angle-adjustable (75° to 103°) | | |
| XFF030031 | | O Desk sideguard preparation for later replacement Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adjustable) | | |
| | | Daokiest, loid-down (to the north) (4) | | |
| Pushhandles | | | , | |
| XFF030200 | 0 | Without push handles | | |
| XFF030201 XFF030203 | 0 | Push handles long Push handles, fold-down (only available from back height 325 mm upwards) | | |
| XFF030205 | | Push handles, fold-down (only available from back height 325 mm upwards) Push handles, height-adjustable for Jay backs (only available from back height 325 mm upwards) | | |
| XFF030204 | _ | Push handles, height-adjustable (only available from back height 300 mm upwards) | | |
| | | | | |
| Backrest uph | | • | | |
| XFF030316 | 0 | EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version) Colour, binding tape: O Black O Orange O Silver O Red O Blue | | |
| XFF030317 | | Colour, binding tape: O Black O Orange O Silver O Red O Blue EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version) | \vdash | |
| X1 1 000011 | | Colour, binding tape: O Black O Orange O Silver O Red O Blue | | |
| XFF030300 | 0 | Without backrest upholstery | | |
| | | | | |
| Accessories | | | | |
| XFF030402 | | Stabilising bar, automatic folding (only available from SW 380mm; not with fixed height backrest) | | |
| | | | | |
| (1) | not w | ith Jay J3 backs, not with Desk sideguard, not for use with add on bikes | or more informa | ation |
| (2) | nece | ssary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90° | visit our webpag | ge |
| (3) | | , , , | w.SunriseMedica | al.com |
| (4) | | ith height adj. push handles, not with JAY backs; in combination with push handles fold-down irom backrest height 400 mm upwards; please see Folding Matrix on next side © \$ | Sunrise Medica | 1 2025 |
| | Jilly | | medica | |



XFF 020002 Seat sling with utility bag



XFF 020003 Seat sling with utility bags

2



XFF 030316 EXO backrest sling (EXO Evo version)



XFF 030317 EXO PRO backrest sling (EXO Evo version)



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles , height-adjustable



XFF 090018 Lap belt with buckle, metal

Folding-Matrix for XFF 030031 Backrest, fold-down to the front.

Back height

Seat width



| | 325 | 350 | 375 | 400 | 425 | 450 | 475 |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 320 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 340 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 360 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 380 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 400 | | | ✓ | ✓ | ✓ | ✓ | ✓ |
| 420 | | | | ✓ | ✓ | ✓ | ✓ |
| 440 | | | | ✓ | ✓ | ✓ | ✓ |
| 460 | | | | | ✓ | ✓ | ✓ |
| 480 | | | | | | ✓ | ✓ |
| 500 | | | | | | | ✓ |



=folds 90° to the front on folded chair



ecan't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

| Xenon ² | | | | | | | | | | | |
|--------------------|-------------------|--------|---------------|---------------------|----------|---------------|---------------------------------------|-----------------|---------------|-----------------|-----------------------|
| | • | = Sta | ındard | O = No cos | t option | | = Cost option | | | | Price in € |
| JAY J3 Bac | k ₋ Sh | allow | Contour | | | | ' | | | | |
| | | allow | Contour | | | IAV020010 | Modium 240 |) mm 🗆 | 147030033 | Tall 200 i | mm |
| Mid Thoracio | | | IAV020012 | Short - 420 m | | | Medium - 340 Medium - 460 | | | Tall - 380 r | |
| Upper Thora | | | | | | | | | | | |
| Shoulder He | | | | Short - 530 m | m □ | JAY030022 | Medium - 570 |) mm 🗆 | JAY030028 | Tall - 610 r | nm |
| JAY J3 Bac | | d Cor | itour | | | | NA 1: 040 | | 141/0000/0 | T II 000 | |
| Mid Thoracio | | | | | | JAY030011 | | | | Tall - 380 ı | |
| Upper Thora | | | | Short - 42 cm | | JAY030020 | | | | Tall - 500 r | |
| Shoulder He | | | JAY030016 | | | JAY030023 | Medium - 570 | mm 🗆 | JAY030029 | Tall - 610 r | nm |
| JAY J3 Bac | | d Dee | p Contour | | | | | | | | |
| Mid Thoracio | | | | | | | Medium - 340 | |] JAY030041 | | |
| Upper Thora | | | JAY030045 | દ Short - 420 m | m 🗆 | JAY030042 | Medium - 460 | mm [|] JAY030046 | Tall - 500 r | mm |
| Shoulder He | ight: | | JAY030043 | Short - 530 m | m □ | JAY030047 | Medium - 570 |) mm [|] JAY030048 | Tall - 610 r | mm |
| JAY J3 Carl | oon B | ack - | Shallow C | ontour | | | | | | | |
| Lower Thora | icic: | | JAY060001 | Short - 170 m | m | | | | JAY060002 | Tall - 240 r | mm |
| Mid Thoratic | : | | JAY060003 | Short - 300 m | m | | | | JAY060004 | Tall - 380 r | mm |
| _ | _ | | | | | | | | | | |
| Accessories | s for . | | | | | | | | | | |
| WHT030415 | | | | Headrest, COI | | | ck | | | y with JAY J3 l | |
| WHT030416 | | | | Headrest, AX | 'S, Stai | ndard | | | | y with JAY J3 l | |
| JAY090058 | | | JAY Acce | ssory bag | | | | | (only with J | AY J3 Carbon I | packs) |
| | | | | | | | | | | | |
| | | ARI | WREST A | AND SIDEGU | JARD | S | | | | | |
| Armrest | | | | | | | | | | | |
| XFF040005 | | Desl | k sideguard | d, flip-up, remov | /able | | | | | | |
| XFF040001 | | Desl | sideguard | d, armpad (250 | mm), fi | xed, flip-up | , removable | | | | |
| XFF040002 | | Desl | sideguard | d, armpad (250 | mm), h | eight-adjus | table, flip-up, r | emovable | | | |
| XFF040003 | | | | d, armpad (310 | | | | | | | |
| XFF040004 | | | | d, armpad (310 | | | | emovable | | | |
| XFF040052 | | | | eguard, armpa | | | | | le. removab | le | |
| XFF040117 | | | | st, Aluminium, s | | | | | , | | |
| | | | | -, | ·····g· | (| | | | | |
| Accessories | s arm | rest | | | | | | | | | |
| XFF040020 | 0 | Rele | ase assista | ance for tetrapl | egics | | | | (only | with desk side | guard) |
| 0:-11- | | | | | | | | | | | |
| Sideguards | | 0:-1- | | | -l-1- 04 | 0 bib | (240 | l-1l- | | | |
| XFF040107 | | | _ | nposite, remova | | | | , black | | | |
| XFF040101 | | | • | oon fibre, cold v | | | ` ' | ` | | | |
| XFF040102 | | | _ | minium , cold w | | • | | • | | | |
| XFF040103 | | | • | minium , fender | | | · · · · · · · · · · · · · · · · · · · | e colour) | | | |
| XFF040104 | | Side | guard, carb | oon fibre, fende | r, cold | weather pro | otection (black) | | | | |
| | | | | | | | | | | | |
| | | | OTBOAR | | | | | | | | |
| XFF050023 | | | | form, aluminiur | | | | vays), heel lo | | | |
| XFF050126 | | | | ay mechanism | | | | | , | num LLL 3cm l | onger) |
| XFF050059 | | | | form, Performa | | | | | | | (1) |
| XFF050131 | | | | form, lightweig | • | | | | <i>'</i> | | |
| XFF050132 | | Foot | board, plat | form, lightweig | nt, carb | on fibre, an | igle & depth-ad | j. flip up (sid | eways), calf | strap, black | (|
| XFF050061 | | Foot | board, plat | form, lightw., p | astic, a | ingle & dep | th-adj. flip up (s | sideways), h | igh-mount | (LLL 22- | 34cm) |
| | | | | | | | | | | | |
| | | Foot | board, au | to-folding | | | | | | | |
| XFF050027 | | Foot | board, plat | form, lightweig | nt, carb | on fibre, au | ito-folding, ang | le & depth-a | djustable, ca | alf strap, bla | ck |
| XFF050028 | | | | form, lightweig | | | | | - | | |
| | | | | | | | | . , | | • • | |
| VEE050407 | | | | or footboards | 1 | 1 | on the feet | .al (6) | | | |
| XFF050127 | | Aaju | stable side | protection, to | create a | a side-stop (| on the footboar | rd (2) | | | |
| | | 10 | NED : E | O L ENGTH | | | | | | | , . |
| | | | | | | | | | | | ments are in mm |
| | 0 | 220 | O 230 | | O 250 | O 260 | | | | | 310 |
| | 0 | 320 | O 330 | | O 350 | | | | | | 410 |
| | 0 | 420 | O 430 | O 440 | O 450 | O 460 | O 470 | O 480 C | 490 0 | 500 | |
| | | | | | | | | | | | |
| (1) | not i | n SW32 | 20 with 10 mm | inset | | | | | | | For more information |
| (2) | | | | m lightweight or Pe | erforman | ce | | | | | visit our webpage |
| (-/ | J.119 | | , piatron | | | - | | | | | www.SunriseMedical.co |
| | | | | | | | | | | | © Sunrise Medical 202 |
| í | | | | | | | | | | | Summe wedical 207 |



50 mm



80 mm



JAY J3 Mid Deep Contour

150 mm





XFF040107 Composite sideguard detachable



XFF040101 carbon fibre, cold weather protection,



XFF040102 Aluminium , cold weather protection



XFF040103 Aluminium, cold weather protection, fender



XFF04000x Desk sideguard, armpad, flipup, removable



XFF040104 Carbon fibre, cold weather protection, fender



XFF050132 Footboard platform, lightweight, carbon



XFF050059 Footboard platform, performance



XFF050027 Footboard platform, lightweight, carbon fibre, auto folding



XFF050127 Adjustable side protection

| ● = Standard ○ = No cost option □ = Cost option FRAME VERSIONS Open frame (max. user weight 110kg) XFF010012 ○ Frame FF 100 ° (integrated footrest) (UK 80 °) XFF010011 □ Inset: Slight (10 mm) XFF010013 □ Frame FF 92 ° (integrated footrest), performance (UK 88 °) XFF010010 □ Inset: Slight (10 mm) Hybrid frame (max user weight 140kg) XFF010020 ○ Frame FF 100 ° (integrated footrest), hybrid | Price in € |
|--|--|
| Open frame (max. user weight 110kg) XFF010012 ○ Frame FF 100 ° (integrated footrest) (UK 80 °) XFF010013 □ Inset: Slight (10 mm) XFF010013 □ Frame FF 92 ° (integrated footrest), performance (UK 88 °) XFF010101 □ Inset: Slight (10 mm) Hybrid frame (max user weight 140kg) | |
| XFF010012 O Frame FF 100 ° (integrated footrest) (UK 80 °) XFF010013 □ Inset: Slight (10 mm) XFF010013 □ Frame FF 92 ° (integrated footrest), performance (UK 88 °) XFF010101 □ Inset: Slight (10 mm) Hybrid frame (max user weight 140kg) | |
| XFF010101 | |
| XFF010013 Frame FF 92 ° (integrated footrest), performance (UK 88 °) XFF010101 Inset: Slight (10 mm) Hybrid frame (max user weight 140kg) | - - |
| XFF010101 | |
| | |
| | |
| XFF010020 O Frame FF 100 * (integrated footrest). hvbrid | |
| XFF010021 O Frame FF 92 ° (integrated footrest), hybrid | |
| Arronovi O Frame FF 92 (integrated nootiest), hybrid | |
| CENTRE OF GRAVITY (COG) (2 = very passive 11 = very | active) |
| <i>XFF</i> 070703 Adapter, standard O 2 O 3 O 4 O 5 O 6 | |
| 07 08 09 010 | |
| <i>XFF070701</i> Adapter, lightweight <i>(1)</i> | |
| 7 dapor, igrittiogrit (1) | |
| XFF010411 O Axle plate, aluminium, long (full adjustment) | |
| XFF010412 | |
| FRAME AGGEOGRAPICA | *** |
| FRAME ACCESSORIES (choose either tip assit or anti- tip tubes processes and the second | er side) |
| XFF090016 ☐ Frame protection, black XFF090100 ☐ Tie down brackets for transportation | |
| XFF090010 Transit wheels | |
| XFF090014 | |
| VETCOCCCC | |
| XFF090050 Anti-tip tubes, plug-in, pair | |
| Anti-tip tubes, swing-away XFF090004 Left XFF090005 Right | |
| XFF090006 □ Pair | |
| | |
| Tip assist xFF090001 □ Left | |
| <i>XFF</i> 090001 □ Left | |
| XFF090009 | assist) |
| | |
| PREPARATION FOR ATTITUDE ADD-ON BIKE | 44.0 |
| XFF090211 without ATTITUDE order (docking pins asset XFF090212 with ATTITUDE order (docking pins assembled; ATTITUDE order sept | |
| WILLIAT THOSE GIGE | oratory) - |
| EMPULSE F55 BUNDLING | |
| EMO000101 O With F55 order, not mounted to the wheelchair (Please use separate OF to order the Not with Lightweight Compact brake, Not | |
| (Please use senarate OF to order the | |
| EMO000102 O With F55 order, mounted to the wheelchair Not with Lightweight Compact brake, Not | · · · · · · · · · · · · · · · · · · · |
| Germany only EM0000210 O StVZO Kit incl. Attachment and TÜV approval (only in combination with EM000 | |
| EMPULSE F35 BUNDLING | |
| (Please use separate OF to order the | ∍ F35, |
| (Please use separate OF to order the | e F35. |
| EM0000302 O With F35 order, mounted to the wheelchair Not with 22") | |
| EMPULSE R90 BUNDLING | |
| EM0000401 O With R90 order, not mounted to the wheelchair (Please use separate OF to order the | : R90.) |
| EMO000402 O With R90 order, mounted to the wheelchair (Please use separate OF to order the | : R90.) |
| | |
| EMPULSE M90 BUNDLING | |
| EMO000501 O With M90 order, not mounted to the wheelchair (Please use separate OF to order the M90, Only with wheel, Only with 0° Camber) | 24" |
| (Please use separate OF to order the M90. Only with | 24" |
| EMO000502 O With M90 order, mounted to the wheelchair wheel, Only with 0° Camber) | |
| FORKS (compare with your choice on the first | st nage) |
| XFF080013 O Castor fork, Carbotecture ®, 111mm Colour: Black | - r - 3~) |
| Colour: □ Silver □ Orange □ Red (2) □ Blue (2) | |
| | |
| xFF080029 O Castor fork, Aluminium, 115mm Colour: Black | |
| Colour: Silver | |
| Colour: Silver XFF080008 | |
| Colour: | |
| Colour: Silver XFF080008 | |
| Colour: | st page) |
| Colour: Silver XFF080008 Castor fork, aluminium, one-arm Colour: Black Colour: Silver Corange Red Blue XFF080007 Castor fork, aluminium, suspension (Frog Legs ®), black CASTORS (compare with your choice on the first XFF080301 Castor, solid (hard), rim: composite, black | st page) |
| Colour: Silver XFF080008 Castor fork, aluminium, one-arm Colour: Black Colour: Silver Corange Red Blue XFF080007 Castor fork, aluminium, suspension (Frog Legs ®), black CASTORS (compare with your choice on the first XFF080301 O Castor, solid (hard), rim: composite, black XFF080302 Castor, solid (soft), rim: composite, black (only signs) | 5" & 6") |
| Colour: Silver XFF080008 | 5" & 6") 4" & 5") |
| Colour: Silver XFF080008 Castor fork, aluminium, one-arm Colour: Black Colour: Silver Corange Red Blue XFF080007 Castor fork, aluminium, suspension (Frog Legs ®), black CASTORS (compare with your choice on the first programme) XFF080301 Castor, solid (hard), rim: composite, black XFF080302 Castor, solid (soft), rim: composite, black XFF080303 Castor, solid (hard), light-up, rim: composite, black XFF080304 Castor, solid (hard), rim: aluminium Colour, rim: Silver (only solid programme) | 5" & 6") 4" & 5") 4" & 5") |
| Colour: Silver XFF080008 | 5" & 6") 4" & 5") |
| Colour: Silver XFF080008 Castor fork, aluminium, one-arm Colour: Black Colour: Silver Corange Red Blue XFF080007 Castor fork, aluminium, suspension (Frog Legs ®), black CASTORS (compare with your choice on the first plack) XFF080301 Castor, solid (hard), rim: composite, black XFF080302 Castor, solid (soft), rim: composite, black XFF080303 Castor, solid (hard), light-up, rim: composite, black XFF080304 Castor, solid (hard), rim: aluminium Colour, rim: Silver Colour, rim: Black Corange Red Blue | 5" & 6") 4" & 5") 4" & 5") |
| Colour: Silver XFF080008 Castor fork, aluminium, one-arm Colour: Black Colour: Silver Corange Red Blue XFF080007 Castor fork, aluminium, suspension (Frog Legs ®), black CASTORS (compare with your choice on the first plack) XFF080301 Castor, solid (hard), rim: composite, black XFF080302 Castor, solid (soft), rim: composite, black XFF080303 Castor, solid (hard), light-up, rim: composite, black XFF080304 Castor, solid (hard), rim: aluminium Colour, rim: Silver Colour, rim: Black Corange Red Blue (1) only with 0° wheel camber | 5" & 6") 4" & 5") 4" & 5") 4" & 5") For more information |
| Colour: Silver XFF080008 Castor fork, aluminium, one-arm Colour: Black Colour: Silver Corange Red Blue XFF080007 Castor fork, aluminium, suspension (Frog Legs ®), black CASTORS (compare with your choice on the first plack) XFF080301 Castor, solid (hard), rim: composite, black XFF080302 Castor, solid (soft), rim: composite, black XFF080303 Castor, solid (hard), light-up, rim: composite, black XFF080304 Castor, solid (hard), rim: aluminium Colour, rim: Silver Colour, rim: Black Corange Red Blue | 5" & 6") 4" & 5") 4" & 5") 4" & 5") |



XFF010012 / 13 **Open Frame**



XFF090020 / 21 Hybrid frame



XFF090001 Tip assist



XFF090004 Anti-tip tubes, swing away



XFF090050 Anti-tip tubes, plug in, pair



XFF090010 Transit wheels

EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

| | Seat Depth | | | | | | | | | | | |
|-----|------------|----------|----------|----------|----------|----------|-----|--|--|--|--|--|
| COG | 320-380 | 400 | 420 | 440 | 460 | 480 | 500 | | | | | |
| 20 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| 30 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| 40 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| 50 | X | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| 60 | X | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| 70 | X | X | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| 80 | X | X | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| 90 | X | X | X | ✓ | ✓ | ✓ | ✓ | | | | | |
| 100 | X | X | X | ✓ | ✓ | ✓ | ✓ | | | | | |
| 110 | X | X | X | X | ✓ | ✓ | ✓ | | | | | |

EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 25" REAR WHEELS

| | | Seat Depth | | | | | | | | | | | |
|-----|----------|------------|----------|----------|----------|----------|----------|--|--|--|--|--|--|
| COG | 320-380 | 400 | 420 | 440 | 460 | 480 | 500 | | | | | | |
| 20 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| 30 | X | √ | ✓ | ✓ | √ | ✓ | √ | | | | | | |
| 40 | X | ✓ | √ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| 50 | X | X | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| 60 | Х | X | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| 70 | X | Х | X | ✓ | ✓ | ✓ | ✓ | | | | | | |
| 80 | X | Х | Х | √ | ✓ | ✓ | ✓ | | | | | | |
| 90 | X | X | X | X | ✓ | ✓ | ✓ | | | | | | |
| 100 | X | X | Х | X | ✓ | ✓ | ✓ | | | | | | |
| 110 | X | Х | X | X | X | ✓ | ✓ | | | | | | |

© Sunrise Medical 2025

| Xenon | 2 | | | | | | | | | | | |
|------------------------|-----------|--|---|--|--|--|--|--|--|--|--|--|
| | • | = Standard O = No cost option | Price in € | | | | | | | | | |
| | | REAR WHEELS (compare with your choice on the first page; choose only one wheel | type) | | | | | | | | | |
| XFF070000 | 0 | Without rear wheel | - | | | | | | | | | |
| XFF070001 | 0 | | y 24") | | | | | | | | | |
| XFF070002 | 0 | | y 24") - | | | | | | | | | |
| XFF070003 XFF070004 | 0 | Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last p | | | | | | | | | | |
| XFF070004 XFF070005 | | Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 10 Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver | ookg) | | | | | | | | | |
| XFF070007 | | Rear wheel, Spinergy, 10 spokes (black), straight spokes, hub black | | | | | | | | | | |
| XFF070008 | | | y 24") | | | | | | | | | |
| XFF070009 | | | y 24") | | | | | | | | | |
| XFF070010 | | , | y 24") | | | | | | | | | |
| | | •• | | | | | | | | | | |
| VEE070450 | | Axle | | | | | | | | | | |
| XFF070150 XFF070151 | <u> </u> | Quick-release axle Quick-release axle designed for guade (2) | | | | | | | | | | |
| XFF070131 | | Quick-release axle, designed for quads (2) | | | | | | | | | | |
| | | TYRES (choose only one tyre | type) | | | | | | | | | |
| XFF070101 | 0 | | y 24") | | | | | | | | | |
| XFF070102 | 0 | Tyre, puncture proof, tread | | | | | | | | | | |
| XFF070107 | | Tyre, pneumatic, slick, Schwalbe One | | | | | | | | | | |
| XFF070104 | | Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution | | | | | | | | | | |
| \(\(\) | | | , , , , , , , , , | | | | | | | | | |
| XFF090163 | | Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid) | tyres) | | | | | | | | | |
| | | HANDRIMS | | | | | | | | | | |
| XFF070204 | 0 | Handrims, stainless steel, silver | | | | | | | | | | |
| XFF070202 | 0 | Handrims, aluminium, anodised, silver | | | | | | | | | | |
| XFF070201 | 0 | Handrims, aluminium, powder-coated, clear | | | | | | | | | | |
| XFF070203 | | Handrims, aluminium, powder-coated, coloured (select colour on last page) | | | | | | | | | | |
| XFF070205 | | Handrims, titanium, untreated | | | | | | | | | | |
| XFF070206 | | Handrims, titanium, powder-coated, clear | | | | | | | | | | |
| XFF070207 | | Handrims, Supergrip ® | | | | | | | | | | |
| XFF070208 | | Handrims, Maxgrepp ® (only | y 24") | | | | | | | | | |
| XFF070212 | | Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip) | | | | | | | | | | |
| | | Hand rim mounting | | | | | | | | | | |
| XFF070307 | | Handrim mount, super narrow (7 mm) | | | | | | | | | | |
| | (only wit | h stainless steel; not in combination with Spinergy, Proton and Lightweight Wheels and stainless steel Handrim, Not with Maxg | repp) | | | | | | | | | |
| XFF070317 | 0 | Handrim mount, narrow (17 mm) (Not with Maxg | grepp) | | | | | | | | | |
| XFF070327 | 0 | Handrim mount, wide (27 mm) | | | | | | | | | | |
| | | Handrim accessories | | | | | | | | | | |
| XFF070250 | | and the second s | y 24") | | | | | | | | | |
| | | · | | | | | | | | | | |
| | | WHEEL CAMBER (choose only one of | ption) | | | | | | | | | |
| XFF070600 | 0 | 0° | | | | | | | | | | |
| XFF070602 | 0 | 2° (not with Centre of Gravity Adapter, lightwo | - / | | | | | | | | | |
| XFF070604 | 0 | 4° (not with Centre of Gravity Adapter, lightwo | eight) | | | | | | | | | |
| | | SPOKE GUARDS (only | y 24") | | | | | | | | | |
| XFF070831 | | Transparent | | | | | | | | | | |
| | | XFF070813 □ Galactica | | | | | | | | | | |
| XFF070823 | | Princess XFF070818 □ Jungle Fever | | | | | | | | | | |
| XFF070816 | | Happy Lions | | | | | | | | | | |
| XFF070819 | | Monkeys XFF070821 □ Pirates XFF070811 □ Feather | | | | | | | | | | |
| XFF070820 | | Oriental | | | | | | | | | | |
| XFF070829 | | Superhero XFF070814 □ Graffiti XFF070806 □ Chrome | | | | | | | | | | |
| XFF070817 | | Hot Wheels XFF070802 □ Basketball XFF070803 □ Basketball 2 | | | | | | | | | | |
| XFF070822 | | Pool XFF070812 □ Flying Water XFF070828 □ Space | | | | | | | | | | |
| XFF070827 | | Silk | | | | | | | | | | |
| XFF070830 | | Tiger XFF070833 □ Zebra | | | | | | | | | | |
| (4) | | with Adaptas standard and anti-with 00 0 40 and a mile with much be with a first of the first of | | | | | | | | | | |
| (1) | • | with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles. | For more informati | | | | | | | | | |
| (2) | riot V | rith Rear wheels Spinergy/ Mountainbike/ drum brakes | visit our webpage www.SunriseMedical | | | | | | | | | |
| | | | © Sunrise Medical | | | | | | | | | |
| | | | Summer Miculcal | | | | | | | | | |



XFF070001 Universal wheel



XFF070002 Design wheel



XFF070003 Lightweight wheel



XFF07000 Proton wheel



XFF07010 Mountainbike wheel



XFF070101 Schwalbe Right Run



XFF070107 Schwalbe One



XFF070104 Schwalbe Marathon Plus Evolution



XFF070102 Tyre, puncture proof



XFF070202 Handrims aluminum, anodized



XFF070203 Handrims aluminum, powder coated, coloured



XFF070208 Handrims Maxgrepp



XFF070212 Handrims Ellipse 3R

| Xenon ² | | | | | | | | | | | | |
|--|--------|---------|-----------|----------------|---------------|------------------------------------|--|--------------|----------------|--------------|-----------------|------|
| | • | = Star | ndard | O = | No cost opti | on | □ = Cost option | | | | Price in € | |
| | | WHI | EEL L | OCKS | <u>'</u> | | • | | (choose only | one option) | | |
| XFF060001 | 0 | | dard br | | | | | | | | Std. | |
| XFF060002 | | Knee | -lever l | brake | | | | | | | | |
| XFF060010 | | | Brake | lever exten | sion, knee | -lever brake | , fold-down | | | | | |
| XFF060023 | | Comp | pact br | ake EVO | | | | | | | | |
| XFF060024 | | Light | weight | compact br | ake EVO | (1) | | | | | | |
| | | ۸۰۰ | ECC/ | ORIES | | | | | | | | |
| XFF090000 | 0 | Tool | | UKIES | | | | | | | Std. | |
| XFF090025 | | Air pu | | | | | | | | | Ota. | |
| XFF090024 | _ | | _ ' | re pump (0 | - 11 bar) | | | | | | | |
| XFF090030 | | | pack | no pamp (o | 11 541) | | | | | | | |
| XFF090026 | | | • | ne pocket | | | | | | | | |
| | | | | • | | | | | | | | |
| COLOURS (2) Please consult our colour catalogue to review your colour choice | | | | | | | | | | | | |
| | | F | rame | Handrim | Hub/rim | X-brace | | Frame | Handrim | Hub/rim | X-brace | |
| 02 Brilliant Silv | /er | | 0 | | | | 27 Graphitemetallic | 0 | | | | |
| 03 Silver Matt | | | 0 | | | | ' " | | | | | |
| | | | | | | | 29 Black | 0 | | | | |
| 06 Sun Yellow | , | | 0 | | | | 31 Matt Black | 0 | | | | |
| | | | | | | | 32 Signal White | 0 | | | | |
| | | | _ | _ | | _ | 33 Pink | 0 | | | | |
| 14 Blue | | | 0 | | | | 34 Dark Chocolate Metallic | 0 | | | | |
| 15 Brilliant Ma | | | 0 | | | | 35 Skyblue | 0 | | | | |
| 16 Matt Marine | | | 0 | | | | 36 Cyan-Metallic | 0 | | | | |
| 19 Brilliant Pur 21 Red Ruby | pie | | 0 | | | | 37 Marsred (Orange) 40 Kiwi | 0 | | | | |
| 22 Brilliant Red | Н | | 0 | | | | 41 Flamingo-Glitter | 0 | | | | |
| 23 Matt Red | u | | 0 | | | | 42 Matt-Anthracite | 0 | | | | |
| 24 Tutti Frutti | Orar | nge | 0 | | _ | | | | _ | | _ | |
| 46 Mamba Gre | | - | 0 | | | | Rear wheel, lightweight ano | dized, ora | ange | | (3) | |
| | | | | | | | Rear wheel, lightweight ano | dized, blu | ie | | (3) | |
| | | | | | | | Rear wheel, lightweight ano | dized, red | b | | (3) | |
| | | COL | OURS | - for sticke | ers ("Xeno | n²" on the fra | ame and "Quickie" on sidegua | rd) | | | | |
| XFF100550 | 0 | black | | 101 041014 | ore (7.0.10. | | Quickie" on sideguard will be silver in a | | with carbon s | sideguards) | - | |
| XFF100551 | 0 | silver | | | | | | | | | - | |
| XFF100552 | 0 | orange | Э | | | | | | | | - | |
| XFF100553 | | red | | | | | | | | | - | |
| XFF100554 | 0 | blue | | | | | | | | | - | |
| (1) not with Hub | rid fr | omo: no | t availab | lo with 1° com | har not with | aget donth 240 | I mm; not for use with add on hikes; o | divotment | of CoC 1/ one | rov 25mm | in the field | |
| | | | | | | seal depth 340 only for univers | mm; not for use with add on bikes; a al wheel 24" | ajustrient c | οι C0G +/- apμ | irox. Zəmini | iri trie neia | |
| | | | | lub and rim ar | | - | u | | | | | |
| | _ | | | | | | ad time conditions my change |). | | | | |
| | | _ | | | ,,,, | | , , | | | | | |
| | | | | | | | | | | | built | 4me |
| | | | | | | | | | | | | |
| | | 2 | | | | | | | - | | | |
| Quickie X | | on' | - Bas | sic Price | 9 | | | | | | | |
| Option price | | | | | | | | | | | | € |
| Packaging a | | trans | port | | | | | | | | | € |
| Exclusive V | ΑT | | | | | | | | | | | € |
| VAT. | | | | | | | | | | | | € |
| Total Price | | | | | | | | | | | | € |
| Sunrise Medi | cal 4 | Custo | mer Sa | nvice | | | | | | Eor | more informa | tion |
| Address: | uai (| oustol | iiier 36 | ii vice | | | E-mail: | | | | isit our webpag | |
| Tel. | | | | | | | E-commerce: | | | | SunriseMedica | • |
| Fax. | | | | | | | Website: | | | © Su | nrise Medical | 2025 |



XFF060001 Standard brake



XFF060002 Knee lever brake



XFF060023 Compact brake EVO



XFF060024 Lightweight compact brake EVO



XFF090000 Tool kit



XFF090024 High pressure pump



XFF090025 Air pump



XFF090030 Back pack



XFF090026 Mobile phone pocket