



SUNRISE
MEDICAL

QUICKIE

Life RT

OF_Life RT_EU-Template_2025-01-15

Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:



Invoice to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:

Order date:

Purchase order:

Number required:

Marked for:

Sunrise order no:

• = Standard

□ = Cost option

○ = No cost option

☐ Order ☐ Calculation ☐ Built 4 me

Reimbursement code:

Max. user weight:

125 kg*

*When selecting a proton wheel or the abduction frame Max Weight is 100 Kg

Art. no.: 84700000 DE / 84700001 IC

USER WEIGHT

kg

Mandatory information to ensure correct configuration

Base Price

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

280	300	320	340*	360	380	400	420	440	460	480
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

* Not in combination with Seat Depth 320 and 340 mm

SEAT DEPTH SELECTION - measured in mm

320	340	360	380	400	420	440	460
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Short Frame				Medium Frame		Long Frame	

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

Front seat height in mm

		Front seat height in mm																
		Fork Type (mm)		360	370	380	390	400	410	420	430	440	450	460	470	480	490	500
Front castor	4"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Carbotecture (111 mm)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Aluminium (115 mm) (1)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (131 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (158 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
	5"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
		Carbotecture (111 mm)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (115 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (131 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (158 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
	6"	Hemi Version			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Carbotecture (111 mm)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (115 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>				
		Aluminium (131 mm) (1)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
		Aluminium (158 mm) (1)									<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	7"	Aluminium (158 mm) (1)											<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear wheels	360	370	380	390	400	410	420	430	440	450
22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

For more information
www.SunriseMedical.eu
© Sunrise Medical 2025

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between
front edge of the seat upholstery and back of knee.
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the
back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90°
and positive angles are > 90°.

Technical Data Overview - Life RT:

Max. overall height:	950 mm		
Max. overall length:	1075 mm		
Max. turning circle:	700 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 8 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle
For transport without a user the chair must be safely clamped in the vehicle

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

Life RT

● = Standard

○ = No cost option

□ = Cost option

Price in €

SEAT UPHOLSTERY AND CUSHIONS

Seat slings

LRT020008

○ Seat sling, nylon, tension-, depth adjustable

LRT020009

□ Seat sling, nylon, adjustable, 1 bag

LRT020000

○ Without seat sling

Seat cushion, cover with zipper, black

LRT020101

□ Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm

LRT020102

□ Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm

JAY Cushion - for complete JAY product range see JAY order forms

JAY020002

□ JAY Basic

JAY020003

□ JAY Soft Combi P

JAY020001

□ JAY Easy Visco

JAY020007

□ JAY Easy Fluid

JAY020004

□ JAY Lite

Seat accessories

LRT090018

□ Lap belt with buckle, metal

BACKREST

Backrest height range

Back height setting at (mm)

250-300

300-350

350-400

400-450

○ 250

○ 300

○ 350

○ 400

○ 275

○ 325

○ 375

○ 425

○ 300

○ 350

○ 400

○ 450

LRT030001

○ Backrest tube, aluminum

(not for 250 mm backrest height)

LRT030015

□ Backrest, angle-adjustable, fold-down

LRT030512

○ 78°

LRT030518

○ 82°

LRT030514

○ 86°

LRT030500

○ 90°

LRT030504

○ 94°

LRT030508

○ 98°

LRT030102

□ Backrest, angle-adjustable, lock when folded

LRT030512

○ 78°

LRT030518

○ 82°

LRT030514

○ 86°

LRT030500

○ 90°

LRT030504

○ 94°

LRT030508

○ 98°

Push handles

LRT030201

○ Push handles long

LRT030203

□ Push handles, fold-down

(only from back height 300mm; from 350 with angle adj back)

LRT030204

□ Push handles, height-adjustable

(only from back height 300 mm)

LRT030205

□ Push handles, height-adjustable for Jay backs

(only from back height 300 mm)

LRT030208

□ Push bar, height-adjustable, width and angle-adjustable

(only from SW 280 mm to 380 mm)

LRT030200

○ Without push handles

Backrest upholstery (black)

LRT030316

○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version)

Colour, binding

○ Orang

○ Orange

○ Silver

○ Red

○ Blue

LRT030317

□ EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (EXO Evo version)

Colour, binding

○ Orang

○ Orange

○ Silver

○ Red

○ Blue

LRT030300

○ Without backrest upholstery

Backrest accessories

LRT030411

□ Headrest, small height, depth and angle-adjustable, 200 x 110 mm

LRT030410

□ Headrest, tall height, depth and angle-adjustable, 230 x 110 mm

For more information

www.SunriseMedical.eu

© Sunrise Medical 2025

BACKREST



Backrest tube,
aluminum
Austauschen Life T



Backrest, angle
adjustable



Push handles long



Push handles,
fold-down



Push handles,
height-adjustable



Without push
handles,



Push bar, height-adjustable,
width and angle-adjustable



Headrest, height, depth and
angle adjustable



EXO backrest sling
(EXO Evo version)



EXO PRO backrest sling (EXO
Evo version)

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

JAY BACKS plus ACCESSORIES - for complete JAY product range see JAY order forms

JAY 3 Back - Shallow Contour

Mid Thoracic:	<input type="checkbox"/>	JAY030010	Medium 340 mm	<input type="checkbox"/>	JAY030033	Tall 380 mm				
Upper Thoracic:	<input type="checkbox"/>	JAY030012	Short 420 mm	<input type="checkbox"/>	JAY030019	Medium 460 mm	<input type="checkbox"/>	JAY030025	Tall 500 mm	
Shoulder Height:	<input type="checkbox"/>	JAY030015	Short 530 mm	<input type="checkbox"/>	JAY030022	Medium 570 mm	<input type="checkbox"/>	JAY030028	Tall 610 mm	

JAY 3 Back - Mid Contour

Mid Thoracic:	<input type="checkbox"/>	JAY030011	Medium 340 mm	<input type="checkbox"/>	JAY030018	Tall 380 mm				
Upper Thoracic:	<input type="checkbox"/>	JAY030013	Short 420 mm	<input type="checkbox"/>	JAY030020	Medium 460 mm	<input type="checkbox"/>	JAY030026	Tall 500 mm	
Shoulder Height:	<input type="checkbox"/>	JAY030016	Short 530 mm	<input type="checkbox"/>	JAY030023	Medium 570 mm	<input type="checkbox"/>	JAY030029	Tall 610 mm	

JAY 3 Back - Mid Deep Contour

Mid Thoracic:	<input type="checkbox"/>	JAY030044	Medium 340 mm	<input type="checkbox"/>	JAY030041	Tall 380 mm				
Upper Thoracic:	<input type="checkbox"/>	JAY030045	Short 420 mm	<input type="checkbox"/>	JAY030042	Medium 460 mm	<input type="checkbox"/>	JAY030046	Tall 500 mm	
Shoulder Height:	<input type="checkbox"/>	JAY030043	Short 530 mm	<input type="checkbox"/>	JAY030047	Medium 570 mm	<input type="checkbox"/>	JAY030048	Tall 610 mm	

JAY 3 Back - Deep Contour

Upper Thoracic:	<input type="checkbox"/> JAY030014	Short 420 mm	<input type="checkbox"/> JAY030021	Medium 460 mm	<input type="checkbox"/> JAY030027	Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030017	Short 530 mm	<input type="checkbox"/> JAY030024	Medium 570 mm		

Accessories for JAY J3 backs

WHT030415	<input type="checkbox"/> Whitmyer Headrest, COBRA XTRA, flip back	(only with JAY 3 backs)	
WHT030416	<input type="checkbox"/> Whitmyer Headrest, AXYS, Standard	(only with JAY 3 backs)	

JAY J3 Carbon Back - Shallow Contour (with fixed hardware)

Low Thoracic:	<input type="checkbox"/> JAY060001	Short - 170 mm	<input type="checkbox"/> JAY060002	Tall - 240 mm	
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 300 mm	<input type="checkbox"/> JAY060004	Tall - 380 mm	

JAY Zip Back

S (150 mm)	<input type="checkbox"/> JAY070001	SW 280 mm	<input type="checkbox"/> JAY070002	SW 300-340 mm	<input type="checkbox"/> JAY070003	SW 360-400mm
M (200 mm)	<input type="checkbox"/> JAY070004	SW 280 mm	<input type="checkbox"/> JAY070005	SW 300-340 mm	<input type="checkbox"/> JAY070006	SW 360-400mm
T (250 mm)	<input type="checkbox"/> JAY070007	SW 280 mm	<input type="checkbox"/> JAY070008	SW 300-340 mm	<input type="checkbox"/> JAY070009	SW 360-400mm
X (300 mm)	<input type="checkbox"/> JAY070010	SW 280 mm	<input type="checkbox"/> JAY070011	SW 300-340 mm	<input type="checkbox"/> JAY070012	SW 360-400mm

ARMREST AND SIDEGUARDS

Armrest

(choose only one option, not in combination with sideguards; only with 0° and 1° camber)

<input type="checkbox"/> Single post height adjustable armrest	
LRT040050 ○ Armpad short (250 mm)	
LRT040051 ○ Armpad long (360 mm)	
LRT040052 <input type="checkbox"/> Single-post sideguard, armpad (330 mm), height-adjustable, remove	(Not with abducted frame and COG 83)

Sideguards

(not in combination with armrests)

LRT040107 <input type="checkbox"/> Composite sideguard, removeable (black)	(not with safari brake)	
LRT040102 <input type="checkbox"/> Aluminium sideguard, wet weatherprotection (in frame colour) (1)	(not with safari brake)	
LRT040103 <input type="checkbox"/> Aluminium sideguard, fender, wet weatherprotection (in frame colour) (1)		
LRT040055 <input type="checkbox"/> Armpad, height-adjustable, short	(not with safari brake)	
LRT040104 <input type="checkbox"/> Carbon fibre sideguard, fender, wet weatherprotection (black) (1)	(not with safari brake)	

TRAYS

LRT090111 <input type="checkbox"/> Tray, wood, elevated frame, push-fit, SW 220 - 360 mm	only with LRT040055	
LRT090112 <input type="checkbox"/> Tray, plastic, swing-away, left-mount	(only with height adj. armrests with pad)	
LRT090113 <input type="checkbox"/> Tray, plastic, swing-away, right-mount	(only with height adj. armrests with pad)	

FRAME

LRT010010 ○ Frame FF 75 ° (integrated footrest)		
LRT010011 ○ Frame FF 85 ° (integrated footrest)		
LRT010023 <input type="checkbox"/> Frame FF 75° (integrated footrest), abducted (25 mm on each side)	(not for SW 480 mm)	
LRT010016 <input type="checkbox"/> Frame FF 85 ° (integrated footrest), inset (20 mm on each side), active	(from SW 340 mm)	
LRT010015 ○ Frame SA (removable footrest)	(not for SD 320/340 mm)	
LRT090100 <input type="checkbox"/> Tie down brackets for transportation		

CENTER OF GRAVITY (COG) measured from front of back post; choose only one option

COG23 ○ Centre of gravity 23 mm		
COG43 ○ Centre of gravity 43 mm		Std.
COG63 ○ Centre of gravity 63 mm		
COG83 ○ Centre of gravity 83 mm		

(1) Effective seat width (measured between the sideguards) is seat width + 20 mm

For more information
www.SunriseMedical.eu
 © Sunrise Medical 2025

JAY BACKS



JAY J3 Back
Shallow Contour



JAY J3 Back
Mid Contour



JAY J3 Back
Mid Deep Contour



JAY J3 Back
Deep Contour



JAY J3 Carbon Back
Shallow Contour



JAY Zip Back

ARMREST AND SIDEGUARDS



Single post height
adjustable



Single-post sideguard,
armpad, height-adjustable,
remove



Composite sideguard,
removeable (black)



Aluminium sideguard, wet
weatherprotection (in
frame colour)



Aluminium sideguard,
fender, wet
weatherprotection (in
frame colour)



Carbon fibre sideguard,
fender, wet
weatherprotection (black)

FRAME



Frame FF 105 °
(integrated footrest)



Frame FF 95 °
(integrated footrest)



Frame FF 105°
(integrated footrest),
abducted (20 mm on
each side)



Frame FF 95 °
(integrated footrest),
20 mm inset, active



Frame SA
(removable footrest)

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

FRAME ACCESSORIES

LRT010500	□ Wheelbase extension for add-on bike	(not with drumbrake, crutch holder, tip assist, anti tip, wheel drive)	
LRT090010	□ Transit wheels	(not with crutch holder, tip assist and anti tip)	

Tip assist (step tube) & Crutch holder

LRT090001	□ Tip assist, left	LRT090002	□ Tip assist, right	
LRT090003	□ Tip assist, pair		(choose either tip assist or anti- tip tubes, not both)	
LRT090009	□ Crutch holder, loop		(only in combination with tip assist)	

Anti-tip tubes, swing-away

LRT090004	□ Anti-tip tubes, swing-away, left	LRT090005	□ Anti-tip tubes, swing-away, right	
LRT090006	□ Anti-tip tubes, swing-away, pair		(choose either tip assist or anti- tip tubes, not both)	
LRT090036	□ Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair		(not with tip assist, max. user weight: 100 kg)	

PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames

LRT090211	□ without ATTITUDE order	(docking pins assembled)	
LRT090212	○ with ATTITUDE order	(docking pins assembled; ATTITUDE order seperately)	

HANGERS & FOOTPLATES

Aluminum hanger

LRT050002	○ Hanger angle 70°		std.
LRT050001	○ Hanger angle 80°		
LRT050041	○ Hanger angle 90°	(not with 6" & 7")	
LRT050006	□ Hanger, aluminium, swing-away, LH	LRT050007	□ Hanger, aluminium, swing-away, RH
pick both	□ Hanger, aluminium, swing-away, pair		

Composite hanger

LRT050002	○ Hanger angle 70°	
LRT050001	○ Hanger angle 80°	
LRT050003	□ Hanger, composit, swing-away, LH	LRT050004 □ Hanger, composit, swing-away, RH
pick both	□ Hanger, composit, swing-away, pair	

Elevating Legrest (ELR)

(not with footboards, platform; only SA frame)

LRT050009	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, LH		
LRT050010	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, RH		
pick both	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1)	

Footboard (colour black)

LRT050020	○ Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/5)		std.
LRT050050	□ Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black (6)		
LRT050102	□ Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black		
	LRT050126 □ Swing-away mechanism for platform footboard	(from LLL 340 mm)	
	LRT050062 □ Locking system, platform footplate, aluminium		
LRT050131	□ Footboard, platform, lightweight, composite, angle & depth-adjustable flip up (sideways), calf strap (2)		
LRT050132	□ Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (7)		
LRT050127	□ Adjustable side protection, to create a side-stop on the footboard		

Footboard (only with fixed front frame)

LRT050025	□ Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black (3)		
LRT050056	□ Footboard, platform, lightweight, aluminum, angle and depth-adjustable, calf strap, black (3)		
LRT050026	□ Footboard, platform, lightweight, carbon fibre, angle and depth-adjustable, calf strap, black (3)		
LRT050127	□ Adjustable side protection, to create a side-stop on the footboard		

LOWER LEG LENGTH (LLL) - LLL has to be 25 mm lower than front seat height; all measurements in mm

○ 220 ○ 230 ○ 240 ○ 250 ○ 260 ○ 270 ○ 280 ○ 290 ○ 300
 ○ 310 ○ 320 ○ 330 ○ 340 ○ 350 ○ 360 ○ 370 ○ 380 ○ 390
 ○ 400 ○ 410 ○ 420 ○ 430 ○ 440 ○ 450 ○ 460 ○ 470

LLL 220-290 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform footboard

(1) not in combination with footboard platform; not with SW 280-360 mm

(2) from LLL 300 mm

(3) from LLL 280 mm; with FF frame 85°/75° from SW 300 mm

(4) not with SA frame

(5) from SW 360; with inset from SW 400; with abduction from SW 320 mm

(6) with SA frame and FF frame 85°/75° from SW 300 mm

(7) from SW 320 mm; with inset from SW 360 mm

For more information
www.SunriseMedical.eu
 © Sunrise Medical 2025

FRAME ACCESSORIES



Wheelbase extension for



Transit wheels



Tip assist



Crutch holder,



Anti-tip tubes, swing-

HANGERS AND FOOTPLATES



Aluminum hanger, 90°



Composite hanger
110°/100°



Elevating legrest
(ELR)



Footboard, divided,
composit, angle-
adjustable, flip-up
(sideways), heel loop,



Footboard, divided,
aluminum, angle-
adjustable, flip-up
(sideways), heel loop,



Footboard, platform,
aluminum, angle-
adjustable, flip-up
(sideways), heel loop,
black



Footboard, platform,
lightweight, plastic, angle
& depth-adjustable flip
up (sideways), calf strap



Footboard, platform,
lightweight, plastic,
angle and depth-
adjustable, calf strap,
black



Footboard, angle and depth
adjustable; flip up,
aluminium with locking
system

FORKS



Fork Aluminium,
black, orange & silver



Expansion kit, designed for
hemiplegic users

REAR WHEELS



Rear wheel, Universal,
36 spokes, cross-wise
spokes



Rear wheel, Design, 36
spokes, straight spokes



Rear wheel, Lightweight,
24 spokes, straight
spokes



Rear wheel, Proton,
24 spokes, straight
spokes



Rear wheel,
Spinergy, 18
spokes (black),
straight spokes;
hub: silver



Rear wheel,
drum brakes, 36
spokes, cross-
wise spokes

TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine
profile, Schwalbe Right
Run



Tyre, pneumatic, puncture proof,
tread, Schwalbe Marathon Plus
Evolution



Tyre, pneumatic, slick,
Schwalbe One

HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

SPOKE GUARDS			(not with spinergy wheels)
LRT070831	<input type="checkbox"/> Transparent		
LRT070813	<input type="checkbox"/> Glactica	LRT070806 <input type="checkbox"/> Chrome	
LRT070823	<input type="checkbox"/> Princess	LRT070818 <input type="checkbox"/> Jungle Fever	
LRT070816	<input type="checkbox"/> Happy Lions	LRT070821 <input type="checkbox"/> Pirates	
LRT070819	<input type="checkbox"/> Monkeys	LRT070811 <input type="checkbox"/> Feather	
LRT070820	<input type="checkbox"/> Oriental	LRT070814 <input type="checkbox"/> Graffiti	
LRT070829	<input type="checkbox"/> Superhero	LRT070802 <input type="checkbox"/> Basketball	
LRT070817	<input type="checkbox"/> Hot Wheels	LRT070803 <input type="checkbox"/> Basketball 2	
LRT070822	<input type="checkbox"/> Pool	LRT070828 <input type="checkbox"/> Space	
LRT070827	<input type="checkbox"/> Silk	LRT070812 <input type="checkbox"/> Flying Water	
LRT070830	<input type="checkbox"/> Tiger	LRT070833 <input type="checkbox"/> Zebra	

WHEEL LOCKS			(choose only one option)
LRT060001	<input type="radio"/> Standard brake	(in combination with SA frame short and 24" wheel -> only with COG 23)	
LRT060002	<input type="radio"/> Knee-lever brake		
LRT060010	<input type="checkbox"/> Brake lever extension, knee-lever brake, fold-down		
LFT060023	<input type="checkbox"/> Compact brake EVO		
LRT060013	<input type="checkbox"/> Push to lock brake, integrated in sideguard, Safari		

ACCESSORIES		
LRT090000	<input type="radio"/> Tool kit	
LRT090025	<input type="checkbox"/> Air pump	
LRT090024	<input type="checkbox"/> High pressure pump (0 - 14 bar)	
LRT090030	<input type="checkbox"/> Back pack	
LRT090026	<input type="checkbox"/> Mobile phone pocket	

COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice			
	Frame	Handrim	Hub/rim ⁽²⁾
02 Brilliant Silver	○	□	
03 Silver Matt	○	□	
06 Sun Yellow	○	□	
14 Blue	○	□	□
15 Brilliant Marine	○	□	
16 Matt Marine	○	□	
19 Brilliant Purple	○	□	
21 Red Ruby	○	□	
22 Brilliant Red	○	□	□
23 Matt Red	○	□	□
24 Tutti Frutti Orange	○	□	
27 Graphitemetallic	○	□	
29 Black	○	□	□
31 Matt Black	○	□	□
32 Signal White	○	□	
33 Pink	○	□	
34 Dark Chocolate	○	□	
35 Skyblue	○	□	
36 Cyan-Metallic	○	□	
37 Marsred (Orange)	○	□	
40 Kiwi	○	□	
41 Flamingo-Glitter	○	□	
42 Matt-Anthracite	○	□	
46 Mamba Green (new)	○	□	

(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel; Fork: not with Carbotechnology
(2) Only with Universal wheel 22" and 24"

WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,
integrated in sideguard,
Safari



Push to lock brake, one-
arm, right actuation



Brake lever extension,
knee-lever brake, fold-
down

ACCESSORIES



Back pack



Mobile phone pocket



High pressure pump



Air pump

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

LRT100550	<input type="radio"/> Sticker colour - black		
LRT100551	<input type="radio"/> Sticker colour - silver		

LRT100580	<input type="radio"/>	Axle plate anodized, black	std.	
LRT100581	<input type="checkbox"/>	Axle plate anodized, silver		
LRT100582	<input type="checkbox"/>	Axle plate anodized, orange		

	<input type="radio"/> Black	std.	
LRT100336	<input type="checkbox"/> Anodized, orange		
LRT100337	<input type="checkbox"/> Anodized, blue		
LRT100338	<input type="checkbox"/> Anodized, red		

Footboard, platform, lightweight, plastic, angle and depth-adjustable, flip-up (to the back), calf strap, black (not with 6"/7" castors, seat angle < 30 mm; LLL 50 mm < FSH; only up to 75 kg)

Option price	€
Packaging and transport	€
Exclusive VAT	€
VAT.	€
Total Price	€

ANODIZED COLOUR AXLE PLATE



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red