



Life RT

OF_Life RT_EU-Template_2024-01-01

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- Order Calculation Built 4 me

- = Standard = Cost option
 = No cost option

Reimbursement code:

Max. user weight: **125 kg***
**When selecting a proton wheel or the abduction frame Max Weight is 100 Kg*

Art. no.: 84700000 DE / 84700001 IC

USER WEIGHT kg
 Mandatory information to ensure correct configuration

Base Price

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

280	300	320	340*	360	380	400	420	440	460	480
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

* Not in combination with Seat Depth 320 and 340 mm

SEAT DEPTH SELECTION - measured in mm

320	340	360	380	400	420	440	460
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Short Frame				Medium Frame		Long Frame	

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

Front seat height in mm

		Fork Type (mm)														
		360	370	380	390	400	410	420	430	440	450	460	470	480	490	500
Front castor	4"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Aluminium (123 mm) (1)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (143 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	Aluminium (168 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
	5"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Carbotecture (111 mm)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (123 mm) (1)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (143 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	Aluminium (168 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
	6"	Hemi Version			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Carbotecture (111 mm)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (123 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (143 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	Aluminium (168 mm) (1)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
	7"	Aluminium (168 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear wheels	360	370	380	390	400	410	420	430	440	450
22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		
24"			<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

For more information
www.SunriseMedical.eu
 © Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between
front edge of the seat upholstery and back of knee.
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the
back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90°
and positive angles are > 90°.

Technical Data Overview - Life RT:

Max. overall height:	950 mm		
Max. overall length:	1075 mm		
Max. turning circle:	700 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 8 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle
For transport without a user the chair must be safely clamped in the vehicle

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 10 mm

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

SEAT UPHOLSTERY AND CUSHIONS

Seat slings

LRT020008	<input type="radio"/>	Seat sling, nylon, tension-, depth adjustable	
LRT020009	<input type="checkbox"/>	Seat sling, nylon, adjustable, 1 bag	
LRT020000	<input type="radio"/>	Without seat sling	

Seat cushion, cover with zipper, black

LRT020101	<input type="checkbox"/>	Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm	
LRT020102	<input type="checkbox"/>	Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm	

JAY Cushion - for complete JAY product range see JAY order forms

JAY020002	<input type="checkbox"/>	JAY Basic	
JAY020003	<input type="checkbox"/>	JAY Soft Combi P	
JAY020001	<input type="checkbox"/>	JAY Easy Visco	
JAY020007	<input type="checkbox"/>	JAY Easy Fluid	
JAY020004	<input type="checkbox"/>	JAY Lite	

Seat accessories

LRT090018	<input type="checkbox"/>	Lap belt with buckle, metal	
-----------	--------------------------	-----------------------------	--

BACKREST

Backrest height range	250-300	300-350	350-400	400-450
Back height setting at (mm)	<input type="radio"/> 250	<input type="radio"/> 300	<input type="radio"/> 350	<input type="radio"/> 400
	<input type="radio"/> 275	<input type="radio"/> 325	<input type="radio"/> 375	<input type="radio"/> 425
	<input type="radio"/> 300	<input type="radio"/> 350	<input type="radio"/> 400	<input type="radio"/> 450

LRT030001	<input type="radio"/>	Backrest tube, aluminum	(not for 250 mm backrest height)	
LRT030015	<input type="checkbox"/>	Backrest, angle-adjustable, fold-down		
		LRT030512 <input type="radio"/> 78°	LRT030518 <input type="radio"/> 82°	LRT030514 <input type="radio"/> 86°
		LRT030500 <input type="radio"/> 90°	LRT030504 <input type="radio"/> 94°	LRT030508 <input type="radio"/> 98°
LRT030102	<input type="checkbox"/>	Backrest, angle-adjustable, lock when folded		
		LRT030512 <input type="radio"/> 78°	LRT030518 <input type="radio"/> 82°	LRT030514 <input type="radio"/> 86°
		LRT030500 <input type="radio"/> 90°	LRT030504 <input type="radio"/> 94°	LRT030508 <input type="radio"/> 98°

Push handles

LRT030201	<input type="radio"/>	Push handles long	
LRT030203	<input type="checkbox"/>	Push handles, fold-down	(only from back height 300mm; from 350 with angle adj back)
LRT030204	<input type="checkbox"/>	Push handles, height-adjustable	(only from back height 300 mm)
LRT030205	<input type="checkbox"/>	Push handles, height-adjustable for Jay backs	(only from back height 300 mm)
LRT030208	<input type="checkbox"/>	Push bar, height-adjustable, width and angle-adjustable	(only from SW 280 mm to 380 mm)
LRT030200	<input type="radio"/>	Without push handles	

Backrest upholstery (black)

LRT030316	<input type="radio"/>	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version) Colour, binding 1 <input type="radio"/> Orange <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	
LRT030317	<input type="checkbox"/>	EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (EXO Evo version) Colour, binding 1 <input type="radio"/> Orange <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	
LRT030300	<input type="radio"/>	Without backrest upholstery	

Backrest accessories

LRT030411	<input type="checkbox"/>	Headrest, small height, depth and angle-adjustable, 200 x 110 mm	
LRT030410	<input type="checkbox"/>	Headrest, tall height, depth and angle-adjustable, 230 x 110 mm	

For more information
www.SunriseMedical.eu
 © Sunrise Medical 2024

BACKREST



Backrest tube,
aluminum
Austauschen Life T



Backrest, angle
adjustable



Push handles long



Push handles,
fold-down



Push handles,
height-adjustable



Without push
handles,



Push bar, height-adjustable,
width and angle-adjustable



Headrest, height, depth and
angle adjustable



EXO backrest sling
(EXO Evo version)



EXO PRO backrest sling (EXO
Evo version)

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

JAY BACKS plus ACCESSORIES - for complete JAY product range see JAY order forms

JAY 3 Back - Shallow Contour

Mid Thoracic:	<input type="checkbox"/> JAY030010	Medium 340 mm	<input type="checkbox"/> JAY030033	Tall 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short 420 mm	<input type="checkbox"/> JAY030019	Medium 460 mm	<input type="checkbox"/> JAY030025 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030015	Short 530 mm	<input type="checkbox"/> JAY030022	Medium 570 mm	<input type="checkbox"/> JAY030028 Tall 610 mm

JAY 3 Back - Mid Contour

Mid Thoracic:	<input type="checkbox"/> JAY030011	Medium 340 mm	<input type="checkbox"/> JAY030018	Tall 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short 420 mm	<input type="checkbox"/> JAY030020	Medium 460 mm	<input type="checkbox"/> JAY030026 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030016	Short 530 mm	<input type="checkbox"/> JAY030023	Medium 570 mm	<input type="checkbox"/> JAY030029 Tall 610 mm

JAY 3 Back - Mid Deep Contour

Mid Thoracic:	<input type="checkbox"/> JAY030044	Medium 340 mm	<input type="checkbox"/> JAY030041	Tall 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030045	Short 420 mm	<input type="checkbox"/> JAY030042	Medium 460 mm	<input type="checkbox"/> JAY030046 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030043	Short 530 mm	<input type="checkbox"/> JAY030047	Medium 570 mm	<input type="checkbox"/> JAY030048 Tall 610 mm

JAY 3 Back - Deep Contour

Upper Thoracic:	<input type="checkbox"/> JAY030014	Short 420 mm	<input type="checkbox"/> JAY030021	Medium 460 mm	<input type="checkbox"/> JAY030027 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030017	Short 530 mm	<input type="checkbox"/> JAY030024	Medium 570 mm	

Accessories for JAY J3 backs

WHT030415	<input type="checkbox"/> Whitmyer Headrest, COBRA XTRA, flip back	<i>(only with JAY 3 backs)</i>	
WHT030416	<input type="checkbox"/> Whitmyer Headrest, AXYS, Standard	<i>(only with JAY 3 backs)</i>	

JAY J3 Carbon Back - Shallow Contour (with fixed hardware)

Low Thoracic:	<input type="checkbox"/> JAY060001	Short - 170 mm	<input type="checkbox"/> JAY060002	Tall - 240 mm	
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 300 mm	<input type="checkbox"/> JAY060004	Tall - 380 mm	

JAY Zip Back

S (150 mm)	<input type="checkbox"/> JAY070001	SW 280 mm	<input type="checkbox"/> JAY070002	SW 300-340 mm	<input type="checkbox"/> JAY070003	SW 360-400mm
M (200 mm)	<input type="checkbox"/> JAY070004	SW 280 mm	<input type="checkbox"/> JAY070005	SW 300-340 mm	<input type="checkbox"/> JAY070006	SW 360-400mm
T (250 mm)	<input type="checkbox"/> JAY070007	SW 280 mm	<input type="checkbox"/> JAY070008	SW 300-340 mm	<input type="checkbox"/> JAY070009	SW 360-400mm
X (300 mm)	<input type="checkbox"/> JAY070010	SW 280 mm	<input type="checkbox"/> JAY070011	SW 300-340 mm	<input type="checkbox"/> JAY070012	SW 360-400mm

ARMREST AND SIDEGUARDS

Armrest

(choose only one option, not in combination with sideguards; only with 0° and 1° camber)

LRT040050	<input type="checkbox"/> Single post height adjustable armrest	
LRT040051	○ Armpad short (250 mm)	
LRT040052	○ Armpad long (360 mm)	
LRT040052	<input type="checkbox"/> Single-post sideguard, armpad (330 mm), height-adjustable, remove	<i>(Not with abducted frame and COG 83)</i>

Sideguards

(not in combination with armrests)

LRT040107	<input type="checkbox"/> Composite sideguard, removeable (black)	<i>(not with safari brake)</i>
LRT040102	<input type="checkbox"/> Aluminium sideguard, wet weatherprotection (in frame colour) (1)	<i>(not with safari brake)</i>
LRT040103	<input type="checkbox"/> Aluminium sideguard, fender, wet weatherprotection (in frame colour) (1)	
LRT040055	<input type="checkbox"/> Armpad, height-adjustable, short	<i>(not with safari brake)</i>
LRT040104	<input type="checkbox"/> Carbon fibre sideguard, fender, wet weatherprotection (black) (1)	<i>(not with safari brake)</i>

TRAYS

LRT090111	<input type="checkbox"/> Tray, wood, elevated frame, push-fit, SW 220 - 360 mm	<i>only with LRT040055</i>
LRT090112	<input type="checkbox"/> Tray, plastic, swing-away, left-mount	<i>(only with height adj. armrests with pad)</i>
LRT090113	<input type="checkbox"/> Tray, plastic, swing-away, right-mount	<i>(only with height adj. armrests with pad)</i>

FRAME

LRT010010	○ Frame FF 75° (integrated footrest)	
LRT010011	○ Frame FF 85° (integrated footrest)	
LRT010023	<input type="checkbox"/> Frame FF 75° (integrated footrest), abducted (25 mm on each side)	<i>(not for SW 480 mm)</i>
LRT010016	<input type="checkbox"/> Frame FF 85° (integrated footrest), inset (20 mm on each side), active	<i>(from SW 340 mm)</i>
LRT010015	○ Frame SA (removable footrest)	<i>(not for SD 320/340 mm)</i>
LRT090100	<input type="checkbox"/> Tie down brackets for transportation	

CENTER OF GRAVITY (COG) measured from front of back post; choose only one option

COG23	○ Centre of gravity 23 mm	
COG43	○ Centre of gravity 43 mm	
COG63	○ Centre of gravity 63 mm	
COG83	○ Centre of gravity 83 mm	

(1) Effective seat width (measured between the sideguards) is seat width + 20 mm

For more information
www.SunriseMedical.eu
 © Sunrise Medical 2024

JAY BACKS



JAY J3 Back
Shallow Contour



JAY J3 Back
Mid Contour



JAY J3 Back
Mid Deep Contour



JAY J3 Back
Deep Contour



JAY J3 Carbon Back
Shallow Contour



JAY Zip Back

ARMREST AND SIDEGUARDS



Single post height
adjustable



Single-post sideguard,
armrest, height-adjustable,
remove



Composite sideguard,
removeable (black)



Aluminium sideguard, wet
weatherprotection (in
frame colour)



Aluminium sideguard,
fender, wet
weatherprotection (in
frame colour)



Carbon fibre sideguard,
fender, wet
weatherprotection (black)

FRAME



Frame FF 105 °
(integrated footrest)



Frame FF 95 °
(integrated footrest)



Frame FF 105°
(integrated footrest),
abducted (20 mm on
each side)



Frame FF 95 °
(integrated footrest),
20 mm inset, active



Frame SA
(removable footrest)

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

FRAME ACCESSORIES

LRT010500	<input type="checkbox"/>	Wheelbase extension for add-on bike	(not with drumbrake, crutch holder, tip assist, anti tip, wheel drive)	
LRT090010	<input type="checkbox"/>	Transit wheels	(not with crutch holder, tip assist and anti tip)	
Tip assist (step tube) & Crutch holder				
LRT090001	<input type="checkbox"/>	Tip assist, left	LRT090002 <input type="checkbox"/> Tip assist, right	
LRT090003	<input type="checkbox"/>	Tip assist, pair	(choose either tip assist or anti- tip tubes, not both)	
LRT090009	<input type="checkbox"/>	Crutch holder, loop	(only in combination with tip assist)	
Anti-tip tubes, swing-away				
LRT090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	LRT090005 <input type="checkbox"/> Anti-tip tubes, swing-away, right	
LRT090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair	(choose either tip assist or anti- tip tubes, not both)	
LRT090036	<input type="checkbox"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	(not with tip assist)	

PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames

LRT090211	<input type="checkbox"/>	without ATTITUDE order	(docking pins assembled)	
LRT090212	<input type="radio"/>	with ATTITUDE order	(docking pins assembled; ATTITUDE order seperately)	

HANGERS & FOOTPLATES

Aluminum hanger

LRT050002	<input type="radio"/>	Hanger angle 70°		
LRT050001	<input type="radio"/>	Hanger angle 80°		
LRT050041	<input type="radio"/>	Hanger angle 90°	(not with 6" & 7")	
LRT050006	<input type="checkbox"/>	Hanger, aluminium, swing-away, LH	LRT050007 <input type="checkbox"/> Hanger, aluminium, swing-away, RH	
pick both	<input type="checkbox"/>	Hanger, aluminium, swing-away, pair		

Composite hanger

LRT050002	<input type="radio"/>	Hanger angle 70°		
LRT050001	<input type="radio"/>	Hanger angle 80°		
LRT050003	<input type="checkbox"/>	Hanger, composit, swing-away, LH	LRT050004 <input type="checkbox"/> Hanger, composit, swing-away, RH	
pick both	<input type="checkbox"/>	Hanger, composit, swing-away, pair		

Elevating Legrest (ELR)

(not with footboards, platform; only SA frame)

LRT050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH		
LRT050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH		
pick both	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1)	

Footboard (colour black)

LRT050020	<input type="radio"/>	Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black	(2/5)	
LRT050050	<input type="checkbox"/>	Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	(6)	
LRT050102	<input type="checkbox"/>	Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black		
		LRT050126 <input type="checkbox"/> Swing-away mechanism for platform footboard	(from LLL 340 mm)	
		LRT050062 <input type="checkbox"/> Locking system, platform footplate, aluminium		
LRT050131	<input type="checkbox"/>	Footboard, platform, lightweight, composite, angle & depth-adjustable flip up (sideways), calf strap	(2)	
LRT050132	<input type="checkbox"/>	Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap	(7)	
LRT050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard		

Footboard (only with fixed front frame)

LRT050025	<input type="checkbox"/>	Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black	(3)	
LRT050056	<input type="checkbox"/>	Footboard, platform, lightweight, aluminum, angle and depth-adjustable, calf strap, black	(3)	
LRT050026	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, angle and depth-adjustable, calf strap, black	(3)	
LRT050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard		

LOWER LEG LENGTH (LLL) - LLL has to be 25 mm lower than front seat height; all measurements in mm

- 220 230 240 250 260 270 280 290 300
 310 320 330 340 350 360 370 380 390
 400 410 420 430 440 450 460 470

LLL 220-290 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform footboard

(1) not in combination with footboard platform; not with SW 280-360 mm

(2) from LLL 300 mm

(3) from LLL 280 mm; with FF frame 85°/75° from SW 300 mm

(4) not with SA frame

(5) from SW 360; with inset from SW 400; with abduction from SW 320 mm

(6) with SA frame and FF frame 85°/75° from SW 300 mm

(7) from SW 320 mm; with inset from SW 360 mm

For more information
www.SunriseMedical.eu
 © Sunrise Medical 2024

FRAME ACCESSORIES



Wheelbase extension



Transit wheels



Tip assist



Crutch holder,



Anti-tip tubes, swing-

HANGERS AND FOOTPLATES



Aluminum hanger, 90°



Composite hanger
110°/100°



Elevating legrest
(ELR)



Footboard, divided,
composit, angle-
adjustable, flip-up
(sideways), heel loop,



Footboard, divided,
aluminum, angle-
adjustable, flip-up
(sideways), heel loop,



Footboard, platform,
aluminum, angle-
adjustable, flip-up
(sideways), heel loop,
black



Footboard, platform,
lightweight, plastic,
angle & depth-adjustable
flip up (sideways), calf
strap



Footboard, platform,
lightweight, plastic,
angle and depth-
adjustable, calf strap,
black



Footboard, angle and
depth adjustable; flip up,
aluminium with locking
system

Life RT						Price in €	
● = Standard		○ = No cost option		□ = Cost option			
FORK (compare with your choice on the first page)							
LRT080029	<input type="radio"/> Castor fork, Aluminium, black						
	LRT080042 <input type="checkbox"/> Colour Cast. Fork Silver	LRT080043	<input type="checkbox"/> Colour Cast. Fork Orange				
LRT080013	<input type="radio"/> Castor fork, Carbotecture®, black				(only 111 mm)		
	<input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue						
LRT080101	<input type="checkbox"/> Expansion kit, designed for hemiplegic users				(not with 7" castors, Carbotecture fork; SA frame only)		
CASTOR (compare with your choice on the first page)							
LRT080301	<input type="radio"/> Castor, solid (hard), rim: composite						
LRT080302	<input type="radio"/> Castor, solid (soft), rim: composite				(only for 5" and 6")		
LRT080304	<input type="checkbox"/> Castor, solid (hard), rim: aluminium				(only for 4" and 5")		
LRT080306	<input type="checkbox"/> Castor, solid (soft), rim: aluminium, silver				(only for 4" and 5")		
	Colour, rim: <input type="checkbox"/> Black <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue						
LRT080303	<input type="checkbox"/> Castor, solid (hard), light-up, rim: composite				(only for 4" and 5")		
LRT080305	<input type="radio"/> Castor, pneumatic, rim: composite				(not for 4" and 5")		
REAR WHEELS (compare with your choice on the first page; choose only one wheel type)							
LRT070001	<input type="radio"/> Rear wheel, Universal, 36 spokes, cross-wise spokes						
LRT070002	<input type="radio"/> Rear wheel, Design, 36 spokes, straight spokes				(only 24")		
LRT070003	<input type="checkbox"/> Rear wheel, Lightweight, 24 spokes, straight spokes						
LRT070004	<input type="checkbox"/> Rear wheel, Proton, 24 spokes, straight spokes						
LRT070005	<input type="checkbox"/> Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver				(24" only)		
LRT070008	<input type="checkbox"/> Rear wheel, drum brakes, 36 cross-wise spokes (2)				(not with COG 23 mm, only with height adj push handles)		
LRT070401	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation				(not with camber)		
LRT070402	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation				(not with camber;)		
LRT070000	<input type="checkbox"/> Without rear wheel						
TYRES (choose only one tyre type)							
LRT070101	<input type="radio"/> Tyre, pneumatic, fine profile, Schwalbe Right Run						
LRT070102	<input type="radio"/> Tyre, puncture proof, tread				(Proton / Light Weight wheel only 24" & 25"; Spinergy wheels only with 24"; not with Mountainbike wheel)		
LRT070107	<input type="checkbox"/> Tyre, pneumatic, slick, Schwalbe One				(only 24")		
LRT070104	<input type="checkbox"/> Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution				(only 24")		
LRT090163	<input type="checkbox"/> Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube				(not with solid tyres)		
HANDRIM							
LRT070204	<input type="radio"/> Handrims, stainless steel, silver						
LRT070202	<input type="radio"/> Handrims, aluminium, anodised, silver						
LRT070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear						
LRT070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured						
LRT070207	<input type="checkbox"/> Handrims, Supergrip®				(22" only with universal and drum brake wheels)		
LRT070208	<input type="checkbox"/> Handrims, Maxgrepp®						
LRT070212	<input type="checkbox"/> Handrims, Ellipse 3R, black				(ergonomic handrims with rubber-strip, 24" and 25" only)		
LRT070200	<input type="radio"/> Without handrims						
HAND RIM MOUNTING							
LRT070317	<input type="radio"/> Handrim mount, narrow (17 mm) (1)				(not with Maxgrepp)		
LRT070327	<input type="radio"/> Handrim mount, wide (27 mm)						
LRT070307	<input type="checkbox"/> Handrim mount, super narrow (7 mm) (1)				(Only with 24" stainless steel and 24")		
WHEEL CAMBER (choose only one option)							
LRT070600	<input type="radio"/> Camber 0°						
LRT070601	<input type="radio"/> Camber 1°	LRT070603	<input type="radio"/> Camber 3°	LRT070605	<input type="radio"/> Camber 5°		
LRT070602	<input type="radio"/> Camber 2°	LRT070604	<input type="radio"/> Camber 4°	LRT070606	<input type="radio"/> Camber 6°		
(1) only with stainless steel handrim; not with lightweight & drumbrake wheel and 22" wheel							
(2) only with 0-4° camber							
				For more information www.SunriseMedical.eu © Sunrise Medical 2024			

FORKS



Fork Aluminium,
black, orange & silver



Expansion kit, designed for
hemiplegic users

REAR WHEELS



Rear wheel, Universal,
36 spokes, cross-wise
spokes



Rear wheel, Design, 36
spokes, straight spokes



Rear wheel, Lightweight,
24 spokes, straight
spokes



Rear wheel, Proton,
24 spokes, straight
spokes



Rear wheel,
Spinergy, 18
spokes (black),
straight spokes;
hub: silver



Rear wheel,
drum brakes, 36
spokes, cross-
wise spokes

TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine
profile, Schwalbe Right
Run



Tyre, pneumatic, puncture proof,
tread, Schwalbe Marathon Plus
Evolution



Tyre, pneumatic, slick,
Schwalbe One

HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

SPOKE GUARDS

(not with spinergy wheels)

LRT070831	<input type="checkbox"/>	Transparent			
LRT070813	<input type="checkbox"/>	Glactica	LRT070806	<input type="checkbox"/>	Chrome
LRT070823	<input type="checkbox"/>	Princess	LRT070818	<input type="checkbox"/>	Jungle Fever
LRT070816	<input type="checkbox"/>	Happy Lions	LRT070821	<input type="checkbox"/>	Pirates
LRT070819	<input type="checkbox"/>	Monkeys	LRT070811	<input type="checkbox"/>	Feather
LRT070820	<input type="checkbox"/>	Oriental	LRT070814	<input type="checkbox"/>	Graffiti
LRT070829	<input type="checkbox"/>	Superhero	LRT070802	<input type="checkbox"/>	Basketball
LRT070817	<input type="checkbox"/>	Hot Wheels	LRT070803	<input type="checkbox"/>	Basketball 2
LRT070822	<input type="checkbox"/>	Pool	LRT070828	<input type="checkbox"/>	Space
LRT070827	<input type="checkbox"/>	Silk	LRT070812	<input type="checkbox"/>	Flying Water
LRT070830	<input type="checkbox"/>	Tiger	LRT070833	<input type="checkbox"/>	Zebra

WHEEL LOCKS

(choose only one option)

LRT060001	<input type="radio"/>	Standard brake	(in combination with SA frame short and 24" wheel -> only with COG 23)	
LRT060002	<input type="radio"/>	Knee-lever brake		
LRT060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down		
LFT060023	<input type="checkbox"/>	Compact brake EVO		
LRT060013	<input type="checkbox"/>	Push to lock brake, integrated in sideguard, Safari		

ACCESSORIES

LRT090000	<input type="radio"/>	Tool kit		
LRT090025	<input type="checkbox"/>	Air pump		
LRT090024	<input type="checkbox"/>	High pressure pump (0 - 14 bar)		
LRT090030	<input type="checkbox"/>	Back pack		
LRT090026	<input type="checkbox"/>	Mobile phone pocket		

COLOURS ⁽¹⁾

Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim ⁽²⁾	Fork		Frame	Handrim	Hub/rim ⁽²⁾	Fork
02 Brilliant Silver	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>	32 Signal White	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
03 Silver Matt	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>	33 Pink	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
06 Sun Yellow	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>	34 Dark Chocolate	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
14 Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35 Skyblue	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
15 Brilliant Marine	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>	36 Cyan-Metallic	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
16 Matt Marine	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>	37 Marsred (Orange)	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
19 Brilliant Purple	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>	40 Kiwi	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
21 Red Ruby	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>	41 Flamingo-Glitter	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
22 Brilliant Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 Matt-Anthracite	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
23 Matt Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	46 Mamba Green (new)	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
24 Tutti Frutti Orange	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>					
27 Graphitemetallic	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>					
29 Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
31 Matt Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					

(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel; Fork: not with Carbotecture

(2) Only with Universal wheel 22" and 24"

WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,
integrated in sideguard,
Safari



Push to lock brake, one-
arm, right actuation



Brake lever extension,
knee-lever brake, fold-
down

ACCESSORIES



Back pack



Mobile phone pocket



High pressure pump



Air pump

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

STICKER COLOURS

LRT100550	<input type="radio"/>	Sticker colour - black		
LRT100551	<input type="radio"/>	Sticker colour - silver		

ANODIZED COLOUR AXLE PLATE

(not in combination with one hand operation)

LRT100580	<input type="radio"/>	Axle plate anodized, black		
LRT100581	<input type="checkbox"/>	Axle plate anodized, siver		
LRT100582	<input type="checkbox"/>	Axle plate anodized, orange		

24 " LIGHT WEIGHT WHEEL COLOURS (anodized)

	<input type="radio"/>	Black		
LRT100336	<input type="checkbox"/>	Anodized, orange		
LRT100337	<input type="checkbox"/>	Anodized, blue		
LRT100338	<input type="checkbox"/>	Anodized, red		

Comments for special build - please apply for a quote; lead time conditions may change.

FMG-MB03-3179-01

Footboard, platform, lightweight, plastic, angle and depth-adjustable, flip-up (to the back), calf strap, black
(not with 6"/7" castors, seat angle < 30 mm; LLL 50 mm < FSH; only upt to 75 kg)

Quickie Life RT - Basic Price

Option price	€
Packaging and transport	€
Exclusive VAT	€
VAT.	€
Total Price	€

Sunrise Medical Customer Service

Address:
Tel.
Fax.

E-mail:
E-commerce:
Website:

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024

ANODIZED COLOUR AXLE PLATE



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red