

**Customer Contact Details**

Customer Name: _____

Advisor: _____

Address: _____

Phone: _____

Email: _____

Ship to Customer Address: ☐

Shipping Name: _____

Shipping Address: _____

Phone: _____

Email: _____

Additional InformationNotes: _____

Current Wheelchair: _____

Customer Weight: _____

Customer Height: _____

Customer Disability: _____

Other

Guide:



Base product



Required option



Optional Extra



Critical Information



Information Needed


Non certified
Sub4 weight
option

PRODUCT STYLE

SBCXZ010 VEPYR SUB4
VEYPR SUB4XA070 Open design
Open design

Max User Weight 110kg (242lbs)

PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM




CAD APPROVAL

XW009 QUOTE ONLY (NO CAD FOR APPROVAL)
QUOTE ONLY (NO CAD FOR APPROVAL)XW011 ORDER (NO CAD FOR APPROVAL)
ORDER (NO CAD FOR APPROVAL)XW012 QUOTE / CAD drawing for approval (2 amendments ONLY)
QUOTE / CAD drawing for approvalXW010 ORDER CAD drawing for approval (2 amendments ONLY)
ORDER CAD drawing for approval

KEY MEASUREMENTS

XY010 Seat width (Inside to inside of sideguards)
Seat width mm(Max - 440mm)
(Min - 250mm)XY020 Seat length
Seat length mm(Max - 440mm)
(Min - 250mm)XY030 Extra seat length (Provides additional leg support & hand grip)
Extra seat length mm

(Max - 440mm total seat)

XY050 Front frame height
Front frame height mm(Max - 520mm)
(Min - 380mm)XY060 Rear frame height
Rear frame height mm(Max - 500mm)
(Min - 380mm)XY070 Frame length
Frame length mm(Min = XY020 + XY030 + 140mm)
(Max - 625mm)XY072 Castor position
Castor position mm☐ Optimise measurements
Optimise measurementsXA020 Ergonomic seat
Ergonomic seat
Specify length mm


FRONT FRAME AND FOOTREST

Front Frame Options

- ☐ XY080 Seat taper design
Seat taper design

i Specify width
mm


(When combined with
XY091, dimension is
inbetween the centre of the
main bends)



- ☐ XY091 Parallel taper design
Parallel taper design

i Specify width
mm


(When combined with
XY080, dimensions must be
smaller by 20mm)



Footrest Design (Choose one)

- ☒ XY100 Round design
Round design

Castor Wheel Size	Max Height Achievable
4"	130




Footrest Measurements

- ☒ XY115 Front footrest height
Front footrest height
i (Min - 40mm, 60mm for
front wheel attachment)
(any footrest over 160mm move to highlevel footrest)

- ☒ XY120 Rear footrest height
Rear footrest height
i Std = 20 lower than front height
(Min - 40mm, 60mm for
front wheel attachment)
(any footrest over 160mm move to highlevel footrest)

- ☒ XY125 Footrest length
Footrest length
i Maximum length 120mm (Certified weight)
Maximum length 120mm (Certified weight)



Footrest Style

- ☒ SBCXB400 Carbon Fibre Footrest with Carbon Plate
Carbon Fibre Footrest with Carbon Plate
(Height adjustable +/-10mm)

CASTOR WHEELS, FORKS & WHEEL LOCKS

Castor Wheels

- ☐ XC135 Aluminium centre 4"x1.25"
Aluminium centre 4"x1.25"
Choose colour below:



- | | |
|---|---|
| <input type="checkbox"/> Silver hub & black tyre (Std)
Silver hub & black tyre (Std) | <input type="checkbox"/> Green hub & black tyre
Green hub & black tyre |
| <input type="checkbox"/> Black hub & black tyre
Black hub & black tyre | <input type="checkbox"/> Red hub & black tyre
Red hub & black tyre |
| <input type="checkbox"/> Purple hub & black tyre
Purple hub & black tyre | <input type="checkbox"/> Blue hub & black tyre
Blue hub & black tyre |

- ☒ SBCXC155 Forged carbon centre 4"x1.4" (Non certified Sub4 option)
Forged carbon centre 4"x1.4"

- ☒ XC140 Aluminium centre 5"x1.4" (Non certified Sub4 option) (Silver hub and black tyre only)
Aluminium centre 5"x1.4" (Silver hub and black tyre only)

- ☒ XC145 Aluminium centre 6"x1.4" (Non certified Sub4 option) (Silver hub and black tyre only)
Aluminium centre 6"x1.4" (Silver hub and black tyre only)

Castor Forks

- ☐ XC190 Performance castor fork (Std)
Performance castor fork (Std)
Choose colour below:


- | | | |
|---|---|---|
| <input type="checkbox"/> Black
Black | <input type="checkbox"/> Red
Red | <input type="checkbox"/> Silver
Silver |
| <input type="checkbox"/> Blue
Blue | <input type="checkbox"/> Purple
Purple | |

- ☐ XC192 High trail castor fork
High trail castor fork
Choose colour below:

Note: Greater distance between contact patch and steering axis reduces flutter at higher speeds.

Castor Pin Width

- ☒ XY330 Castor pin width
Castor pin width
Optimise measurements
Optimise measurements
(Minimum width for clear castor rotation and maximum wheelbase length)



Wheel Lock Options

- ☐ SBCXD036 Compact scissor with lightweight fixing
Compact scissor with lightweight fixing
- ☐ XD010 Omit wheel locks
Omit wheel locks

SIDEGUARDS

Sideguard without Fender

- ☐ XE055 Screw on lightweight carbon fibre
Screw on lightweight carbon fibre

Sideguard Measurements


- ☐ Individual above tyre (Follow tyre - max. 25mm)
Individual above tyre (Follow tyre - max. 25mm)



mm



Level with tyre (Follow tyre)
Level with tyre (Follow tyre)



Sideguard with Fender

- ☐ XE065 Screw on lightweight carbon fibre w/fender
Screw on lightweight carbon fibre w/fender

Sideguard Measurements


- ☐ 10mm above tyre (Standard)
10mm above tyre (Standard)

- ☐ Individual above tyre (Min = 10mm)
Individual above tyre (Min = 10mm)



mm

- ☐ Centre of tyre
Centre of tyre



BACKREST


Backrest Height - Fixed

☒ XY230

Backrest height

Backrest height

Specify height (Max - 400mm)

 mm☒ XG010

Fixed Backrest (non-folding)

Fixed Backrest (non-folding)

Ergonomic Options

☐ XY360


Backrest angle

Backrest angle



-5 -3 0 +3 +5

Individual

 Deg
(Max -10/+20 Deg)☐ XG100

Ergonomic backrest

Ergonomic backrest




Vertical height

Vertical height

 mm

Rearward position

Rearward position

 mm☐ XG110


Inward taper

(inside of backrest posts)

Inward taper

(inside of backrest posts)

Specify width or per side

 mm☐ XG120


Outward flare

(inside of backrest posts)

Outward flare

(inside of backrest posts)

Specify width or per side

 mm

CAMBER BAR

Camber Angle

☒ XY390

Camber angle

Camber angle



1 2 3

Centre of Gravity

☒ SBCXH100

Single post fixed centre of gravity


(25-125mm)

Single post fixed centre of gravity

(25-125mm)



Specify length

 mm

Camber Bar Options

☐ XA226

Make Ready for Batec Bloc (Upgraded Camber Bar to suit)

Make Ready for Batec Bloc (Upgraded Camber Bar to suit)

☐ XA227

Batec Bloc and Mount

Batec Bloc and Mount

PUSH HANDLES

☐ XG080

Flip down push handles

Flip down push handles

(Non Certified Sub4 option)

ANTI-TIP

☐ XJ100

Single sport anti tip

Single sport anti tip

(Non Certified Sub4 option)

FRAME FINISH OPTIONS

Frame and Footrest

☐ SBCXN300 Carbon Fibre Matte finish
Carbon Fibre Matte finish

☐ SBCXN305 Carbon Fibre Gloss finish
Carbon Fibre Gloss finish

Accent Colour (Choose One)

Note: Accent colour includes decals only

☐ Black
☐ Red
☐ Pink

☐ White
☐ Blue
☐ Green

☐ Purple
☐ Orange

☐ Grey
☐ Yellow
☐ None

☐ SBCXN250 Individual Accent Colour
Individual Accent Colour

UPHOLSTERY

Seat Upholstery

☐ XP045 Sub4 Seat sling strap adjustable
Sub4 Seat sling strap adjustable

☒ XR050 Carbon fibre seat plate **(Non certified Sub4 option)**
(With velcro to attach to seat sling - Not Fixed to frame)
Carbon fibre seat plate
(With velcro to attach to seat sling - Not Fixed to frame)

Backrest Upholstery

☐ XP035 Airtech Sub4 backrest strap adjustable
Airtech Sub4 backrest strap adjustable

☒ XP050 Airtech backrest strap adjustable
(Non certified Sub4 option)
Airtech backrest strap adjustable

☒ XP070 Backrest upgrade to leather corners (Black)
(only with Airtech upholstery XP050)
(Non certified Sub4 option)
Backrest upgrade to leather corners (Black)
(only with Airtech upholstery XP050)

☒ XP110 Backrest with zip pocket
(only with Airtech upholstery XP050)
(Non certified Sub4 option)
Backrest with zip pocket
(only with Airtech upholstery XP050)

☒ XP170 Individual backrest embroidery
(only with Airtech upholstery XP050)
Please complete page 9
Individual backrest embroidery
(only with Airtech upholstery XP050)

Backrest Upholstery Stitching Options

☐ Silver (Std)
Silver (Std)

☐ Black
Black

☐ Blue
Blue

☐ Individual:
Individual:

☐ Red
Red

☐ Purple
Purple

☐ Orange
Orange

Backrest Upholstery Logo Colour

☐ White (Std)
White (Std)

☐ Black
Black





☐ Blue
Blue

☐ Individual:
Individual:



☐ Red
Red

☐ Purple
Purple

☐ Orange
Orange

4 REAR WHEELS (* non certified weight options)			
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels 24" Wheels	<input type="checkbox"/> XY430	25" Wheels 25" Wheels
Rear Wheel Gap			
<input checked="" type="checkbox"/> XY460	Rear wheel gap Rear wheel gap		
	15 <input type="checkbox"/> 20 <input type="checkbox"/> 25 <input type="checkbox"/>		
Rear Wheel Options			
<input type="checkbox"/> XK075	Spinergy BLXL 18 blade spoke N/A IN SILVER HUB Spinergy BLXL 18 blade spoke N/A IN SILVER HUB	<input type="checkbox"/> SBCXK150	Spinergy CLX 18 carbon blade spoke N/A IN SILVER HUB Spinergy CLX 18 carbon blade spoke N/A IN SILVER HUB
<input checked="" type="checkbox"/> XK226	Titanium 100mm quick release axle pins Titanium 100mm quick release axle pins		
Spinergy Colour Options: 			
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	<input type="checkbox"/> XK180 Individual spoke design (Specify colour) Individual spoke design Inside: _____ Outside: _____ Outside: _____
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes	<input type="checkbox"/> Green spokes	
Spinergy Anodise Options			
<input type="checkbox"/> XK190	Black hub (std option) Black hub	<input type="checkbox"/> XK201	Red hub/rims (LX, XLX & BLXL only) Red hub/rims
<input type="checkbox"/> XK202	Purple hub/rims (LX, XLX & BLXL only) Purple hub/rims	<input type="checkbox"/> XK203	Blue hub/rims (LX, XLX & BLXL only) Blue hub/rims
<input type="checkbox"/> XK204	Gold hub/rims (LX, XLX & BLXL only) Gold hub/rims		
Supply Without Wheels			
<input type="checkbox"/> SBCXK040	Supply without Wheels and Axle Pins Supply without Wheels and Axle Pins		Wheel Type: <input type="text"/> Tyre Type: <input type="text"/>
Handrim Position / Options			
<input type="checkbox"/> XY480	Narrow set handrim Narrow set handrim	<input type="checkbox"/> XY485	Wide set handrim Wide set handrim
<input type="checkbox"/> XL090	Remove excess mounting tabs Remove excess mounting tabs	(recommended for small wheel gaps)	
Handrim Styles			
<input type="checkbox"/> XL010	Aluminium hard anodised 6 tab Aluminium hard anodised 6 tab	<input type="checkbox"/> XL040	Titanium 6 tab Titanium 6 tab
<input type="checkbox"/> XL160	Elipse 6 tab Elipse 6 tab	<input type="checkbox"/> XL035	Natural Fit LT Natural Fit LT
<input type="checkbox"/> XL020	Tetra grip 6 tab Tetra grip 6 tab	<input type="checkbox"/> XL150	Carbolife Gekko Carbolife Gekko
<input type="checkbox"/> XL100	Para grip 6 tab Para grip 6 tab	<input type="checkbox"/> XL170	Carbolife Curve L (Black) Carbolife Curve L (Black)
Tyre Options			
<input type="checkbox"/> XM060	Schwalbe One (Lightest option) Schwalbe One	<input type="checkbox"/> XM130	Kenda black Kenda black
<input type="checkbox"/> XM010	Kenda <input type="checkbox"/> Grey <input type="checkbox"/> Blue <input type="checkbox"/> Red Grey Blue Red	<input type="checkbox"/> XM050	Kenda K885 mountain bike tyre (24", 25" only) Kenda K885 mountain bike tyre (24", 25" only)
<input type="checkbox"/> XM020	Schwalbe Marathon Plus Schwalbe Marathon Plus		
<input type="checkbox"/> XM040	Shox solid airless Shox solid airless		
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve (Standard if no option selected) Schraeder inner tube valve (Standard if no option selected)	<input type="checkbox"/> XY490	Presta inner tube valve Presta inner tube valve
Wheel Accessories			
<input type="checkbox"/> XK145	Black Gloss Spokeguards Black Gloss Spokeguards	<input type="checkbox"/> fitted <input type="checkbox"/> not fitted fitted not fitted	

* Indicates options that are not part of the certified Sub4kg weight of the product

 CUSHION (** non certified weight options)	
Cushion foam options	
<input type="checkbox"/> XP080	Cushion foam (select density and size below) Cushion foam
<input type="checkbox"/> Soft (CMS040)	<input type="checkbox"/> Medium (CMS050)
<input type="checkbox"/> Soft (CMS040)	<input type="checkbox"/> Medium (CMS050)
<input type="checkbox"/> 50mm	<input type="checkbox"/> 75mm
<input type="checkbox"/> 50mm	<input type="checkbox"/> 100mm
<input type="checkbox"/> 50mm	<input type="checkbox"/> 75mm
<input type="checkbox"/> 50mm	<input type="checkbox"/> 100mm
Cushion cover upgrades	
<input type="checkbox"/> XP085	Nylon cushion cover (Black) Nylon cushion cover (Black)
<input type="checkbox"/> XP090	Airlite cushion cover (Black) Airlite cushion cover (Black)
<input type="checkbox"/> XP100	Leather cushion cover (Black) Leather cushion cover (Black)
Jay Products	
<input type="checkbox"/> JAY Cushion (Price dependant on size / option) JAY Cushion (Price dependant on size / option)	<input type="text" value="Refer to Jay Order Form"/>
<input type="checkbox"/> JAY Backrest (Price dependant on size / option) JAY Backrest (Price dependant on size / option)	<input type="text" value="Refer to Jay Order Form"/>
 ACCESSORIES (** non certified weight options)	
<input type="checkbox"/> XP120	Frame protectors Neoprene zip fasten (Black) Frame protectors Neoprene zip fasten (Black)
<input type="checkbox"/> XP420	Frame protectors Nylon velcro fasten (Black) Frame protectors Nylon velcro fasten (Black)
<input type="checkbox"/> XR010	Seat pouch velcro attach (Black) Seat pouch velcro attach (Black)
<input type="checkbox"/> XR200	Rucksack with RGK logo (Black) Rucksack with RGK logo (Black)
<input type="checkbox"/> XR090	Tool kit Tool kit
<input type="checkbox"/> XS065	Sub4 Calf Strap Sub4 Calf Strap
** Indicates options that, when chosen, will not enable RGK to guarantee a Sub4kg product weight	

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:



OFF SPEC REQUEST*

(please specify below the page number(s) and details to which the off spec request applies.**OFF SPEC REQUEST
APPROVED** *(for internal
RGK office only)*

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*