






ORDER FORM

Errors and omissions excepted.

Billing Address Or Customer-ID	Shipping Address Identical To Billing Address
CID:	CID:
Name:	Name:
Street:	Street:
Town/PC:	Town/PC:
E-Mail:	E-Mail:
Phone:	Phone:
Order Information	User Weight
Order Calculation Built-4-Me®	User Weight Capacity: 120 kg
Purchase Order No.:	User Weight: kg
Art. no.: 0700-UP M: XXX 0700-UP F: XXX Reimbursement Code: xxx	Base Price <b>€ XX.XXX,-</b>
Order Date: Day Month Year	

## **Client Measurements**

a)	Top of head to seat	mm
b)	Top of shoulder to seat	mm
c)	Underarm to seat	mm
d)	Elbow to seat	mm
e)	Top of pelvis to seat	mm
f)	Shoulder width	mm
g)	Trunk width	mm
i)	Hip width	mm
j)	Actual sitting depth	mm
m)	Foot length	mm
n)	Lower leg length	mm
o)	Actual seat width	mm



# **Seating Specifications**

DAHL Approved For Q700 M and Q700	F [Max. 136kg User Weight]	Seat Type	SEDEO PRO ADVANCED UP
Typical WC Weight	Without Batteries 114 kg	Seat Size Range	Width 380-560 mm, Depth 400-540mm
Typical WC Weight	With Batteries 160 kg	Seat to Floor Height Range	450 - 480 mm
Power Seating	22° of CG Tilt And Power Recline	With 180 mm Mechanical Shear	Reduction / 200 mm Seat Elevator

MWD Base Specifications			
<b>User Weight Capacity</b>	120 kg	Drive Wheels	14" Drive Wheels (Black)
Base Size	Width Min. 622 mm	Tires / Castors	6" Front / 6" Rear (Black)
<b>Drive Control</b>	R-Net PM 90A/120A (Expandable)	Charger	8 A Dual Mode Charger
<b>Driving Range</b>	Up To 40 km	Battery Size	60 And 80 Ah Batteries
<b>Drive Motors</b>	4-Pole 6 kph, Options 8, 10 And 12.5 kph	Colour Accents	7 Colour Accents
<b>Ground Clearance</b>	90 mm	Frame Colour	Black

FWD Base Specifications			
<b>User Weight Capcity</b>	120 kg	Drive Wheels	14" Drive Wheels (Black)
Base Size	Width Min. 640 mm	Tires / Castors	9" Rear (Black)
<b>Drive Control</b>	R-Net PM 90A/120A (Expandable)	Charger	8 A Dual Mode Charger
<b>Driving Range</b>	Up To 40 km	Battery Size	60 And 80 Ah Batteries
Drive Motors	4-Pole 6 Kph, Options 8, 10 And 12.5 Kph	Colour Accents	7 Colour Accents
<b>Ground Clearance</b>	71 mm	Frame Colour	Black

3000001D	Q700-UP M (MWD Base Chair)	XXX,-
UE000016	Q700-UP F (FWD Base Chair)	XXX,-
Motor Pa	ackage	€
QUE180009	4-Pole Motor, 6 kph / 4 mph (8 kph Motor With Reduced Speed) Motors optimised only for use with QUE110003 Power Module , R-Net, 90A	XXX,-
QUE180010	<b>4-Pole Motor, 8 kph / 5 mph</b> <i>Motors optimised only for use with QUE110003 Power Module , R-Net, 90A</i>	XXX,-
QUE180007	4-Pole Motor, 10 kph / 6.5 mph  If FWD selected: highly recommended with Traction Control System  Motors optimised only for use with QUE110004 Power Module, R-Net, 120A	XXX,-
QUE180008	4-Pole Motor, 12.5 kph / 8 mph If FWD selected: only in combination with Traction Control System Motors optimised only for use with QUE110004 Power Module, R-Net, 120A	XXX,-
Tracking		€
	Traction Control System For R-Net (GYRO Technology)	XXX,-
	Omit Traction Control System For R-Net	XXX,-
Drive W	neels 🕥	€
QUE070032	Drive Wheel, 14", Pneumatic, V-Type, Black	XXX,-
QUE070031	Drive Wheel, 14", Solid, V-Type, Black	XXX,-
QUE070034	Drive Wheel, 14", Pneumatic, Knobbly, Black	XXX,-
QUE070033	Drive Wheel, 14", Solid, Knobbly, Black	XXX,-
Castor V	/heels (C)	
MWD Bas	se	
QUE080206	Castor Wheel, 6", Solid, Black	XXX,-
FWD Bas	e	
QUE080210	Castor Wheel, 9", Solid, Black	XXX,-
	Castor Wheel, 9", Pneumatic, Black	XXX,-
Mudgua	rds (FWD Only) ර	€
2115040007	Mudaus and Drive Wheel	XXX,-
10F010001	Mudguard, Drive Wheel	^^^,-

Shroud Co	olours 0700 M ල්	€
QUE100577	Black (RAL 9005) Black Natural Non-Painted finish	XXX,-
Colour A	ccents	€
QUE140005	Apple Green (RAL 110 70 77)	-
QUE140004	Black (RAL 9005)	-
QUE140003	Blue (RAL 260 40 45)	-
QUE140006	Orange (RAL 060 60 80)	-
QUE140002	Red (RAL 040 40 67)	-
QUE140007	Silver (RAL 9006)	-
QUE140001	White (RAL 9010)	-
LED Ligh	ts & Indicators (C)	€
QUE110201	LED Light and Indicator  QUE110031 Lighting Module, R-Net LM required  Approved for road use	XXX,-
QUE110202	LED Fender Light  QUE110031 Lighting Module, R-Net LM required, Fender Light - Not road approved and without indicators	XXX,-
QUE110209	Omit Light And Indicator	XXX,-
Seat Hei	ghts Measured from front of seat pan to floor. Obtain quote to verify seat-to-floor heights.	€
SH45	450 mm  Only with QUE160001 battery, 60 Ah, Gel, Maintenance-Free In case of FWD base, not with SD 520mm & SD 540mm	-
SH465	465 mm In case of FWD base, not with SD540 mm	-
SH48	480 mm	-
Batterie	s & Chargers 🔘	€
Batteries		
QUE160001	Battery, 60 Ah, Gel, Maintenance-Free	XXX,-
QUE160005	Battery, 80 Ah, Gel, Maintenance-Free Only with battery charger 220 V / 10 A to reduce reloading time	XXX,-
QUE160009	Omit Batteries	XXX,-
Chargers		
Chargers	Charger, Automatic, 220 V / 8 A	XXX,-

QUE160102	Charger, Classic, 220 V / 8 A, IP54	XXX,-
QUE160104	Charger, Automatic, 220 V / 10 A	XXX,-
QUE160103	Charger, Automatic, 220 V / 10 A, UK	XXX,-
QUE160109	Omit Charger	XXX,-

SEATING	
eating Options 🔘	€
Stand-Up Seat, Powered	-
Posterior Tilt, Powered, 0° - 22°	-
Anterior Tilt, Powered, 0° - 80°	-
Seat Elevator, Powered, 200 mm	_
t Frame Type	€
Backrest Frame Type, Powered Recline, 90° - 175° With 180 mm Mechanical Anti-Shear	_
shion Type	€
	XXX,-
	7000,
	XXX,-
	XXX,-
	,
	XXX,-
	XXX,-
	-
Omit Back Cushion	XXX,-
RO Back Size	€
hion Width	
380 mm, For Effective Back Width 380 mm	_
420 mm, For Effective Back Width 380 - 420 mm	_
460 mm, For Effective Back Width 420 - 460 mm	_
500 mm, For Effective Back Width 460 - 500 mm	-
540 mm, For Effective Back Width 500 - 540 mm	-
560 mm, For Effective Back Width 520 - 560 mm	_
hion Height	
440 mm, For Effective Back Height 510 - 570 mm	-
500 mm, For Effective Back Height 570 - 630 mm	-
560 mm, For Effective Back Height 630 - 700 mm	_
Back Height (From seat pan to top of back)	
510mm (440 mm Back Cushion Height)	
540mm (440 mm Back Cushion Height)	
570mm (440 mm Back Cushion Height)	
570mm (500 mm Back Cushion Height)	
	eating Options Catand-Up Seat, Powered Posterior Tilt, Powered, 0° - 22° Anterior Tilt, Powered, 0° - 22° Anterior Tilt, Powered, 0° - 80° Seat Elevator, Powered, 200 mm  It Frame Type Backrest Frame Type, Powered Recline, 90° - 175° With 180 mm Mechanical Anti-Shear  Shion Type Bo (See Section A) SEDEO PRO, Back Cushion  ra (See Section B) JAY Syncra, Back Cushion  dee Section C) JAY J3, Back Cushion  see Section C) JAY J3, Back Cushion  RO Back Size  Shion Width  380 mm, For Effective Back Width 380 mm 420 mm, For Effective Back Width 380 - 420 mm 460 mm, For Effective Back Width 480 - 500 mm 500 mm, For Effective Back Width 500 - 540 mm 500 mm, For Effective Back Width 500 - 540 mm 560 mm, For Effective Back Width 500 - 540 mm 560 mm, For Effective Back Width 500 - 540 mm 560 mm, For Effective Back Width 500 - 540 mm 560 mm, For Effective Back Width 500 - 540 mm 560 mm, For Effective Back Height 510 - 570 mm 560 mm, For Effective Back Height 570 - 630 mm 560 mm, For Effective Back Height 570 - 630 mm Back Height (From seat pan to top of back) 510mm (440 mm Back Cushion Height) 540mm (440 mm Back Cushion Height)

BIH63	630mm (500 mm Back Cushion Height)	
BIH63_1 BIH66	630mm (560 mm Back Cushion Height) 660mm (560 mm Back Cushion Height)	
BIH70	700mm (560 mm Back Cushion Height)	
DIII70	700mm (300 mm Back Gusmon Height)	
SEDEO F	PRO Back Cushion (C)	€
QUE030116	SEDEO PRO, Back Cushion, Flexible, Deep Contour, Active, Adjustable Straps	_
QUE030117	SEDEO PRO, Back Cushion, Flexible, Extra Deep Contour, Active, Adjustable Straps	XXX,-
SEDEO F	PRO Back Cushion Cover	€
QUE030108	Back Cushion Cover, Comfort	-
JAY Syn	cra (Ĉ)	€
JAY Syn	cra Back Width	€
Back can be	e ordered a different width than seat pan. Armrest is adjusted to back width ordered.	
BW40	400 mm (Adjustment range 400 mm to 430 mm, Contour Depth 75 mm)	XXX,-
BW46	460 mm (Adustment range 460 mm to 480 mm, Contour Depth 75 mm)	XXX,-
BW51	510 mm (Adjusment range 510 mm to 530 mm, Contour Depth 75 mm)	XXX,-
BW56	560 mm (Adjustment range 560 mm to 585 mm, Contour Depth 75mm)	XXX,-
JAY Syn	cra Back Shell Options And Height Ranges	€
<u>-</u>	back shells are mounted with a minimim 14 cm gap between the bottom of the shell to the seat pan to acco	
	ar. Back height can be adjusted in the field within the ranges shown based on the back frame type.	
JAY Sync	ra Shell Height	
BH40	400 mm Tall Shell (560 mm to 610 mm Back Height)	XXX,-
BH46	460 mm Tall Shell (610 mm to 660 mm Back Height)	XXX,-
BH51	510 mm TallShell (660 mm to 710 mm Back Height)	XXX,-
BH56	560 mm Tall Shell (710 mm to 760 mm Back Height)	XXX,-
JAY Sync	ra Back Installed Back Height (From Pan to Top of Back)	
BIH56	560 mm (400mm Shell Height)	XXX,-
BIH585	585 mm (400mm Shell Height)	XXX,-
BIH61	610 mm (400mm Shell Height)	XXX,-
BIH61_1	610 mm (460mm Shell Height)	XXX,-
BIH635	635 mm (460mm Shell Height)	XXX,-
BIH66	660 mm (460mm Shell Height)	XXX,-
BIH66_1	660 mm (510mm Shell Height)	XXX,-
BIH685	685 mm (510mm Shell Height)	XXX,-
BIH71	710 mm (510mm Shell Height)	XXX,-
BIH71_1	710 mm (560mm Shell Height)	XXX,-
BIH735	735 mm (560mm Shell Height)	XXX,-
BIH76	760 mm (560mm Shell Height)	XXX,-
JAY Svn	cra Back Upholstery	€
<u>-</u>	Syncra 3DX Microclimatic	XXX,-
		/V/V <sub>1</sub> -
IAVIate	eral Thoracic Swing-Away Supports (Requires Pad, Upholstery and Mount)	€
JAY Late	ral Thoracic Support Pads 🔘	
	ai inotacic support raus	
	Lateral Thoracic (L x H) 100 mm x 127 mm - Right	XXX,-
JAY Late		XXX,-
<b>JAY Late</b> JAY090021	Lateral Thoracic (L x H) 100 mm x 127 mm - Right	

	Lateral Thoracic (L x H) 152 mm x 100 mm - Right	XXX,-
JAY090014	Lateral Thoracic (L x H) 152 mm x 100 mm - Left	XXX,-
JAY Later	al Thoracic Support Pad Upholstery	
JAY090110	Syncra 3DX Microclimatic	XXX,-
JAY Later	al Thoracic Swing-Away Mount 🔘	
JAY090028	Lateral Thoracic Swing Away Bracket - Right	XXX,-
JAY090019	Lateral Thoracic Swing Away Bracket - Left	XXX,-
JAY Fixed	I Lateral Support Accessory Hardware 🏻 🔘	
JAY090111	Fixed Lateral Support Accessory (L x H) 90 mm x 140 mm - Right  JAY Fixed Lateral Support is adjustable - Syncra Back only to increase the contour depth up to 120 mm -  Not available with JAY J3 Back	XXX,-
JAY090112	Fixed Lateral Support Accessory (L x H) 90 mm x 140 mm - Left  JAY Fixed Lateral Support is adjustable - Syncra Back only to increase the contour depth up to 120 mm -  Not available with JAY J3 Back	XXX,-
IAV IS D	Dools Circ	e e
	Back Size	€ NOW
	JAY J3 Back Size, 410 mm	XXX,-
	JAY J3 Back Size, 460 mm	XXX,-
JAYU30113	JAY J3 Back Size, 510 mm	XXX,-
JAY J3 E	Back, Mid Deep Contour 🔘	
JAY030042	JAY J3 Back, Mid Deep Contour, Upper Thoracic, Medium, 460 mm	XXX,-
JAY J3 E	Back, Deep Contour 🔘	€
JAY030014	JAY J3 Back, Deep Contour, Upper Thoracic, Short, 420 mm	XXX,-
JAY030021	JAY J3 Back, Deep Contour, Upper Thoracic, Medium, 460 mm	XXX,-
JAY030027	JAY J3 Back, Deep Contour, Upper Thoracic, Tall, 500 mm	XXX,-
JAY J3 I	nstalled Back Height (From Pan to Top of Back) 🔘	€
BIH53	530 mm (420mm Shell Height)	r
BIH56	560 mm (420mm Shell Height)	
BIH585	585 mm (420mm Shell Height)	
BIH585_1	585 mm (460mm Shell Height)	
BIH61	610 mm (460mm Shell Height)	
BIH61_1	610 mm (500mm Shell Height)	
BIH635	635 mm (500mm Shell Height)	
BIH66	660 mm (500mm Shell Height)	
JAY J3 E	Back, Spine Align Fit Kit 🔘	€
Spine Ali	gn Mini Fit Kit II	
JAY090032	JAY J3 Spine Align Mini Fit Kit II, 410 mm	XXX,-
JAY090033	JAY J3 Spine Align Mini Fit Kit II, 460 mm	XXX,-
JAY090034	JAY J3 Spine Align Mini Fit Kit II, 510 mm	XXX,-
	ag Poyon	
Positionii	iy duxes	
Positionii JAY090035	JAY J3 Back Positioning Box	XXX,-

JAY J3 B	ack, Chest Strap 🕥	€
JAY090040	JAY J3 Chest Strap, Centre Open Harness, 4 Point Strap, Medium	XXX,-
JAY090041	JAY J3 Chest Strap, Centre Open Harness, 4 Point Strap, Large	XXX,-
JAY090042	JAY J3 Chest Strap, Centre Open Harness, 4 Point Strap, Extra Large	XXX,-
Headrest	t Pad 🔘	€
QUE030430	SEDEO, Headrest Pad, Small, (LxH) 240 x 150 mm Only use with SEDEO Headrest Mount	XXX,-
QUE030431	SEDEO, Headrest Pad, Small, With Cover, (LxH) 240 x 150 mm Only use with SEDEO Headrest Mount	XXX,-
QUP030432	SEDEO, Headrest Pad, Flexible, (LxH) 400 x 110 mm Only use with SEDEO Headrest Mount	XXX,-
WHT030401	Whitmyer, Headrest Pad, Plush, (LxH) 203 x 127 mm Only use with Whitmyer Headrest Mount	XXX,-
WHT030402	Whitmyer, Headrest Pad, Plush, (LxH) 254 x 127 mm Only use with Whitmyer Headrest Mount	XXX,-
WHT030403	Whitmyer, Headrest Pad, Plush, (LxH) 356 x 127 mm Only use with Whitmyer Headrest Mount	XXX,-
WHT030404	Whitmyer, Headrest Pad, Adjust-A-Plush, Small, (LxH) 355 x 76 mm Only use with Whitmyer Headrest Mount	XXX,-
WHT030406	Whitmyer, Headrest Pad, Adjust-A-Plush Pad, Large, (LxH) 460 mm x 127 mm Only use with Whitmyer Headrest Mount	XXX,-
<b>Headres</b> t Head Contro	t <b>Mount</b> Choose a Whitmyer Headrest Mount and Headrest Receiver in case you would like to add a ol in the Special Control section.	€
QUE030433	SEDEO, Headrest Mount	XXX,-
QUE030434	SEDEO, Headrest Mount, With Quick Release	XXX,-
NHT030407	Whitmyer, Headrest Mount, LINX	XXX,-
WHT030408	Whitmyer, Headrest Mount, LINX <sup>2</sup>	XXX,-
WHT030409	Whitmyer, Headrest Mount, AXYS	XXX,-
WHT030410	Whitmyer, Headrest Mount, AXYS Offset	XXX,-
WHT030411	Whitmyer, Headrest Mount, COBRA XTRA Flip Back	XXX,-
Headrest	t Receiver	€
QUE030120	Headrest Receiver, Backrest Frame Mount	XXX,-
Push Hai	ndles	€
QUE030202	Push Handles, Fixed	XXX,-
QUE030200	Omit Push Handles	XXX,-
Seat Rail		€
QUE020085	Seat Rail, Short, For Seat Depth 400 - 540 mm	-
QUE020069	Seat Rail, Long, For Seat Depth 460 - 540 mm Not available SW380mm-SW460mm in combination with SD460mm - SD500mm	XXX,-
Seat Cus	hion Type	€
	on Sention D)	
SEDEO (S	te section d/	

## **JAY Syncra (See Section E)**

•	
QUE020132 JAY Syncra, Seat Cushion	XXX,-
Omit (Select Seat Width And Depth in Section D)	
OUE020110 Omit Seat Cushion	XXX -

(001	oot ood Tradi And Dopar in Goodon Dy	
QUE020110	Omit Seat Cushion	XXX,-
CEDEO C	Cont Cina	e
SEDEO S	eat Size	€
Seat Cush	nion Width	
SW38	380 mm, For Effective Seat Width 380 mm Minimum seat pan width (outside of seat rail to outside of seat rail) is 460 mm - Cushion will be supplied at selected size	-
SW42	420 mm, For Effective Seat Width 380 - 420 mm  Minimum seat pan width (outside of seat rail to outside of seat rail) is 460 mm - Cushion will be supplied at selected size	-
SW46	460 mm, For Effective Seat Width 420 - 460 mm  Minimum seat pan width (outside of seat rail to outside of seat rail) is 460 mm - Cushion will be supplied at selected size	-
SW50	500 mm, For Effective Seat Width 460 - 500 mm	-
SW54	540 mm, For Effective Seat Width 500 - 540 mm	-
SW56	560 mm, For Effective Seat Width 520 - 560 mm	_
Seat Cust	nion Depth	
SD40	400 mm, Comes With Cushion Size 460 mm	_
SD42	420 mm, Comes With Cushion Size 460 mm	_
SD44	440 mm, Comes With Cushion Size 460 mm	-
SD46	460 mm, Comes With Cushion Size 500 mm	_
SD48	480 mm, Comes With Cushion Size 500 mm	-
SD50	500 mm, Comes With Cushion Size 500 mm	-
SD52	520 mm, Comes With Cushion Size 560 mm	-
SD54	540 mm, Comes With Cushion Size 560 mm	_
SEDEO S	Seat Cushions (C)	€
QUE020073	SEDEO PRO, Seat Cushion, Profiled, Height 70 mm	_
QUE020076	SEDEO PRO, Seat Cushion, Support Memory, Height 90 mm	XXX,-
OEDEO 6		
	eat Cushion Cover	€
	Seat Cushion Cover, Incontinence Protection	XXX,-
QUE020080	Seat Cushion Cover, Comfort	XXX,-
SEDEO S	Seat Boards	€
QUE020082	SEDEO, Seat Board, Flat, Depth-Adjustable, Cushions Guide At Rear	XXX,-
QUE020083	SEDEO, Seat Pan, 50 mm, Depth-Adjustable, Cushions Guide At Rear	XXX,-
QUE020084	SEDEO, Seat Pan, 75 mm, Depth-Adjustable, Cushions Guide At Rear	XXX,-
JAY Syn	cra Seat Size	€
Seat Cust	nion Width	
SW40	400 mm	XXX,-
SW43	430 mm	XXX,-
SW46	460 mm	XXX,-
SW48	480 mm	XXX,-
SW51	510 mm	XXX,-
SW56	560 mm	XXX,-
Seat Cusl	nion Depth	
SD40	400 mm	XXX,-

SD43	430 mm	XXX,-
SD46	460 mm	XXX,-
SD48	480 mm	XXX,-
SD51	510 mm	XXX,-
JAY Syn	cra Seat Cushion 🔘	€
AY020030	JAY Syncra Cushion with Visco Foam	XXX,-
AY020031	JAY Syncra Cushion featuring JAY Cryo/Flow Fluid	XXX,-
JAY Syn	cra Cushion Cover Upholstery	€
AY020040	Syncra 3DX Microclimatic	XXX,-
IAY020041	Syncra Incontinence Protection	XXX,-
Knee & 1	Thigh Supports Not Available With SW 380 mm / 400 mm / 420 mm	€
1UE020342	Knee Support, Lateral, 120 x 120 mm, Swing Away, Right	XXX,-
QUE020341	Knee Support, Lateral, 120 x 120 mm, Swing Away, Left	XXX,-
1UE020113	Thigh Support, Lateral, Small, 120 x 120 mm, Removable, Right	XXX,-
QUE020114		XXX,-
QUE020121	Thigh Support, Lateral, Large, 180 x 120 mm, Removable, Right  Not available with QUE040036 Side Guard	XXX,-
1UE020122	Thigh Support, Lateral, Large, 180 x 120 mm, Removable, Left Not available with QUE040036 Side Guard	XXX,-
Armrest	Type の	€
1UP040070	Armrest, Reclining, Multi-Adjustable, Flip Back	_
Arm Pad	s (C)	€
UE040023	Arm Pad, Integral Foam, 300 mm, Right	_
UE040024	Arm Pad, Integral Foam, 300 mm, Left	_
UE040025	Arm Pad, Integral Foam, 400 mm, Right	XXX,-
UE040026	Arm Pad, Integral Foam, 400 mm, Left	XXX,-
1UE040029	Omit Arm Pad, Right	XXX,-
1UE040030	Omit Arm Pad, Left	XXX,-
Comfort A	urm Pads	
QUE040204	Arm Pad, Comfort, Padded, PU Coated, 400 mm, Right	XXX,-
QUE040203	Arm Pad, Comfort, Padded, PU Coated, 400 mm, Left	XXX,-
Hemipleg	ia Arm Pads	
1UE040031	Arm Pad, Hemiplegia, Integral Foam, Right Not With QUE110052 Joystick Mount, Right, QUE090040 Tray Table, Swing Away, QUE090046 Tray Table, Half-Side, Swing Away, QUE090110 Rear View Mirror, Right; not with QUE110362 Hand Control Mounting Location Right; not with QUE110119/QUE110123 OMNI2 Module Mount Right	XXX,-
1UE040032	Arm Pad, Hemiplegia, Integral Foam, Left Not With QUE110053 Joystick Mount, Right, QUE090040 Tray Table, Swing Away, QUE090046 Tray Table, Half-Side, Swing Away, QUE090118 Rear View Mirror, Left; not with QUE110361 Hand Control Mounting Location Left; not with QUE110120/ QUE110124 OMNI2 Module Mount Left	XXX,-
Side Gua	ard Pads For Armrest	€
Side Guar	rd Pads For Armrest, Reclining, Multi-Adjustable, Flip Back	
1UE040036	Side Guard, Mounted On Seat Rail Bracket Not available with SW380mm/400mm/420mm	XXX,-
101040030		
	entre Mount Legrest 💮	€

QUE050072	Footplate, Dual, Height- And Angle-Adjustable, 260 x 150 mm	XXX,-
QUE050073	Footplate, Dual, Height- And Angle-Adjustable, Large, 310 x 170 mm	XXX,-
Pad Opti	ons	
QUE050074	Knee Fixation Pad, Integral Foam, Adjustable	XXX,-
QUE050139	Knee Fixation Pad, Soft Foam, Small, Adjustable Shortest distance calf support to knee fixation + 40 mm adjustment	XXX,-
QUE050092	Calf Pad, Padded, Pair	XXX,-

<b>Position</b>	ing Supports & Accessories 🏻 🖒	€
QUE090047	Positioning Belt, Aircraft Buckle, 50 x 1300 mm	-
QUE090048	Positioning Belt, Aircraft Buckle, Padded, 50 x 1300 mm	XXX,-
QUE090052	Chest Strap, 2-Point, Padded	-
QUE090053	Additional Chest Strap, 2-Point, Padded	XXX,-
QUE090097	Chest Bar, Detachable, Round Pad Not available with Tray Table QUE090040 / QUE090046 / QUE110143	XXX,-
QUE090098	Chest Bar, Detachable, Flat Pad, 200 x 100 mm  Not available with Tray Table QUE090040 / QUE090046 / QUE110143	XXX,-
QUE090110	Rear View Mirror, Right	XXX,-
QUE090118	Rear View Mirror, Left	XXX,-
QUE090122	Transfer Bar Not available with Knee Support	XXX,-
QUE090600	Black Utility Backpack (Requires Push Handles)	XXX,-
QUE090172	Ram Mount Phone	XXX,-
QUE090173	Ram Mount Tablet	XXX,-
QUE090174	Ram Mount Cup Holder	XXX,-
QUE090175	Reflectors (Backrest shroud mounted)	XXX,-
Tray Table	e (Mounted Opposite Joystick)	
QUE090040	Tray Table, Width-Adjustable, Swing Away	XXX

QUE090046	Tray Table, Half-Side, Swing Away	XXX,-
Tray Table	Accessories	
QUE090125	Partial Padding For Tray Table Not available with QUE090046 Tray Table, Half-Side, Swing Away	XXX,-
QUE090126	Raised Edges, Acrylic For Tray Table Not available with QUE090046 Tray Table, Half-Side, Swing Away	XXX,-

JOYSTICKS / ELECTRONICS	
Remote Joystick – R-Net 🔘	€
QUE110017 Remote Joystick, R-Net, Colour LCD	-
QUE110018 Remote Joystick, R-Net, Colour LCD, Heavy Duty	XXX,-
2UE110013 Remote Joystick, R-Net, High Resolution Colour LCD, Advanced, Infrared Control Includes	uded XXX,-
2UE110023 Remote Joystick, R-Net, High Resolution Colour LCD, Advanced, Infrared And Blueton	
2UE110019 Omit Remote Joystick, R-Net	XXX,-
Joystick Mounting 🔘	€
10E110050 Joystick Mounting, Fixed	-
2UE110056 Joystick Mounting, Parallel Swing Away, Capsulated	XXX,-
Joystick Mounting Location	€
2UE110052 Joystick Mounting Location, Right	_
2UE110053 Joystick Mounting Location, Left	-
Display Language Selection	€
QUE119000 German	
1UE119001 English	
IUE119002 French	
QUE119003 Spanish	
AUE119004 Portuguese AUE119005 Italian	
10E119005 Rahan	
DUE119008 Norwegian	
10E119009 Swedish	
QUE119010 Greek	
QUE119011 Finnish	
QUE119012 Czech	
UE119013 Slovak	
DUE119014 Polish	
DUE119015 Danish	
Joystick Knobs (Optional) の	€
1UE090505 Joystick Knob, Golf Ball, Ø 42 mm	XXX,-
1UE090506 Joystick Knob, T-Bar, 82 mm Wide	XXX,-
2UE090507 Joystick Knob, Soft Ball, Ø 70 mm	XXX,-
10 DUE090508 Joystick Knob, Ball, Ø 35 mm	XXX,-
10 Julian	XXX,-
JOYStick Knob, Chin Cup, Ø 37 mm  JOYStick Knob, Stick, 80 x 15 mm	XXX,-
1UE090512 Joystick Knob, Mushroom, Ø 45 mm	XXX,- XXX,-

0115000176	R-Net PC Programmer With Dongle	XXX,-
	Wireless Programmer - WI-FI Dongle	XXX,-
Power N	Modules – R-Net の	€
	Power Module, R-Net, 90 A	XXX,-
QUE110004	Power Module, R-Net, 120 A	XXX,-
Seating	/ Lighting Module Control — R-Net の	€
	Lighting Module, R-Net	XXX,-
QUE110033	Actuator Control Module CxSM, R-Net	XXX,-
Attenda	nt Controls 🖒	€
QUE110021	Attendant Control, Dual	XXX,-
QUE110020	Joystick Mounted As Attendant Control Choose also Remote Joystick	XXX,-
Attendan	t Mounting Location	
	Attendant Mounting Location, Push Handle, Right	-
QUE110026	Attendant Mounting Location, Push Handle, Left	-
Table To	p Contols ල්	€
QUE110143	Table Top Control, LCD, Centre Tray Mounted	
Tray Tabl	e Mounting Location	
QUE110080	Tray Table Mounting Location, Left	
QUE110081	Tray Table Mounting Location, Right	
Memory	Seating and Pressure Relief Alert	€
Biometric R	epositioning, includes Memory Seating for 6 positions, Stand UP, Pressure Relief Relax, Lie Down Supine, Transf	er (Anterior
iviemory 5e	ated (Lifted), Seated.	
	ated (Lifted), Seated.  Biometric Repositioning (Includes Memory Seating)	
QUE190001 Pressure Re combination	Biometric Repositioning (Includes Memory Seating)  Plief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Solveith CTRL+5.	
QUE190001 Pressure Re combination	Biometric Repositioning (Includes Memory Seating) Hief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory S	
QUE190001 Pressure Re combination QUE190004	Biometric Repositioning (Includes Memory Seating)  Plief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Solveith CTRL+5.	
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+5	Biometric Repositioning (Includes Memory Seating)  Blief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Solventh CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)	eat Positior
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+5	Biometric Repositioning (Includes Memory Seating)  Blief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Son with CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)  Switch Box Options	eat Position
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+5 QUE110043 QUE110179	Biometric Repositioning (Includes Memory Seating)  Bief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Solveth CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)  **Switch Box Options**  #1 Ctrl+5 Switch Box With Free Assignable Functions  #1 Ctrl+5 Switch Box With Free Assignable Functions And Switch-It Remote Seating  To achieve full functionality of the Remote Seating, it is required to download the app from AppleStore (iOS) and install it on a smartphone or tablet. Further information and instructions about the Remote Seating App can be found at www.	eat Position
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+5 QUE110043 QUE110179 #1 Ctrl+5	Biometric Repositioning (Includes Memory Seating)  Blief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Solveth CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)  **Switch Box Options**  #1 Ctrl+5 Switch Box With Free Assignable Functions  #1 Ctrl+5 Switch Box With Free Assignable Functions And Switch-It Remote Seating  To achieve full functionality of the Remote Seating, it is required to download the app from AppleStore (iOS) and install it on a smartphone or tablet. Further information and instructions about the Remote Seating App can be found at www. SunriseMedical.com.	eat Position
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+5 QUE110179 #1 Ctrl+5 QUE110180	Biometric Repositioning (Includes Memory Seating)  Plief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Solveth CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)  **Switch Box Options**  #1 Ctrl+5 Switch Box With Free Assignable Functions  #1 Ctrl+5 Switch Box With Free Assignable Functions And Switch-It Remote Seating  To achieve full functionality of the Remote Seating, it is required to download the app from AppleStore (iOS) and install it on a smartphone or tablet. Further information and instructions about the Remote Seating App can be found at www. SunriseMedical.com.  Switch Box Mounting Location  #1 Ctrl+5 Switch Box Mounting Location, Behind Joystick	eat Position  £  XXX,-
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+9 QUE110043 QUE110179 #1 Ctrl+5 QUE110180	Biometric Repositioning (Includes Memory Seating)  Plief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Solvith CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)  #1 Ctrl+5 Switch Box Options  #1 Ctrl+5 Switch Box With Free Assignable Functions  #1 Ctrl+5 Switch Box With Free Assignable Functions And Switch-It Remote Seating  #1 Cachieve full functionality of the Remote Seating, it is required to download the app from AppleStore (iOS) and install it on a smartphone or tablet. Further information and instructions about the Remote Seating App can be found at www. SunriseMedical.com.  **Switch Box Mounting Location**  #1 Ctrl+5 Switch Box Mounting Location, Behind Joystick  If combined with Attendant Control, Ctrl+5 will be mounted to the armrest  #1 Ctrl+5 Switch Box Mounting Location, Opposite Joystick  If combined with Attendant Control, Ctrl+5 will be mounted to the armrest	eat Position  €  XXX,-
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+9 QUE110043 QUE110179 #1 Ctrl+5 QUE110180 QUE110181 #1 Ctrl+5	Biometric Repositioning (Includes Memory Seating)  Blief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Statistics and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Statistics and Reliable (Factory Set To Relax Axis, Duration 1 Minute)  Switch Box Options  #1 Ctrl+5 Switch Box With Free Assignable Functions  #1 Ctrl+5 Switch Box With Free Assignable Functions And Switch-It Remote Seating  To achieve full functionality of the Remote Seating, it is required to download the app from AppleStore (iOS) and install it on a smartphone or tablet. Further information and instructions about the Remote Seating App can be found at www. SunriseMedical.com.  Switch Box Mounting Location  #1 Ctrl+5 Switch Box Mounting Location, Behind Joystick  If combined with Attendant Control, Ctrl+5 will be mounted to the armrest  #1 Ctrl+5 Switch Box Mounting Location, Opposite Joystick  If combined with Attendant Control, Ctrl+5 will be mounted to the armrest  Not available with Tray Table QUE090040 / QUE090046 / QUE110143	eat Position  €  XXX,-
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+5 QUE110179 #1 Ctrl+5 QUE110181 #1 Ctrl+5 QUE110175	Biometric Repositioning (Includes Memory Seating)  Bief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Son with CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)  **Includes Memory Seating (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Seating (PRAR) - Programmable Function 1 Minute)  **Includes Memory Seating (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Seating 1 Minute)  **Includes Memory Seating 1 Minute)  **Includes Mounting Box With Free Assignable Functions and Switch-It Remote Seating 1 Minute Seating 2 Minute Seating 3 Minu	eat Position  E  XXX,-  XXX,-
QUE190001 Pressure Recombination QUE190004 #1 Ctrl+9 QUE110179 #1 Ctrl+5 QUE110180 QUE110181 #1 Ctrl+5 QUE110175 QUE110176	Biometric Repositioning (Includes Memory Seating)  Bief Alert and Recording (PRAR) - Programmable reminder to assist users to use their Pressure Relief Memory Son with CTRL+5.  PRAR Enabled (Factory Set To Relax Axis, Duration 1 Minute)  **Switch Box Options**  #1 Ctrl+5 Switch Box With Free Assignable Functions  #1 Ctrl+5 Switch Box With Free Assignable Functions And Switch-It Remote Seating  **To achieve full functionality of the Remote Seating, it is required to download the app from AppleStore (iOS) and install it on a smartphone or tablet. Further information and instructions about the Remote Seating App can be found at www.  **SunriseMedical.com.**  Switch Box Mounting Location  #1 Ctrl+5 Switch Box Mounting Location, Behind Joystick  If combined with Attendant Control, Ctrl+5 will be mounted to the armrest  #1 Ctrl+5 Switch Box Mounting Location, Opposite Joystick  If combined with Attendant Control, Ctrl+5 will be mounted to the armrest  Not available with Tray Table QUE090040 / QUE090046 / QUE110143  Switch Type  #1 Ctrl+5 Switch Type With Push Buttons	eat Position  €  XXX,-  XXX,-

QUE110222	#2 Ctrl+5 Switch Box Mounting Location, Opposite Joystick If combined with Attendant Control, Ctrl+5 will be mounted to the armrest	XXX,-
	Not available with Tray Table QUE090040 / QUE090046 / QUE110143	
#2 Ctrl+5	Switch Type	
	#2 Ctrl+5 Switch Type With Push Buttons	XXX,-
QUE110227	#2 Ctrl+5 Switch Type With Toggle Switches	XXX,-
SPECIA	L CONTROLS	
	nput Control Modules – R-Net 🔘	€
Choose ON	INI2 mount and input device in sections below, and choose switches in section F.	,
QUE110116	OMNI2 Input Control Module, R-Net, Bluetooth, Infrared Remote Full VGA Display, with separate input box with Bluetooth, Infrared, USB charger and speaker for specialty input devices	XXX,-
QUE110117	OMNI2 Input Control Module, R-Net, Scanning Mode, Bluetooth, Infrared Remote Full VGA Display, with separate input box with Bluetooth, Infrared, USB charger and speaker for specialty input devices	XXX,-
QUE110118	OMNI2 Input Control Module, R-Net, Scanning Mode, Traction Control System (GYRO Technology), Bluetooth, Infrared Remote Full VGA Display, with separate input box with Bluetooth, Infrared, USB charger and speaker for specialty input devices	XXX,-
QUE110008	Programming Service Not Discountable	XXX,-
OBABUO B	And de Manuel	
Choose OM	Module Mount INI2 mount and input device in sections below, and choose switches in section F. In standard joystick selection, it must be mounted opposite side.	€
QUE110119	OMNI2 Module, Fixed Mount, Right	_
	OMNI2 Module, Fixed Mount, Left	_
	OMNI2 Module, Swing Away Mount, Right	XXX,-
	OMNI2 Module, Swing Away Mount, Left	XXX,-
Hand Co	ntrol (G) For Switch Selection see Section F.	€
	_	
	nal Input Devices	
	Hand Control, Switch-It MicroGuide	XXX,-
	Hand Control, Switch-It MicroPilot	XXX,-
UUE110304	Hand Control, Switch-It VersaGuide	XXX,-
QUE110305	Hand Control, Switch-It Versa Guide EZ  Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide	XXX,-
QUE110306	Hand Control, Allround Joystick	XXX,-
QUE110307	Hand Control, Allround Joystick Light Only use with default joystick knob or joystick knob, Allround, Ball Ø 48 mm	XXX,-
QUE110308	Hand Control, Allround Joystick Heavy Duty	XXX,-
QUE110309	Hand Control, Allround Joystick, R-Net Bus Enabled  OMNI2 module not required, obligated to have master R-Net module	XXX,-
QUE110310	Hand Control, Allround Joystick Light, R-Net Bus Enabled  OMNI2 module not required, obligated to have master R-Net module	XXX,-
QUE110311	Hand Control, Allround Joystick Heavy Duty, R-Net Bus Enabled  OMNI2 module not required, obligated to have master R-Net module	XXX,-
	nal Input Devices, Price Inclusive OMNI2 Module and Traction Control System (GYRO Technol) WI2 mount and input device in sections below, and choose switches in section F.	ology)
	Hand Control, Switch-It MicroGuide	XXX,-
	Hand Control, Switch-It MicroPilot	XXX,-
UUE110043		

Hand Control Novitch-It VersaGuide EZ  QUE11094 Hand Control Automatic State (See See See See See See See See See S				
Automatical Control Mounting Platforms	QUE	110048	Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joy-	XXX,-
ULE 110060 Hand Control, Norther Have the feath is pristick knob. Althound, Bell Ø 48 mm  XXX,-  Hand Control Mounting Platforms (□)  UE 110342 Hand Control Mounting, Link-It To The Space Disk, Hand Tray Only for Micro Series positisk  Hand Control Mounting Position  UE 110342 Hand Control Mounting, Link-It To The Armrest, Fixed Not with Control Servicin be to behind joystick OUE 110180  UE 110359 Hand Control Mounting, Link-It To The Armrest, Fixed Not with Control Servicin be to behind joystick OUE 110180  XXX,- Not with Control Servicin be to behind joystick OUE 110180  UE 110359 Hand Control Mounting, Link-It To The Armrest, Swing Away Not with Control Servicin be to behind joystick OUE 10180  UE 110359 Hand Control Mounting Location, Right  XXX,-  Head Control Mounting Location, Right  XXX,-  UE 110351 Hand Control Mounting Location, Left  Head Control (□) For switch selection see Section F. Choose a Whitmyor Headrest Mount on previous pages  Proportional Input Devices  QUE 110370 Head Control, Switch-It Dual Pro, 3-Way Proportional Head Array, Spot Pads  XXX,-  QUE 110371 Head Control, Switch-It Usul Pro, 3-Way Proportional Head Array, Spot Pads  XXX,-  QUE 110372 Head Control, Switch-It Usul Pro, 3-Way Proportional Head Array, Spot Pads  XXX,-  QUE 110250 Head Control, Switch-It Usul Pro, 3-Way Proportional Head Array, Spot Pads  XXX,-  QUE 110250 Head Control, Switch-It Usul Pro, 3-Way Proportional, Facial Pads  XXX,-  QUE 110061 Head Control, Switch-It Usul Pro, 3-Way Proportional, Spot Pads, 8 50 mm  XXX,-  QUE 110062 Head Control, Switch-It Usul Pro, 3-Way Proportional, Spot Pads, 8 50 mm  XXX,-  QUE 110072 Chin Control, Switch-It Wigo Head Drive  Que 110471 Chin Control, Switch-It Wigo Head D	QUE	110049	Hand Control, Allround Joystick	XXX,-
Hand Control Mounting Platforms (2)  QUE110342 Hand Control Mounting, Link-It To The Space Disk, Hand Tray	QUE	110059		XXX,-
Hand Control Mounting Position  Bull 1103302 Hand Control Mounting Position  Bull 110350 Hand Control Mounting Position  Bull 110350 Hand Control Mounting, Link-It To The Armrest, Fixed Mot with Countrol 5-Switch Bus behind joystek QUE110180 Mot with Countrol 5-Switch Bus behind joystek QUE110180 Mot with Countrol 5-Switch Bus behind joystek QUE110180 Mot Will Countrol Mounting, Link-It To The Armrest, Swing Away Mot with Countrol Mounting Location, Link-It To The Armrest, Swing Away Mot with Countrol Mounting Location, Right Mot Will Countrol Mounting Location, Left Mount Mounting Location, Left Mounting Mounting Mounting Location, Left Mounting M	QUE	110060	Hand Control, Allround Joystick Heavy Duty	XXX,-
Hand Control Mounting, Link-It To The Space Disk, Hand Tray   Disk for Micro Series pyricide   Disk for Micro Series   Di	l n.		to I Manuscon Distriction of the Company of the Com	
Hand Control Mounting Position  UE110350 Hand Control Mounting, Link-It To The Armrest, Fixed Nort with Control Switch Box behind joystick OUE110180  AuE110353 Hand Control Mounting, Link-It To The Armrest, Fixed Nort with Control Switch Box behind joystick OUE110180  Hand Control Mounting, Link-It To The Armrest, Swing Away Nort with Control Switch Box behind joystick OUE110180  Hand Control Mounting Location  UE110352 Hand Control Mounting Location, Right  XXX,-  UE110361 Hand Control Mounting Location, Left  WXX,-  Head Control Mounting Location, Left  WXX,-  Head Control Mounting Location, Left  WXX,-  Head Control Mounting Location, Left  XXX,-  UE110370 Haad Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads  UXX,-  UE110371 Head Control, Switch-It Dual Pro, 3-Way Proportional Head Array, Spot Pads  XXX,-  UE110370 Haad Control, Switch-It Upual Pro, 3-Way Proportional Head Array, Spot Pads  XXX,-  UE110370 Haad Control, Switch-It Vigo Head Drive  Only with headrest pad WH7030402 or WH7030403  Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Choose OMNI2 mount and input device in sections below, and choose switches in section F.  UE110061 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm  XXX,-  UE110062 Head Control, Switch-It DualPro, 3-Way Proportional, Spot Pads, 9 50 mm  XXX,-  UE110470 Chin Control, Switch-It UselPro, 3-Way Proportional, Spot Pads, 9 50 mm  XXX,-  UE110471 Chin Control, Switch-It MicroGuide  UE110470 Chin Control, Switch-It MicroGuide  WXX,-  Chin Control, Switch-It MicroGuide  UE110471 Chin Control, Switch-It MicroGuide  UE110472 Chin Control, Switch-It MicroGuide  UE110473 North-It VersaGuide Sitck, 80 x 15 mm, OUE090511 Joystick Knob, Mushroom, 8 45mm, DXX,-  UE110475 North OUE090512 Joystick Knob, Stok, 80 x 15 mm, OUE090511 Joystick Knob, Mushroom, 8 45mm, DXX,-  UE110470 Chin Control, Allround Joystick Light, Fabs, Bus Enabled	На	na Col	,	ŧ
Automatical Control Mounting, Link-It To The Armrest, Fixed Not with Control S which Box behind pystick DUE 10100	QUE	110342		XXX,-
ULE 11030    ANALY	Har	nd Con	trol Mounting Position	
Hand Control Mounting Location  QUE110362 Hand Control Mounting Location, Right  QUE110361 Hand Control Mounting Location, Right  XXX  QUE110361 Hand Control Mounting Location, Left  XXX  Head Control Corrol Mounting Location, Left  XXX  Head Control Mounting Location, Left  XXX  Head Control Mounting Location, Left  XXX  QUE110370 Head Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads  XXX  QUE110371 Head Control, Switch-It Vigo Head Drive Only with headrest pad WHT030402 or WHT030403  Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology) Choose OMNI2 mount and input device in sections below, and choose switches in section E  QUE110062 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm  XXX  QUE110062 Head Control, Switch-It DualPro, 3-Way Proportional, Spot Pads, Ø 50 mm  XXX  QUE110210 Head Control, Switch-It Wigo Head Drive Only with headrest pad WHT030402 or WHT030403  Chin Control Co  Proportional Input Devices  QUE110470 Chin Control, Switch-It Wigo Head Drive Only with headrest pad WHT030402 or WHT030403  Chin Control, Switch-It VersaGuide EZ QUE110471 Chin Control, Switch-It VersaGuide EZ QUE110472 Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stack, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090505 Joystick Knob, FBar, 82 mm wide  QUE110475 Not with QUE090512 Joystick Knob, Stack, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090505 Joystick Knob, FBar, 82 mm wide  QUE110475 Chin Control, Allround Joystick, R-Net Bus Enabled	QUE	110350		XXX,-
UE110362 Hand Control Mounting Location, Right  XXX  UE110361 Hand Control Mounting Location, Left  Head Control	QUE	110353	5. · · · · · · · · · · · · · · · · · · ·	XXX,-
Head Control © For switch selection see Section F. Choose a Whitmyer Headrest Mount on previous pages.  Proportional Input Devices  QUE110370 Head Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads  QUE110208 Head Control, Switch-It Ugal Pro, 3-Way Proportional Head Array, Spot Pads  XXX,- QUE110208 Head Control, Switch-It Vigo Head Drive  Chry with headrest pad WHT030402 or WHT030403  Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Choose OMNI2 mount and input device in sections below, and choose switches in section F.  QUE110061 Head Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads, 140 x 50 mm  XXX,-  QUE110061 Head Control, Switch-It Dual Pro, 3-Way Proportional, Spot Pads, Ø 50 mm  XXX,-  QUE110210 Head Control, Switch-It Uga Head Drive  Only with headrest pad WHT030402 or WHT030403  Chin Control ©  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroPoliot  XXX,-  QUE110472 Chin Control, Switch-It VersaGuide Chin Control, Switch-It VersaGuide Chin Control, Switch-It VersaGuide Zue110473 Not with OUE009512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, Tear, 82 mm wide  QUE110475 Chin Control, Allround Joystick Light  QUE110475 Chin Control, Allround Joystick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, Tear, 82 mm wide  QUE110475 Chin Control, Allround Joystick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, Tear, 82 mm wide  QUE110475 Chin Control, Allround Joystick, R-Net Bus Enabled	Har	nd Con	trol Mounting Location	
Head Control	QUE	110362	Hand Control Mounting Location, Right	XXX,-
Proportional Input Devices  QUE110370 Head Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads  XXX,- QUE110371 Head Control, Switch-It Dual Pro, 3-Way Proportional Head Array, Spot Pads  XXX,- QUE110208 Head Control, Switch-It Vigo Head Drive Only with headrest pad WH7030402 or WH7030403  Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology) Choose OMNI2 mount and input device in sections below, and choose switches in section F.  QUE110061 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm XXX,- QUE110062 Head Control, Switch-It DualPro, 3-Way Proportional, Spot Pads, Ø 50 mm XXX,- QUE110210 Head Control, Switch-It Vigo Head Drive Only with headrest pad WH7030402 or WH7030403  Chin Control  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroPilot XXX,- QUE110471 Chin Control, Switch-It VersaGuide XXX,- QUE110472 Chin Control, Switch-It VersaGuide EZ QUE110473 Chin Control, Switch-It VersaGuide EZ QUE110473 Chin Control, Switch-It VersaGuide EZ QUE110474 Chin Control, Allround Joystick Knob, Stack, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick Rnob, Stack, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick, R-Net Bus Enabled	QUE	110361	Hand Control Mounting Location, Left	XXX,-
Proportional Input Devices  QUE110370 Head Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads  XXX,- QUE110371 Head Control, Switch-It Dual Pro, 3-Way Proportional Head Array, Spot Pads  XXX,- QUE110208 Head Control, Switch-It Vigo Head Drive Only with headrest pad WH7030402 or WH7030403  Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology) Choose OMNI2 mount and input device in sections below, and choose switches in section F.  QUE110061 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm XXX,- QUE110062 Head Control, Switch-It DualPro, 3-Way Proportional, Spot Pads, Ø 50 mm XXX,- QUE110210 Head Control, Switch-It Vigo Head Drive Only with headrest pad WH7030402 or WH7030403  Chin Control  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroPilot XXX,- QUE110471 Chin Control, Switch-It VersaGuide XXX,- QUE110472 Chin Control, Switch-It VersaGuide EZ QUE110473 Chin Control, Switch-It VersaGuide EZ QUE110473 Chin Control, Switch-It VersaGuide EZ QUE110474 Chin Control, Allround Joystick Knob, Stack, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick Rnob, Stack, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick, R-Net Bus Enabled				
QUE110370 Head Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads  XXX,- QUE110371 Head Control, Switch-It Vigo Head Drive Only with headrest pad WH7030402 or WH7030403  Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology) Choose OMNI2 mount and input device in sections below, and choose switches in section F.  QUE110061 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm XXX,- QUE1101062 Head Control, Switch-It DualPro, 3-Way Proportional, Spot Pads, Ø 50 mm XXX,- QUE110210 Head Control, Switch-It Vigo Head Drive Only with headrest pad WH7030402 or WH7030403  Chin Control  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It VersaGuide EZ QUE110472 Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, XXX,- QUE110474 Chin Control, Allround Joystick Light QUE110475 Chin Control, Allround Joystick Light QUE110475 Chin Control, Allround Joystick Light QUE110475 Chin Control, Allround Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE1005050 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick Light QUE1005050 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick Light QUE1005050 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE0090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick Light QUE0090506 Joystick Knob, T-Bar, 82 mm wide QUE110476 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE0090506 Joystick Knob, T-Bar, 82 mm wide	He	ad Co	ntrol For switch selection see Section F. Choose a Whitmyer Headrest Mount on previous pages.	€
QUE110218 Head Control, Switch-It Dual Pro, 3-Way Proportional Head Array, Spot Pads  XXX,-  QUE110208 Head Control, Switch-It Vigo Head Drive Only with headrest pad WHT030402 or WHT030403  Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology) Choose OMNI2 mount and input device in sections below, and choose switches in section F.  QUE110061 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm XXX,- QUE110062 Head Control, Switch-It Vigo Head Drive Only with headrest pad WHT030402 or WHT030403  Chin Control  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It MicroPilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, FBa, 82 mm wide QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, FBa, 82 mm wide QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE10476 Chin Control, Allround Joystick Light QUE110476 Chin Control, Allround Joystick, Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, FBa, 82 mm wide QUE110476 Chin Control, Allround Joystick, Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, FBa, 82 mm wide QUE110476 Chin Control, Allround Joystick, Rnob, Rot Bus Enabled	Pro	portio	nal Input Devices	
Buel Control, Switch-It Vigo Head Drive   Only with headrest pad WHT030402 or WHT030403	QUE	110370	Head Control, Switch-It Dual Pro, 3-Way Proportional, Facial Pads	XXX,-
Proportional Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology) Choose OMNI2 mount and input device in sections below, and choose switches in section F.  QUE110061 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm XXX,- QUE110062 Head Control, Switch-It Uigo Head Drive Only with headrest pad WHT030402 or WHT030403  Chin Control Omega Proportional Input Devices QUE110470 Chin Control, Switch-It MicroPilot XXX,- QUE110471 Chin Control, Switch-It MicroPilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- QUE110473 Not with OUE000512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110476 Chin Control, Allround Joystick Light QUE1104776 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110476 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE1104776 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE1104776 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE1104776 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE1104776 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide	QUE	110371	Head Control, Switch-It Dual Pro, 3-Way Proportional Head Array, Spot Pads	XXX,-
Chin Control Chin Control, Switch-It MicroGuide  QUE110470  QUE110	QUE	110208		XXX,-
QUE110061 Head Control, Switch-It DualPro, 3-Way Proportional, Facial Pads, 140 x 50 mm  XXX,- QUE110062 Head Control, Switch-It DualPro, 3-Way Proportional, Spot Pads, Ø 50 mm  XXX,- QUE110210 Head Control, Switch-It Vigo Head Drive Only with headrest pad WHT030402 or WHT030403  Chin Control  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It MicroPilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- QUE110472 Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110474 Chin Control, Allround Joystick Chin Control, Allround Joystick Light Not with QUE090506 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick R-Net Bus Enabled	Pro	portio	nal Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Tech	nology)
QUE110210 Head Control, Switch-It DualPro, 3-Way Proportional, Spot Pads, Ø 50 mm XXX,-  QUE110210 Head Control, Switch-It Vigo Head Drive Only with headrest pad WHT030402 or WHT030403 XXX,-  Chin Control Co  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,-  QUE110471 Chin Control, Switch-It MicroPilot XXX,-  QUE110472 Chin Control, Switch-It VersaGuide XXX,-  QUE110472 Chin Control, Switch-It VersaGuide EZ  QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110474 Chin Control, Allround Joystick Light  Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110475 Chin Control, Allround Joystick Light  Not with QUE090512 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick Rnob, T-Bar, 82 mm wide  Chin Control, Allround Joystick Rnob, T-Bar, 82 mm wide  Chin Control, Allround Joystick Rnob, T-Bar, 82 mm wide	Cho	ose OM	NI2 mount and input device in sections below, and choose switches in section F.	
Head Control, Switch-It Vigo Head Drive Only with headrest pad WHT030402 or WHT030403  Chin Control  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It MicroPilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110474 Chin Control, Allround Joystick Light QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110476 Chin Control, Allround Joystick, R-Net Bus Enabled  YXX -				·
Chin Control ©  Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It MicroFilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- QUE110473 Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110474 Chin Control, Allround Joystick Light QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110476 Chin Control, Allround Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide Chin Control, Allround Joystick, R-Net Bus Enabled	QUE	110062		XXX,-
Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It MicroPilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- QUE110473 Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110474 Chin Control, Allround Joystick Chin Control, Allround Joystick Light Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110475 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110476 Chin Control, Allround Joystick, R-Net Bus Enabled	QUE	110210		XXX,-
Proportional Input Devices  QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It MicroPilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- QUE110473 Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110474 Chin Control, Allround Joystick XXX,- Chin Control, Allround Joystick Light Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110475 Chin Control, Allround Joystick Rnob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110476 Chin Control, Allround Joystick, R-Net Bus Enabled	Chi	in Con	trol ල්	
QUE110470 Chin Control, Switch-It MicroGuide XXX,- QUE110471 Chin Control, Switch-It MicroPilot XXX,- QUE110472 Chin Control, Switch-It VersaGuide XXX,- Chin Control, Switch-It VersaGuide EZ QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide QUE110474 Chin Control, Allround Joystick XXX,- Chin Control, Allround Joystick Light QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110476 Chin Control, Allround Joystick, R-Net Bus Enabled	Pro	portio	nal Input Devices	
OUE110472 Chin Control, Switch-It VersaGuide XXX,-  Chin Control, Switch-It VersaGuide EZ  OUE110473 Not with OUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, OUE090506 Joystick Knob, T-Bar, 82 mm wide  OUE110474 Chin Control, Allround Joystick Chin Control, Allround Joystick Light Not with OUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, OUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick, R-Net Bus Enabled	QUE	110470	Chin Control, Switch-It MicroGuide	XXX,-
Chin Control, Switch-It VersaGuide EZ  QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110474 Chin Control, Allround Joystick Chin Control, Allround Joystick Light  QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick, R-Net Bus Enabled				
QUE110473 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  QUE110474 Chin Control, Allround Joystick Chin Control, Allround Joystick Light QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick, R-Net Bus Enabled  YXX	QUE	110472	Chin Control, Switch-It VersaGuide	XXX,-
QUE110474 Chin Control, Allround Joystick  Chin Control, Allround Joystick Light  OUE110475 Chin Control, Allround Joystick Light  Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm,  QUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick, R-Net Bus Enabled	QUE	110473	Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm,	XXX,-
Chin Control, Allround Joystick Light  Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick, R-Net Bus Enabled	QUE	110474	•	XXX,-
QUE110475 Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide  Chin Control, Allround Joystick, R-Net Bus Enabled				
	QUE	110475	Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide	XXX,-
	QUE	110476		XXX,-

0115110477		
QUE110477	Chin Control, Allround Joystick Light, R-Net Bus Enabled (6) (3)  OMNI2 Module Not Required, Obligated to Have Master R-Net Module; Not With QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45 mm, QUE090506 Joystick Knob, T-Bar, 82 mm Wide	XXX,-
	nal Input Devices, Price Inclusive OMNI2 Module And Traction Control System (GYRO Tec INI2 mount and input device in sections below, and choose switches in section F.	hnology)
	Chin Control, Switch-It MicroGuide	XXX,-
	Chin Control, Switch-It MicroPilot	XXX,-
	Chin Control, Switch-It VersaGuide	XXX,-
	Chin Control, Switch-It VersaGuide EZ  Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide	XXX,-
QUE110074	Chin Control, Allround Joystick	XXX,-
	Chin Control, Allround Joystick Light  Not with QUE090512 Joystick Knob, Stick, 80 x 15 mm, QUE090511 Joystick Knob, Mushroom, Ø 45mm, QUE090506 Joystick Knob, T-Bar, 82 mm wide	XXX,-
Chin Cont	rol Mounting (C)	
QUE110480	Chin Control Mounting, Link-It To Chin Harness, Small If you need switches mounted on the harness, you can only use Allround Joystick	XXX,-
QUE110483	Chin Control Mounting, Link-It To Manual Chin Boom, Backrest Mount, Right	XXX,-
	Chin Control Mounting, Link-It To Manual Chin Boom, Backrest Mount, Left	XXX,-
	Chin Control Mounting, Link-It To Power Chin Boom, Backrest Mount, Right	XXX,-
	Chin Control Mounting, Link-It To Power Chin Boom, Backrest Mount, Left	XXX,-
	Chin Control Mounting, Link-It To Headrest, Swing Away, Left	XXX,-
	Chin Control Mounting, Link-It To Headrest, Swing Away, Right	XXX,-
Link-It Ex	tension Kit	
QUE110590	Link-It Extension Kit, Base Module, 100 mm Extension Tube, 5 Cable Clips	XXX,-
QUE110591	Link-It Extension Kit, Base Module, 150 mm Extension Tube, 5 Cable Clips	XXX,-
	Link-It Extension Kit, Base Module, 150 mm Extension Tube, 5 Cable Clips  Iff For switch selection see Section F.	XXX,-
Sip 'N P		
Sip 'N Pu	uff For switch selection see Section F.	€
Sip 'N Pu QUE110510 Sip 'N Pu Choose Om	Iff For switch selection see Section F. Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Iff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)	€
Sip 'N Pu QUE110510 Sip 'N Pu Choose Om QUE110076	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  If, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Ini 2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest	€ XXX,-
Sip 'N Pu QUE110510 Sip 'N Pu Choose Om QUE110076 Switche tion part. S	Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  ff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  ni2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Select	€ XXX,-
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S	Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  ff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  ni2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Select ingle function for Special Input Devices.	€ XXX,-
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611	Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  If, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Ini2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection	<b>€</b> XXX,- XXX,-
Sip 'N Pu QUE110510 Sip 'N Pu Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110611	Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  ff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  ni2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  Select	<b>€</b> XXX,-  XXX,-
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110612 QUE110613	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Iff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Initial mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Solution Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Red	<b>€</b> XXX,-  XXX,-  XXX,-  XXX,-
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110612 QUE110613 QUE110523	Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  If, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Inia mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Red  #1 Single Switch, Ø 64 mm, Green	XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-
Sip 'N Pu QUE110510 Sip 'N Pu Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110612 QUE110613 QUE110523 QUE110524	Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  If, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Ini2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Red  #1 Single Switch, Ø 64 mm, Green  #1 Egg Switch – Black	<b>€</b> XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110613 QUE110523 QUE110524 QUE110651	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Iff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Ini2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  If Single Switch, Ø 64 mm, Black  If Single Switch, Ø 64 mm, Red  If Single Switch, Ø 64 mm, Green  If Egg Switch – Black  If MicroLite Switch – Black	<b>€</b> XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-  XXX,-
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110612 QUE110613 QUE110523 QUE110524 QUE110651 QUE110654	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Iff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Ini2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Green  #1 Egg Switch – Black  #1 MicroLite Switch – Black  #1 Single Switch, Ø 30 mm, Black	
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110612 QUE110613 QUE110523 QUE110524 QUE110651 QUE110654 QUE110653	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  If, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Iniz mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Green  #1 Egg Switch — Black  #1 MicroLite Switch — Black  #1 Single Switch, Ø 30 mm, Black  #1 Single Switch, Ø 30 mm, Black  #1 Single Switch, Ø 30 mm, Black	<b>€</b> XXX,-
Sip 'N Pont   QUE110510 Sip 'N Punchoose Om   QUE110076  Switche   tion part. Sign   #1 Switch   QUE110611 QUE110613 QUE110613 QUE110523 QUE110524 QUE110651 QUE110654 QUE110653 QUE110653	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  If, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Iniz mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Green  #1 Egg Switch – Black  #1 MicroLite Switch – Black  #1 Single Switch, Ø 30 mm, Black  #1 Single Switch, Ø 30 mm, Blue  #1 Single Switch, Ø 30 mm, Blue  #1 Single Switch, Ø 30 mm, Green	<ul> <li>€</li> <li>XXX,-</li> </ul>
Sip 'N Po QUE110510 Sip 'N Pur Choose Om QUE110076 Switche tion part. S #1 Switch QUE110611 QUE110612 QUE110613 QUE110523 QUE110524 QUE110654 QUE110653 QUE110655 QUE110655	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Iff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  Inia mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  Sip 'Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Green  #1 Egg Switch – Black  #1 MicroLite Switch – Black  #1 Single Switch, Ø 30 mm, Blue  #1 Single Switch, Ø 30 mm, Blue  #1 Single Switch, Ø 30 mm, Green  #1 Single Switch, Ø 30 mm, Green  #1 Single Switch, Ø 30 mm, Red	
Sip 'N Port   QUE110510 Sip 'N Pur   Choose Om   QUE110076  Switcher   tion part. S  #1 Switch   QUE110611 QUE110612 QUE110613 QUE110524 QUE110524 QUE110651 QUE110653 QUE110655 QUE110655 QUE110534 QUE110534	Iff For switch selection see Section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  ff, Price Inclusive OMNI2 Module And Traction Control System (GYRO Technology)  ni2 mount and input device in sections below, and choose switches in section F.  Sip 'N Puff With Link-It Hardware, Swing Away Mount To The Headrest  S Select 1 switch and mounting position accordingly. For a second switch please use #2 Switch Selectingle function for Special Input Devices.  Selection  #1 Single Switch, Ø 64 mm, Black  #1 Single Switch, Ø 64 mm, Green  #1 Egg Switch – Black  #1 MicroLite Switch – Black  #1 Single Switch, Ø 30 mm, Black  #1 Single Switch, Ø 30 mm, Blue  #1 Single Switch, Ø 30 mm, Green  #1 Single Switch, Ø 30 mm, Red	₹  XXX,-

QUE110560	#1 Switch Mounting, Link-It To The Hand Control Not with HD Allround Joystick or Space Disk mount	XXX,-
QUE110566	#1 Switch Mounting, Link-It To The Armrest (Opposite side as the Hand Control)  Armrest rail mount	XXX,-
QUE110561	#1 Switch Mounting, Link-It To The Headrest	XXX,-
QUE110563	#1 Switch Mounting, Link-It To The Seat Rail Operated by knee, if two switches selected, one mounted on the right side, one on the left	XXX,-
QUE110565	#1 Switch Mounting, Link-It To Chin Boom No left / right switch selection required	XXX,-
QUE110569	#1 Omit Switch Mounting Switches attached loose	XXX,-
#1 Mount	ing Location	
QUE110572	#1 Switch Mounting Location, Right	XXX,-
	#1 Switch Mounting Location, Left	XXX,-
	ite Switches Only for Allround Joystick, maximum 2 selectable	,
	#1 Satellite Switch – Black	XXX,-
	#1 Satellite Switch – Green	XXX,-
	#1 Satellite Switch – Red	XXX,-
	•	, 0 0 9
	h Selection (C)	
	#2 Single Switch, Ø 64 mm, Black	XXX,-
	#2 Single Switch, Ø 64 mm, Red	XXX,-
	#2 Single Switch, Ø 64 mm, Green	XXX,-
	#2 Egg Switch – Black	XXX,-
	#2 MicroLite Switch – Black	XXX,-
	#2 Single Switch, Ø 30 mm, Black	XXX,-
	#2 Single Switch, Ø 30 mm, Blue	XXX,-
	#2 Single Switch, Ø 30 mm, Green	XXX,-
	#2 Single Switch, Ø 30 mm, Red	XXX,-
	#2 Single Switch, Ø 30 mm, Yellow	XXX,-
	#2 Twister Switch – Black	XXX,-
	#2 Twister Switch – Green	XXX,-
	#2 Twister Switch – Red	XXX,-
#2 Switcl	h Mounting	
QUE110098	#2 Switch Mounting, Link-It To The Hand Control Not with HD Allround Joystick or Space Disk mount	XXX,-
QUE110099	#2 Switch Mounting, Link-It To The Armrest (Opposite side as the Hand Control)  Armrest rail mount	XXX,-
QUE110100	#2 Switch Mounting, Link-It To The Headrest	XXX,-
QUE110104	#2 Switch Mounting, Link-It To The Seat Rail Knee, if 2 switches selected only left and right mount	XXX,-
QUE110105	#2 Switch Mounting, Link-It To Chin Boom No left / right switch selection required	XXX,-
QUE110106	#2 Omit Switch Mounting Switches attached loose	XXX,-
#2 Switcl	h Mounting Location	
QUE110108	#2 Switch Mounting Location, Right	XXX,-
QUE110107	#2 Switch Mounting Location, Left	XXX,-

**#2 Satellite Switches** Only for Allround Joystick, maximum 2 selectable

QUE110111	#2 Satellite Switch – Black	XXX,-
QUE110112	#2 Satellite Switch – Green	XXX,-
QUE110113	#2 Satellite Switch – Red	XXX,-
Multi-Fun	ction Switches Used in combination with Assignable Button programming.	
QUE110550	Mini 2 Button (Stereo Plug) Attached loose, when ordered. No Link-It fixation possible	XXX,-
QUE110551	Mini 2 Button (Dual Mono Plug) Attached loose, when ordered. No Link-It fixation possible	XXX,-
QUE110552	Mini 4 Button InLine (DB9 Connector) Attached loose, when ordered. No Link-It fixation possible	XXX,-
QUE110554	4-Way Toggle Switched Joystick	XXX,-
Accessor	ies	
QUE110580	Mono Extension Cable (3.5 mm Jack Socket) (2 m)	XXX,-
QUE110581	Stereo Extension Cable (3.5 mm Jack Socket) (2 m)	XXX,-
QUE110582	Extension Cable DB9 (1 m)	XXX,-
QUE110583	Y-Cable, 2 Female Mono To 1 Male Stereo	XXX,-
Safety D	evices (C)	€
QUE090147	Remote Stop Switch (9 m Activation Range, Fit Via OBC Port)	XXX,-

## Shroud Colours Q700 M



## **Drive Wheels, Castor Wheels & Mudguards**

















## Chargers





## **Power Seating Options**



## **SEDEO PRO, JAY Syncra Backs & JAY Laterals**













## JAY J3 Back





Seat Width in mm	Mid Deep Contour JAY030042	Deep Contour JAY030014/21/27 Frunk Width in mm 280					
	Maximum User Trunk Width in mm						
360	280	280					
410	330	330					
460	380	380					
510	430	430					

## JAY J3 Back, Spine Align Fit Kit & Positioning Boxes









JAY J3 Back, Chest Strap

#### **Headrest Pads & Headrest Mounts**






















# **SEDEO & JAY Syncra Seat Cushion**









## **Armrest Types & Arm Pads**









## **Power Centre Mount Legrest**









# **Positioning Supports & Accessories**

















## Remote Joystick – R-net & Joystick Mounting









## **Joystick Knobs**

















## **Electronic Programmers – R-net**







## Power Module – R-net & Seating / Lighting Module Control – R-net










## **Attendant & Table Top Controls**





## #1 Ctrl+5 Switch Box & #2 Ctrl+5 Switch Box










## **Hand Control**













## **Hand Control Mounting Platforms**



## **Head Control**



**Chin Control** 














## **Chin Control Mounting**
















#### munevo DRIVE

## **Safety Devices**





## **Switches**































# built4me

Q700-UP M/F with SEDEO PRO ADVANCED				
Base Price	00,000.00			
Total Of Additional Equipment				
Packaging And Transport				
Exclusive VAT				
VAT				
Total Price				

Date			S	ignature			
Day	Month	Year					



#### **Sunrise Medical GmbH**

Kahlbachring 2-4 D-69254 Malsch/HD

Phone: +49 (0) 72 53 / 9 80-0 Fax: +49 (0) 72 53 / 9 80-222 E-Mail: export@sunrisemedical.de

www.SunriseMedical.eu