







0		Xenon2 EU-1	Template 2023-12-19
Deliver to:		Deliver to:	
Name:		Name:	
Street:		Street:	
Town:	Postal code:	Town:	Postal code:
E-Mail:		E-Mail:	
Tel:	Fax:	Tel:	Fax:
Order date:		Marked for:	
Purchase orde			
Number require	ed:	Sunrise order no:	
		• = Standard	□ = Cost option
□ Order	□ Calculation □ Built 4 me (longer leadtime)	./. = Price reduction	<ul><li>= No cost option</li></ul>
Reimburs	sement code:	Max. user weight:	140 kg
Art. no. I	<b>C</b> : 76 800 001	USER WEIGHT	kg
Art. No. D		Mandatory information to ensure correc	
7 (1 (1 1 (0 ) 2	21. 10 000 000	•	
		Base Price	<u>ce</u>
	PACKAG	BES	
VEE000040	A office we also we		
XFF000040	Active package		
	Frame FF 92 ° (integrated footrest), performance (UK 8 Ins	et: Slight (10 mm)	
	Push handles, fold-down		
		regu	ular price
	Benefit	packa	ge price
XFF000041	Lightweight package (not with Hybrid frame)		
	Rear wheel, Proton, 24 spokes (black), straight spokes		
	, , , , , , , , , , , , , , , , , , , ,		
	Compact brake, lightweight		dan mila
	Daniella.		ular price
	Benefit	раска	ge price
\/=====			<del></del>
XFF000042	Add on bike package (not with Hybrid frame)		
	EXO PRO backr. sling, synthetic fibre, padded, adj., breath	able, spacer fabric, 1 accessory bag,	black
	Frame reinforcement kit for add on bike		
		regu	ular price
	Benefit	packa	ge price
		•	
XFF000043	Carbon package		
7 <i>.</i>	Sideguard, carbon fibre, fender, cold weather protection (bl	la ak\	
	•	•	
	Footboard, platform, lightweight, carbon fibre, angle and de		
	L		ular price
	Benefit	packa	ge price
XFF000044	JAY package (not in combination with add on bike pack	ckage)	
	Jay 3 Carbon Back - Shallow Contour		
	JAY Lite Cushion		
ш		rea	ular price
	Benefit		ge price
	25511	packa	
XFF000046	Back package		
	Backrest, angle-adjustable		
	Backrest, fold-down (to the front)		, . I
			ular price
	Benefit	packa	ge price

# Xenon<sup>2</sup> ■ = Standard ○ = No cost option □ = Cost option CLIENT MEASUREMENTS (all measurements in cm without cushion)

 $\textbf{SEAT WIDTH SELECTION} \ - \ \text{measured from outside frame tube to outside frame tube (mm)}$ 

320	340	360	380	400	420	440	460	480	500
0	0	0	0	0	0	0	0	0	0
								only Hyb	rid frame

# **SEAT DEPTH SELECTION** - in mm

340	360	380	400	420	440	460	480	500
0	0	0	0	0	0	0	0	0

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, forks and frame versions

	Fork (length)	Frame:	430	440	450	460	470	480	490	500	510	520	530	540	550
	111 mm		0	0	0										
	123 mm <i>(1)</i>	low			0	0	0								
	Frog Leg <i>(1)</i>														
3"	One Arm <i>(1)</i>														
ľ	111 mm						0	0	0						
	123 mm <i>(1)</i>	high							0	0	0				
	Frog Leg <i>(1)</i>	] ""g"													
	One Arm <i>(1)</i>														
	111 mm			0	0	0	0								
	123 mm <i>(1)</i>	low													
4"	Frog Leg <i>(1)</i>	] '''													
	One Arm <i>(1)</i>														
	111 mm							0	0	0	0				
	123 mm <i>(1)</i>	high													
	Frog Leg (1)	9													
	One Arm <i>(1)</i>														
	111 mm					0	0	0							
	123 mm <i>(1)</i>	low													
	Frog Leg <i>(1)</i>														
	One Arm <i>(1)</i>														
5"	111 mm									0	0	0			
	123 mm <i>(1)</i>	high													
	Frog Leg <i>(1)</i>	]g													
	One Arm <i>(1)</i>														
	123 mm <i>(1)</i>														
	Frog Leg <i>(1)</i>														
	123 mm <i>(1)</i>	1													
	Frog Leg (1)														

**REAR SEAT HEIGHT SELECTION:** in dependance of rear wheel size

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	0	0	0	0	0	0	0	0	0	0	0	0	$O^{(2)}$	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O <sup>(2)</sup>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

(2) only with lightweight adapter

For more information visit our webpage www.SunriseMedical.eu
© Sunrise Medical 2024

# Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

**Back angle:** Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

## **Technical Data Overview:**

Max. overall height:1020 mmMax. overall length:1050 mmMax. turning circle:700 mmMax. safe slope:10°

Wheelchair weight: from 8,8 kg
Dismantled weight: from 6,3 kg
Weight of heaviest part: 2,1 kg

Max. overall width: Camber 24" rear wheel 25" rear wheel

For  $0^{\circ}$  camber: SW + 160 mm SW + 160 mm For  $2^{\circ}$  camber: SW + 210 mm SW + 220 mm For  $4^{\circ}$  camber: SW + 260 mm SW + 270 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle.

in combination with XFF090100 (Tie down brackets for transportation)

For transport wihout a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

Xenon <sup>2</sup>									
	•	= Standard	Price in €						
		SEAT							
Seat sling									
XFF020002	0	Seat sling, nylon, tension adjustable, 1 utility bag							
XFF020003		Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 34							
XFF020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 34	!0 mm)						
XFF020000	0	Without seat sling							
		ver with zipper, black							
Foam (mediu	ım-so	ft) Thickness: XFF020101 □ 30 mm XFF020102 □ 50 mm							
Seat access	orios								
XFF090018		Lap belt with buckle, metal							
XFF020050		Additional padding for seat upholstery, removable							
IAV Cuebie	no f	or complete product rappe and lay order forms							
JAY020002	ns - t	or complete product range see Jay order forms							
JAY020002 JAY020003		JAY Basic  JAY Soft Combi P							
JAY020003		JAY Easy Visco, Curved Base	<del>-   -  </del>						
JAY020001		JAY Lite							
JAY020004 JAY020007		JAY Easy Fluid, Curved Base							
		STT Eddy France, Curvey Buse							
		BACKREST							
Back height	rang	e 250 - 300 300 - 400 400 - 475							
Choose back	heig	ht factory setting (mm). O 250 O 300 O 350 O 400 O 450							
Height adjust	ment	s of in total 50 mm possible. O 275 O 325 O 375 O 425 O 475							
		O 300 O 350 O 400 O 450							
Backrest he	ight,	carbon fiber tubes (1)       □       250       □       275       □       300       □       325							
Fixed height,	non l	neight adjustable							
XFF030010	0	Backrest, fixed (90°)							
XFF030029	Ū	O Desk sideguard preparation for later replacement (2)							
XFF030031		□ Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adju	ustable)						
XFF030012		Backrest, angle-adjustable (75° to	o 103°)						
XFF030029		O Desk sideguard preparation for later replacement (3)							
XFF030031		□ Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adju	stable)						
Pushhandle	•								
XFF030200	<u> </u>	Without push handles							
XFF030201	0	Push handles long							
XFF030203		Push handles, fold-down (only available from back height 325 mm up	owards)						
XFF030205		Push handles, height-adjustable for Jay backs (only available from back height 325 mm up							
XFF030204		Push handles, height-adjustable (only available from back height 300 mm up	wards)						
De alma et un	h a la4								
Backrest up		·							
XFF030316	0	EXO Backrest sling, padded, adjustable, 1 accessory bag, black ( <b>EXO Evo version</b> )  Colour, binding tape: O Black O Orange O Silver O Red O Blue							
XFF030317		EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo versio	in)						
X11 030311		Colour, binding tape: O Black O Orange O Silver O Red O Blue	"'						
XFF030300 O Without backrest upholstery									
Accessories for backrest									
			nal(ra at)						
XFF030402		Stabilising bar, automatic folding (only available from SW 380mm; not with fixed height ba	ckiest)						
(1)		vith Jay J3 backs, not with Desk sideguard, not for use with add on bikes	For more information						
(2)		ssary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°	visit our webpage						
(3)		ssary for retrofitting Desk sideguard	www.SunriseMedical.com						
(4)		vith height adj. push handles, not with JAY backs; in combination with push handles fold-down from backrest height 400 mm upwards; please see Folding Matrix on next side	© Sunrise Medical 2024						
L	Jilly		S Sami iso Miguidal 2024						



XFF 020002 Seat sling with utility bag



XFF 020003 Seat sling with utility bags

2



XFF 030316 EXO backrest sling (EXO Evo version)



XFF 030317 EXO PRO backrest sling (EXO Evo version)



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles , height-adjustable



XFF 090018 Lap belt with buckle, metal

# $\label{lem:continuous} \textbf{Folding-Matrix for XFF~030031~Backrest, fold-down to the front.}$

#### Back height





	325	350	375	400	425	450	475
320	✓	✓	✓	✓	✓	✓	✓
340	✓	✓	✓	✓	✓	✓	✓
360	✓	✓	✓	✓	✓	✓	✓
380		✓	✓	✓	✓	✓	✓
400			✓	✓	✓	✓	✓
420				✓	✓	✓	✓
440				✓	✓	✓	✓
460					✓	✓	✓
480						✓	✓
500							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

Xenon <sup>2</sup>															
	•	= Standa	ard	0	= No cost	option		= Cost option						Price in €	
JAY J3 Bacl	r - Sh	allow Co	ntour												
		allow CC	iitoui				JAY030010	Medium - 34	0 mm	□ JA	Y030033	Tall - 38	0 mm	$\overline{}$	
Mid Thoracic			V020012	Char	4 400										
Upper Thora	CIC:				t - 420 mr		JAY030019	Medium - 46			Y030025	Tall - 50		_	
Shoulder He				Shor	t - 530 mr	n 🗆	JAY030022	Medium - 57	0 mm	□ JA	Y030028	Tall - 61	0 mm	ו	
JAY J3 Bacl		d Contou	ır												
Mid Thoracic							JAY030011	Medium - 34	0 mm	☐ JA	Y030018	Tall - 38	0 mm	1	
Upper Thora	cic:	□ JA	Y030013	Shor	t - 42 cm		JAY030020	Medium - 46	0 mm	☐ JA	Y030026	Tall - 50	0 mm	1	
Shoulder He	ight:	□ JA	Y030016	Shor	t - 53 cm		JAY030023	Medium - 57	0 mm	□ JA	Y030029	Tall - 61	0 mm	1	
JAY J3 Bacl	k - Mi	d Deep C	ontour												
Mid Thoracio	:						JAY030044	Medium - 34	0 mm	□ JA	Y030041	Tall - 38	0 mm	n	
Upper Thora		□ JA	Y030045 S	Sho	rt - 420 mı	n 🗆	JAY030042	Medium - 46	0 mm	□ JA	Y030046	Tall - 50	0 mm	1	
Shoulder He		□ JA	Y030043	Shor	t - 530 mr	n П	JAY030047	Medium - 57			Y030048	Tall - 61			
JAY J3 Cark	_							Wodiam or	<u> </u>			1411 01	<u> </u>	·	
					t - 170 mr					□ JA	Y060002	Tall - 24	0 mm	$\overline{}$	
Lower Thora															
Mid Thoratic		□ JA	1000003	Shor	t - 300 mr	n				□ JA	Y060004	Tall - 38	o mm	1	
Accessories	for	IAY J3 h	acks												
WHT030415	, 101 0			اممط	root COD	DΛ VΤ'	DA flip bes				(00)	y with JAY	13 hac	ks)	
							RA, flip bac	- N			· ·				
WHT030416					rest, AXY	o, Stan	uard				•	y with JAY			
JAY090058		□ J <i>A</i>	Y Acces	sory	uag					(0	niy with J	AY J3 Carbo	on baci	KS)	
			_												
		ARME	REST A	ND S	SIDEGU	ARDS	3								
Armrest															
XFF040005		Desk si	deguard,	flip-u	ıp, remova	able									
XFF040001		Desk si	deguard,	arm	oad (250 r	nm), fix	ed, flip-up,	removable							
XFF040002					•			table, flip-up, r	emovable	9					
XFF040003								removable							
XFF040004					`			table, flip-up, r	omovable						
					•	•					m ove ble			-	
XFF040052					•	`		adjustable, hei	<del></del>		movable	<del>-</del>			
XFF040117		Lubular	armrest,	Alun	nınıum, sv	ing aw	ay (sidewa	ys), padded, re	emovable	)					
Accessories	arm	roct													
XFF040020			. aggiete	200 f	or tetraple	nico					(only	with desk s	idoguo	urd)	
XFF040020		Release	assisiai	ice ic	or tetrapie	gics					(Offig	willi desk s	luegua	ru)	
Sideguards															
XFF040107		Sideau	ard com	nosite	removal	le 210	) mm high	(310 mm long)	) black						
XFF040101			•					slim (black)	, Diaok						
XFF040102					,		,	,	m\						
								n frame coloui	•						
XFF040103								ection (in fram							
XFF040104		Sidegua	ard, carbo	on fib	re, fender	, cold w	veather pro	tection (black)							
		FOOT	BOAR	os											
XFF050023		Footboa	ard, platfo	orm, a	aluminium	, angle	-adjustable	, flip-up (sidev	vays), hee	el loop, f	rame co	lour			
XFF050126			•				orm footbo	• • •		•		num LLL 3c	m long	er)	
XFF050059				•				ngle-adjustable	e, flip-up (	sidewav			(1)	<del> </del>	
XFF050131			•					depth-adj. flip			•	•	( ' /		
XFF050132			•			-		gle & depth-ad			•		-k		
			-					•		, ,				) )	
XFF050061		F00t008	aru, piatto	חזוכ, ו	igiiiw., pia	เรแบ, ar	iyie a aept	h-adj. flip up (s	siueways)	, nign-m	ount	(LLL	22-34c	an)	
		_	_	_											
			ard, auto												
XFF050027		Footboa	ard, platfo	orm, I	ightweigh	i, carbo	on fibre, aut	to-folding, ang	le & depth	h-adjusta	able, cal	f strap, bl	ack		
XFF050028		Footboa	ard, platfo	orm, Ī	ightweigh	, plasti	c, auto-fold	ling, angle and	d depth-a	djustable	, calf st	rap, black	(		
		٨٥٥٥٥	orion fo	r foot	thoords										
VEE250 (25			ories fo				-: (	41- 6 - 0	1	(0)				<del></del>	
XFF050127		Adjusta	pie side į	orote	ction, to ci	eate a	siae-stop c	on the footboar	ra	(2)					
		LOWE	R LEG	LE	NGTH (L	.LL):	LLL has to	be 25 mm les	s than fro	nt seat h	eight; a	ll measur	emen	nts are in mm	
	0	220	O 230	0	240	250	O 260	O 270	O 280	0 29	0 0	300	O 31	0	
	0	320	O 330	0	340	350	O 360	O 370	O 380	0 39	0 0	400	O 41	0	
	0		O 430	0		450	O 460	O 470	O 480	0 49		500			
		*													
													-		
(1)	not ii	n SW320 w	ith 10 mm i	inset										For more inform	nation
(2)	only	for footboa	rd, platform	i lightw	eight or Per	formance	•							visit our webp	page
														www.SunriseMed	lical.com
														© Sunrise Medic	

#### JAY J3 Shallow Contour



50 mm



JAY J3 Mid Contour

80 mm





JAY J3 Mid Deep Contour

150 mm





XFF040107 Composite sideguard detachable



XFF040101 carbon fibre, cold weather protection, slim



XFF040102 Aluminium , cold weather protection



XFF040103 Aluminium, cold weather protection, fender



XFF04000x Desk sideguard, armpad, flipup, removable



XFF040104 Carbon fibre, cold weather protection, fender



XFF050132 Footboard platform, lightweight, carbon



XFF050059 Footboard platform, performance



XFF050027 Footboard platform, lightweight, carbon fibre, auto folding



XFF050127 Adjustable side protection

Xenon			
	•	= Standard	Price in €
		FRAME VERSIONS	
		Open frame (max. user weight 110kg)	
XFF010012	0	Frame FF 100 ° (integrated footrest) (UK 80 °)	
		XFF010101	
XFF010013		Frame FF 92 ° (integrated footrest), performance (UK 88 °)	
		XFF010101	
		Hybrid frame (max user weight 140kg)	
XFF010020	0	Frame FF 100 ° (integrated footrest), hybrid	
XFF010021	0	Frame FF 92 ° (integrated footrest), hybrid	
		CENTRE OF GRAVITY (COG) (2 = very passive 11 = very a	active)
XFF070703	Ada	pter, standard	
		07 08 09 010	
V==070704	A 1		
XFF070701	Ada	pter, lightweight <i>(1)</i>	
VEE040444			
XFF010411 XFF010412	0	Axle plate, aluminium, long (full adjustment)	
XFF010412		Axle plate, aluminium, shorted (max. adjustment 10 mm)	
		FRAME ACCESSORIES (choose either tip assit or anti- tip tubes pe	r side)
XFF090016		Frame protection, black	1 side)
XFF090100		Tie down brackets for transportation	
XFF090010		Transit wheels	
XFF090014		Frame reinforcement kit for add on bike	
7		Traine remissional like for dad on since	
XFF090050		Anti-tip tubes, plug-in, pair	
		Anti-tip tubes, swing-away	<del></del>
XFF090004		Left XFF090005 □ Right	
XFF090006		Pair	
			<u> </u>
		Tip assist	
XFF090001		Left XFF090002 □ Right	
XFF090003		Pair	
XFF090009		Crutch holder, loop (only in combination with tip a	assist)
		PREPARATION FOR ATTITUDE ADD-ON BIKE	
XFF090211		without ATTITUDE order (docking pins asser	mbled)
XFF090212		with ATTITUDE order (docking pins assembled; ATTITUDE order sepe	
X11 030212		WIGHTAT THE OBE STOCK ST	rately)
		EMPULSE F55 BUNDLING	
5140000404		(Please use senarate OF to order the	F55.
EMO000101	0	With F55 order, not mounted to the wheelchair  Not with Lightweight Compact brake	-
EMO000102	0	With F55 order, mounted to the wheelchair  (Please use separate OF to order the lightweight Compact brake	
		Not with Eight weight Compact brane	·
Germany only		EMO000210 O StVZO Kit incl. Attachment and TÜV approval (only in combination with EMO0007 the wheelchair, not discountable)	102 F55 mounted to
		· · · · · · · · · · · · · · · · · · ·	
		FORKS (compare with your choice on the first	page)
XFF080013	0	Castor fork, Carbotecture ®, 111mm Colour: Black	
		Colour:   Silver   Orange   Red (2)   Blue (2)	
XFF080029	0	Castor fork, Aluminium, 123mm Colour: Black	
		Colour:   Silver   Orange	
XFF080008		Castor fork, aluminium, one-arm Colour: Black	
		Colour: ☐ Silver ☐ Orange ☐ Red ☐ Blue	
XFF080007		Castor fork, aluminium, suspension (Frog Legs ®), black	
		CASTORS (compare with your choice on the first	page)
XFF080301	0	Castor, solid (hard), rim: composite, black	
XFF080302	0	Castor, solid (soft), rim: composite, black (only 5	
XFF080303		Castor, solid (hard), light-up, rim: composite, black (only 4	
XFF080304		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4	" & 5")
XFF080306		Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4	" & 5")
		Colour, rim: □ Black □ Orange □ Red □ Blue	
(1)	•	with 0° wheel camber	For more information
(2)	only	in combination with castor, soft (XFF080302 and XFF080306)	visit our webpage
			www.SunriseMedical.com
			© Sunrise Medical 2024



XFF010012 / 13 Open Frame



XFF090020 / 21 Hybrid frame



XFF090001 Tip assist



XFF090004 Anti-tip tubes, swing away



XFF090050 Anti-tip tubes, plug in, pair



XFF090010 Transit wheels

# XENON<sup>2</sup> F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

		Seat Depth											
COG	360	380	400	420	440	460	480	500					
40	<b>~</b>	<b>~</b>	~	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	~					
60	×	<b>~</b>	~	~	~	~	~	~					
70	×	×	<b>~</b>	~	~	~	~	~					
80	×	×	¥	~	~	~	~	~					
90	×	×	×	<b>~</b>	~	~	~	~					
100	×	×	×	<b>~</b>	~	~	~	~					
110	×	×	×	×	<b>~</b>	~	~	~					
120	×	×	×	×	<b>~</b>	~	~	~					
130	×	×	×	×	×	~	~	~					

# XENON<sup>2</sup> HYBRID F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

	Seat Depth										
COG	380	400	420	440	460	480	500				
40	~	<b>~</b>	~	~	<b>~</b>	~	~				
60	×	<b>~</b>	~	~	~	~	~				
70	×	×	~	~	~	~	~				
80	×	×	V	~	~	~	~				
90	×	×	×	<b>~</b>	~	~	~				
100	×	×	×	¥	~	~	~				
110	×	×	×	×	~	~	~				
120	×	×	×	×	¥	~	~				
130	×	×	×	×	×	<b>~</b>	~				

Xenon²										
	•	= Standard $\bigcirc$ = No cost option $\square$ = Cost option	Price in €							
		REAR WHEELS (compare with your choice on the first page; choose only one wheel	type)							
XFF070000	0	Without rear wheel								
XFF070001	<del>-</del>		ly 24")							
XFF070002	0		ly 24")							
XFF070003	<del>-</del>	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last	<del>*                                    </del>							
XFF070004	<u> </u>	Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 1								
XFF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	20.97							
XFF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black								
XFF070008		7, 5 1	ly 24")							
XFF070009			ly 24")							
XFF070010			ly 24")							
74.7 070070		(e.m.	, , , , , , , , , , , , , , , , , , , ,							
		Axle								
XFF070150	0	Quick-release axle								
XFF070151		Quick-release axle, designed for quads (2)								
		TYRES (choose only one tyre	type)							
XFF070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (onl	y 24")							
XFF070102	0	Tyre, puncture proof, tread								
XFF070107		Tyre, pneumatic, slick, Schwalbe One								
XFF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution								
XFF090163		Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid	tyres)							
		HANDRIMS								
XFF070204	0	Handrims, stainless steel, silver								
XFF070202	0	Handrims, aluminium, anodised, silver								
XFF070201	0	Handrims, aluminium, powder-coated, clear								
XFF070203		Handrims, aluminium, powder-coated, coloured (select colour on last page)								
XFF070205		Handrims, titanium, untreated								
XFF070206		Handrims, titanium, powder-coated, clear								
XFF070207		Handrims, Supergrip ®								
XFF070208		Handrims, Maxgrepp ® (only 24")								
XFF070212		Handrims, Maxgrepp © (originations, Maxgrepp © (originations, Maxgrepp © (originations, Maxgrepp © (originations) (origination								
X11010212		Trandinins, Empse 511, black (ergonomic handinis with rubber	-Strip)							
		Hand rim mounting								
XFF070307		Handrim mount, super narrow (7 mm) (only with stainless	steel)							
XFF070317	0	Handrim mount, narrow (17 mm)								
XFF070327	0	Handrim mount, wide (27 mm)								
		Handdon and and a								
		Handrim accessories								
XFF070250		Handrim cover, rubber (only	y 24")							
		WHEEL CAMBER (choose only one of	ention							
VEE070600		0°	plion)							
XFF070600	0									
XFF070602	0	2° (not with Centre of Gravity Adapter, lightw								
XFF070604	0	4° (not with Centre of Gravity Adapter, lightw	eight)							
		SPOKE GUARDS (onl	(v, 24")							
XFF070831	_		/y 24")							
XFF070631		Transparent								
==		XFF070813 □ Galactica	<del></del>							
XFF070823		Princess								
XFF070816		Happy Lions								
XFF070819		Monkeys XFF070821 □ Pirates XFF070811 □ Feather								
XFF070820		Oriental								
XFF070829		Superhero XFF070814 □ Graffiti XFF070806 □ Chrome								
XFF070817		Hot Wheels XFF070802 □ Basketball XFF070803 □ Basketball 2								
XFF070822		Pool XFF070812 □ Flying Water XFF070828 □ Space								
XFF070827		Silk								
XFF070830		Tiger XFF070833 □ Zebra								
(1)	only	with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.	For more information							
(2)	not w	ith Rear wheels Spinergy/ Mountainbike/ drum brakes	visit our webpage							
			www.SunriseMedical.com							
			© Sunrise Medical 2024							



XFF070001 Universal wheel



XFF070002 Design wheel



XFF070003 Lightweight wheel



XFF07000 Proton wheel



XFF07010 Mountainbike wheel



XFF070101 Schwalbe Right Run



XFF070107 Schwalbe One



XFF070104 Schwalbe Marathon Plus Evolution



XFF070102 Tyre, puncture proof




XFF070202 Handrims aluminum, anodized



XFF070203 Handrims aluminum, powder coated, coloured



XFF070208 Handrims Maxgrepp



XFF070212 Handrims Ellipse 3R

Xenon²											
	•	= Standard	O =	No cost opt	ion	□ = Cost option				Price in €	
		WHEEL L	OCKS					(choose only	one option)		
XFF060001	0	Standard br	ake								
XFF060002		Knee-lever	brake								
XFF060010		□ Brake	lever exter	nsion, knee	-lever brake	, fold-down					
XFF060023		Compact br		·							
XFF060024		Lightweight	compact b	rake EVO	(1)						
			•		, ,						
		ACCESS	ORIES								
	<u> </u>	Tool kit								1	
	<u> </u>	Air pump		2 44 1 \							
		High pressu	ire pump ((	J - 11 bar)							
		Back pack	1 1								
XFF090026 I		Mobile phor	ne pocket								
		COLOUR	<b>(S</b> <sup>(2)</sup> Ple	ease consu	It our colour	catalogue to review your colo	ur choice				
		Frame	Handrim	Hub/rim	X-brace		Frame	Handrim	Hub/rim	X-brace	
02 Brilliant Silve	or.	0				27 Graphitemetallic	0				
03 Silver Matt	<b>7</b> 1	0				27 Grapriiterrietanic	O				
03 Silver Iviati		O				29 Black	0				
06 Sun Yellow		0				31 Matt Black	0				
oo can renew		Ŭ	_		_	32 Signal White	0		_		
						33 Pink	0				
14 Blue		0				34 Dark Chocolate Metallic	0				
15 Brilliant Mari	ne	0				35 Skyblue	0				
16 Matt Marine		0				36 Cyan-Metallic	0				
19 Brilliant Purp	ole	0				37 Marsred (Orange)	0				
21 Red Ruby		0				40 Kiwi	0				
22 Brilliant Red		0				41 Flamingo-Glitter	0				
23 Matt Red		0				42 Matt-Anthracite	0				
24 Tutti Frutti O	rar	nge O									
46 Mamba Gree	en (	(new) O				Rear wheel, lightweight and	odized, ora	ange		(3)	
						Rear wheel, lightweight and	dized, blu	ıe		(3)	
						Rear wheel, lightweight and	odized, re	d		(3)	
		COLOURS	S - for stick	ers ("Xeno	n²" on the fr:	ame and "Quickie" on sidegua	ard)				
XFF100550		black	101 01101	1010 ( 710110		Quickie" on sideguard will be silver in		with carbon	sideguards)	-	
XFF100551	0	silver								-	
XFF100552 O orange								-			
XFF100553 O red									-		
XFF100554	0	blue								-	
						mm; not for use with add on bikes; a	adjustment	of CoG +/- ap	prox. 25mm	in the field	
		h handrim colou tweight wheel, F				sai wheel 24"					
						ead time conditions my change	0				
Oomments i	101	Special D	uliu - piec	ase apply it	n a quote, le	ad time conditions my change	<del>.</del>				
										built	4me
Quickie Xe	'n	on <sup>2</sup> - Bas	sic Pric	e							
Option price	<del>,</del>	<u> </u>	<u> </u>	<u> </u>							€
Packaging and transport											€
Exclusive VA		папорон									€
	۱ I										
VAT.											€
Total Price											€
Sunrise Medica	al (	Customer Se	ervice						For	more informa	ition
Address:						E-mail:				sit our webpag	
Tel.						E-commerce:				<u>SunriseMedica</u>	-
Fax.						Website:			© Su	nrise Medical	2024
				-							



XFF060001 Standard brake



XFF060002 Knee lever brake



XFF060023 Compact brake EVO



XFF060024 Lightweight compact brake EVO



XFF090000 Tool kit



XFF090024 High pressure pump



XFF090025 Air pump



XFF090030 Back pack



XFF090026 Mobile phone pocket