



ATTITUDE Hybrid



((

Rev:05/2025 Valid:10/2025

ORDER FORM

Errors and imissions excepted

Billing Address Or (Customer-ID		Shipping Addre	ss	Identical T	Billing Address
CID:			CID:			
Name:			Name:			
Street:			Street:			
Town/PC:			Town/PC:			
E-Mail:			E-Mail:			
Phone:			Phone:			
Order Information			User Weight			
Order Calculat	ion Built	-4-Me®	Max. user weight: 1	100 kg		
Purchase Order No.:			User Weight:	kg		
Art. No.: 47500000 / 47500	0001 IC	Reimbursement Code: xxx		D.::	cv	VVV
Order Date: Day	Month	Year	Base	Price	ŧΧ	.XXX,-

Attitude - Mo	del Selection	€
ATT010802	ATTITUDE Hybrid 10 speed casette and derailleur; trigger shifter; 17 Ah Lithium-ion battery; motor support up to max 25 kph; front and rear lamp; docking system; stand with wheels, handle; v-crank, disk brake; parking brake; speedometer integrated in control display.	XXX,-
ATT072102	Connect Display - coloured Display, includes Smartphone connectivity via bluetooth	XXX,-
FMG- MJ02-3187- 02	B4Me option: Tetraplegia operation for Neodrives power unit Build 4 me - different lead-times and discount structures	-

Technical Data Overview			
Max. user weight	100 kg	Width of V-crank	470 mm
Front frame width	260 - 460 mm ⁽¹⁾	Length of the crank	170 mm
Total weight	21,5 kg	Brake	disc brake (180 mm)
Wheel size	20"	Parking brake	yes
Shifter	thumb shifter	Frame colors	22
Gears	10		

unrise Wheelchairs	(Other Wheelchairs	
Easy Life T (fixed front frame only)	-	Küschall K-serie; KSL Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Fits Kueschall round-tube frames until build date 03/ 2020	XX>
Easy Life RT (fixed front frame only)	-	Küschall Advance, Champion Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Fits Kueschall round-tube frames until build date 03/ 2020	XXX
Easy Life (fixed front frame only)	-	Otto Bock Avantgarde CS/CLT Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset	XX
Easy Life R (fixed front frame only)	-	Otto Bock Motus CS Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset	XX
Easy 200	-	Meyra Avanti Pro Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XX
Easy Max (fixed front frame only)	-	Meyra Hurricane Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XX
Neon (fixed front frame only)	-	Meyra Nano Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XX
Xenon/Xenon ² (fixed front frame only)	-	Meyra Smart F Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XX
Argon ²	-	PRO ACTIV Traveler Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XX
Helium Helium with handbike axle is only approved with frame reinforecment kit for add-on bikes	-	PRO ACTIV Speedy Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XX
Nitrum Nitrum with handbike axle is only approved with frame reinforecment kit for add-on bikes	-	Progeo Joker Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XX
RGK Tiga Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	XXX,-	TiLite TR, TRA	XX
QS5 X (fixed front frame only)	-	TiLite Aero T, Z, ZR, ZRA	XX
		Panthera S2, S3, U2, U3, Build 4 me - different lead-times and discount structures	XX
		Panthera U2 Light, U3 Light	XX

Attitude manual adjustment and set-up




// ATTITUDE Manual with Standard fork: crank position range (adjustment via spacers in the upper docking clamp)

Attitude manual fork: Angle and depth adjustability



// ATTITUDE Manual / Hybrid crank position range with option ATT080035 "Fork, angle and depthadjustability of crank-position "



// Depth adjustability: 100mm (+/-50mm compared to standard fork) continuosly adjustable Angle adjustment: from 0° (parallel to the ground) to 28° continuosly adjustable


B4ME-Options



// To move the pedal position 2 cm closer or up to 6 cm further

Order proces	ss information	
ATT090213	ATTITUDE only - without a related wheelchair order	
ATT090214	ATTITUDE with wheelchair order - on a seperate wheelchair order form	
FMG-	B4Me option: Adaptation link -2 to + 6 cm	
MA03-3201- 01	Build 4 me - different lead-times and discount structures	
Wheelchair	front frame width - measured from outside front frame tube to outside front frame tube	€
260 mm	380 mm	
280 mm	400 mm	
300 mm	420 mm	
320 mm	440 mm	
340 mm	460mm	
360 mm		
Fork (C)		€
ATT080034	Fork, Standard	-
ATT080035	Fork, angle and depth-adjustability of crank-position	XXX,-
Tyres 🕥		€
ATT070104	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	-
ATT070110	Tyre, pneumatic, tread, Mountainbike	-
Gear and shi	fters	€
ATT070045	10 speed casette with derailleur for Hybrid, Shifter, trigger	_
FMG- MJ02-3187-01	B4Me option: Tetraplegia operation for universal shifter Build4me - different lead-times and discount structures; only in combination with ATT070044	-
Crank and ha	andle - special length, widths and shapes via B4Me 🔘	€
ATT080022	V-crank, standard (Length: 170 mm, Width: 470 mm)	_
ATT080023	Handle, vertical, 10° angle, round, diameter 30 mm	_
	ATT080027 Quad, hand support	XXX,-
	ATT080028 Quad, arm support	XXX,-
ATT080024	Handle, vertical, 10° angle, round, diameter 40 mm	-
ATT080025	Handle, vertical, 25° angle, oval, diameter 37 x 21 mm	XXX,-
ATT080026	Handle, vertical, 25° angle, oval, diameter 47 x 32 mm	XXX,-
Disk brake-	lisc-diameter 180 mm, parking brake: V-brake 🔘	€
ATT060050	Brake, manual actuation	_
ATT060053	not with gear hub, 8 speed, coaster brake Tyre, pneumatic, tread, Mountainbike	XXX,-
, 11 1 0 0 0 0 0 0	ATT060102 Brake lever mounted to right handle	_
	ATT060101 Brake lever mounted to left handle	_
ATTN60052	2 Driving brakes plus parking brake	XXX -
ATT060052 ATT060051	2 Driving brakes plus parking brake parking brake as rim brake and not as disk brake, not with gear hub, 8 speed, coaster brake Brake, backpedal actuation	XXX,-

Fork




// Fork for Attitude Manual, angle and depth-adjustability of crank-position

Tyres



// Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution



// Tyre, pneumatic, tread, Mountain-bike

Shifter and handel



// Shifter, trigger



// Tetra operation



// Tyre, pneuma Handle, vertical, 10° angle, round, diameter 30 mm tic, tread, Big Apple



// Quad, hand support



// Quad, arm support



// Handle, vertical, 25° angle, oval

Disk brake



// Performance brake lever

Battery - charg	er always included (<u></u>					
ATT160020	Battery, Lithium-ion	n, 17 Ah					_
ATT090088	Additional battery,	Lithium-ion, 17 Al	า				-
ATT090091	Additional charger,	Hybrid					
Accessories							
ATT090074	Front- & rear lamp						-
ATT090080	Speedometer						-
ATT090095	Mudguard						XXX
ATT090067	Rear view mirror						XXX
ATT090081	Bottle holder						XXX
ATT090082	Low rider carrier fo	_					XXX
ATT090024	High pressure pum						XXX
ATT000084	Additional weight,	removable, 5 kg, t	o improve traction				XXX
ATT090085 ATT090041	Bell Multitool						XXX
ATT090041 ATT090096	Protection foil						XXX
A11030030	Trotection for						XXX
Chain quard	Colours You can c	haaca canarata ca	Jaura for the from	a the exertic and the cha	in quard		
Gilaili guaru	Colouic Tou can c	noose separate co	nours for the frame	e, the cranks and the cha	iii yuaru.		
Ollaili guaru	Frame	Chain guard	Crank	e, the cranks and the cha	Frame	Chain guard	Crank
01 Matte Black				12 Royal Blue		Chain guard	Crank
				12 Royal Blue		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic						Chain guard	Crank
01 Matte Black 02 Gloss Black	Frame			12 Royal Blue 13 Brilliant Ocean		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow	Frame			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi	Frame			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi	Frame			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi 05 Silver Ore 06 Storm Gray	Frame			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi 05 Silver Ore 06 Storm Gray 07 Desert Tan	Frame			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi 05 Silver Ore 06 Storm Gray 07 Desert Tan 08 Desert Sage	Frame			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi 05 Silver Ore 06 Storm Gray 07 Desert Tan 08 Desert Sage 09 Salute Green	Frame			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose 20 Mystic Purple		Chain guard	Crank
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi 05 Silver Ore 06 Storm Gray 07 Desert Tan 08 Desert Sage 09 Salute Green 10 Velvet Sapph 11 Midnight Blue	Frame ite			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose 20 Mystic Purple 21 Solar Orange		Chain guard	
01 Matte Black 02 Gloss Black 03 Metallic Shadow 04 Starlight Whi 05 Silver Ore 06 Storm Gray 07 Desert Tan 08 Desert Sage 09 Salute Green 10 Velvet Sapph	Frame ite			12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose 20 Mystic Purple 21 Solar Orange		Chain guard	Crank

ATT100551 Silver

Accessories



// Brake, backpedal actuation



// Mudguard, bolt on, black



// Multitool



// Rear view mirror



// Additional weight, removable, 5 kg, to increase traction



// Bell



// Bottle holder



// High pressure pump (0 - 11 bar)



// Low rider carrier for saddle bags





// Ccnnect Display ccnnects with your smartphone (download of neodrives app necessary) Records trip data such as average speed,maximum speed, trip distance, and total distance.

Comments

Please find some examples for already existing B4me options below:

FMG-MJ02-3187-02 - Tetra operation (ATTITUDE Hybrid)
FMG-MA03-3201-01 Adaptation link -2 to + 6 cm (ATTITUDE Manual, Hybrid & Power)



ATTITUDE Manual	€
Base Price	00,000.00
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total Price	

Date			Signature		
Day	Month	Year			



Sunrise Medical GmbH

Kahlbachring 2-4 D-69254 Malsch/HD

Phone: +49 (0) 72 53 / 9 80-0 Fax: +49 (0) 72 53 / 9 80-222 E-Mail: export@sunrisemedical.de

www.SunriseMedical.eu