



# **ATTITUDE** Power



**(€** 

Rev:05/2025 Valid:10/2025

# **ORDER FORM**

Billing Ad	Idress Or Custome	r-ID	Shipping Address Identical To Billing Address				
CID:			CID:				
Name:			Name:				
Street:			Street:				
Town/PC:	Town/PC:						
E-Mail:			E-Mail:				
Phone:	Phone:			Phone:			
Order Info	rmation		User Weight				
Order	Order Calculation Built-4-Me®		Max. user weight: 100	kg			
Purchase Ordo	er No.:		User Weight:	kg			
Art. No.: 475	<b>Art. No.: 47500000 / 47500001 IC</b> Reimbursement Code: xxx						
Order Date:	Day Mont	Base F	€ 5.489-				

Order Date: Day Month Year

Attitude - Mo	odel Selection	€
ATT010803	ATTITUDE Power  Speed 6 kph (standard); handlebar; disk brake; 9 Ah Lithium-ion battery front and rear lamp; docking system; speedometer integrated in control display; stand with wheels; parking brake.	5.489
ATT072111	Hand throttle position right side	_
ATT072112	Hand throttle position left side	_

Technical Data Overview			
Max. user weight	100 kg	Engine	250 W
Front frame width	260 – 460 mm	Battery	9 Ah oder 13,4 Ah
Weight of the attachment adapters	85 kg	Handlebar width	570 mm
Total weight	15,3 kg	Brake	disc brake (180 mm)
Wheel size	16"	Parking brake	yes
Maximum speed of the engine	6 km/h (optional: 21 km/h)	Frame colors	22

-	Other Wheelchairs  Küschall K-serie; KSL  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Fits Kueschall round-tube frames until build date 03/ 2020  Küschall Advance, Champion  Please note: V-Frames are only suitable up to 5°; please check	67
_	Please note: V-Frames are only suitable up to 5°; please check	
	with your authorized dealer if there are any further NoGo´s Fits Kueschall round-tube frames until build date 03/2020	3
-	Otto Bock Avantgarde CS/CLT Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s Only possible for frames without inset	4
-	Otto Bock Motus CS  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s Only possible for frames without inset	4
-	Meyra Avanti Pro Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	2
-	Meyra Hurricane Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
_	Meyra Nano Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
-	Meyra Smart F Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
-	PRO ACTIV Traveler Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
-	PRO ACTIV Speedy Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
-	Progeo Joker Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
316	TiLite TR, TRA	
-	TiLite Aero T, Z, ZR, ZRA	
		,
	Panthera U2 Light, U3 Light	
	- - - - 316	Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset  Otto Bock Motus CS  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset  Meyra Avanti Pro  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  Meyra Hurricane  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  Meyra Nano  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  Meyra Smart F  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  PRO ACTIV Traveler  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  PRO ACTIV Speedy  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  Progeo Joker  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  Progeo Joker  Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's  Progeo Joker  TiLite TR, TRA


## **B4ME-Options**



// To move the pedal position 2 cm closer or up to 6 cm further

Ondonana	o information		
	ss information		
ATT090213		vithout a related wheelchair order	-
ATT090214	ATTITUDE with wh	heelchair order - on a seperate wheelchair order form	-
FMG- MA03-3201- 01		aptation link -2 to + 6 cm ent lead-times and discount structures	-
Wheelchair	fornt frame wid	th - measured from outside front frame tube to outside front frame tube	€
260 mm		380 mm	
280 mm		400 mm	
300 mm		420 mm	
320 mm		440 mm	
340 mm		460mm	
360 mm			
F 1 000			
Fork ①			€
ATT080034	Fork, Standard		_
Tyres 🕥			€
ATT070110	Tyre, pneumatic, ti	read, Mountainbike	_
ATT070111	Tyre, pneumatic, to	read, Big Apple	-
Handlebar &	Stem - ergonomic	c handlebar & height-adjustable stem standard 🔘	€
ATT080050	Stem standard; he	eight-adjustable	_
ATT080051	Stem multiadjusta	able; height- and depth adjustable	62
Diele beeke	U 100		0
DISK Drake- d		m, parking brake: V-brake 🔘	€
ATT060050	Brake, manual act not with gear hub,	, 8 speed, coaster brake	-
ATT060053		e lever (offers improved adjustability & modulation of the brake)	20
	ATT060102	Brake lever mounted to right handle	_
	ATT060101 Brake lever mounted to left handle		_


## Tyres



// Tyre, pneumatic, tread, Mountainbike



// Tyre, pneumatic, tread, Big Apple



// S'em, multiadjustable

### Disk brake



// Performance brake lever

ATTOCOCCE			or for use on pr	rivate ground only. This optic	on can only be	ordered (C)				
ATT000025	Speed, max. 6 kg	kph						-		
ATT000027	Speed, max. 10 kph									
ATT000028	Speed, max. 15	i kph						-		
<b>attery</b> - charg	er always include	ed 🔘					,			
ATT160021	Battery, Lithium	Battery, Lithium-ion, 9 Ah								
ATT160022	Battery, Lithium	Battery, Lithium-ion, 13,4 Ah								
ATT090086	Additional batte	dditional battery, Lithium-ion, 9 Ah								
ATT090087								1.0		
ATT090089	Additional char	ger, Power						1		
ccessories	Ø									
ATT090074	Front- & rear la	mp						_		
ATT090080	Speedometer	···•						_		
ATT090095	Mudguard									
ATT090067	Rear view mirro	or								
ATT090081	Bottle holder									
ATT090082		er for saddle bags						1		
ATT090024		oump (0 - 11 bar)								
ATT090084		ght, removable, 5 kg, t	o improve tract	ion				1		
ATT090085	Bell	giit, reiliovabie, 5 kg, t	o improve tract							
A11030003	DGII									
ATT0000/1	Multitool									
ATT090041 ATT090096	Multitool Protection foil	an choose senerate co	Jours for the fr	ame the cranks and the cha	in quard					
ATT090096	Protection foil	an choose separate co Chain guard	lours for the fra	ame, the cranks and the cha	in guard. Frame	Chain guard	Crank			
ATT090096	Protection foil  Colours You ca	· · · · · · · · · · · · · · · · · · ·		ame, the cranks and the chains and the chains and the chains are chains and the chains are chains and the chains are chains are chains are chains and the chains are		Chain guard	Crank			
ATT090096  hain guard  Matte Black Gloss Black	Protection foil  Colours You ca	· · · · · · · · · · · · · · · · · · ·				Chain guard	Crank			
ATT090096 hain guard Matte Black	Protection foil  Colours You ca	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue		Chain guard	Crank			
ATT090096  hain guard  Matte Black Gloss Black Metallic	Protection foil  Colours You ca  Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean		Chain guard	Crank			
ATT090096  hain guard  Matte Black Gloss Black Metallic	Protection foil  Colours You ca  Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir		Chain guard	Crank			
ATT090096  hain guard  Matte Black  Gloss Black  Metallic  adow  Starlight Whi	Protection foil  Colours You ca  Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper		Chain guard	Crank			
ATT090096  hain guard  Matte Black  Gloss Black  Metallic  adow  Starlight Whi  Silver Ore	Protection foil  Colours You ca  Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre		Chain guard	Crank			
ATT090096  hain guard  Matte Black Gloss Black Metallic adow Starlight Whi Silver Ore Storm Gray Desert Tan Desert Sage	Protection foil  Colours You ca Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose		Chain guard	Crank			
ATT090096  hain guard  Matte Black Gloss Black Metallic adow Starlight Whi Silver Ore Storm Gray Desert Tan Desert Sage Salute Green	Protection foil  Colours You ca Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose 20 Mystic Purple		Chain guard	Crank			
ATT090096  hain guard  Matte Black Gloss Black Metallic adow Starlight Whi Silver Ore Storm Gray Desert Tan Desert Sage Salute Green Velvet Sapph	Protection foil  Colours You ca Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose 20 Mystic Purple 21 Solar Orange		Chain guard	Crank			
ATT090096  hain guard  Matte Black Gloss Black Metallic adow Starlight Whi Silver Ore Storm Gray Desert Tan Desert Sage Salute Green	Protection foil  Colours You ca Frame	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose 20 Mystic Purple		Chain guard	Crank			
ATT090096  hain guard  Matte Black  Gloss Black  Metallic adow  Starlight Whi  Silver Ore  Storm Gray  Desert Tan  Desert Sage  Salute Green  Velvet Sapph	Protection foil  Colours You ca Frame  ite	· · · · · · · · · · · · · · · · · · ·		12 Royal Blue 13 Brilliant Ocean 14 Scarlet Noir 15 Red Pepper 16 Cherry Lustre 17 Turbo Green 18 Pink Power 19 Satin Rose 20 Mystic Purple 21 Solar Orange		Chain guard	Crank			

#### **Accessories**



// Mudguard, bolt on, black



// Multitool



// Rear view mirror



// Additional weight, removable, 5 kg, to increase traction




// Bell



// Bottle holder



// High pressure pump (0 - 11 bar)



// Low rider carrier for saddle bags





// Ccnnect Display ccnnects with your smartphone (download of neodrives app necessary) Records trip data such as average speed,maximum speed, trip distance, and total distance.

#### **Letter of Acknowledgement**

We herewith advise, that using the ATTITUDE Power with max. speed-settings higher than 6 kph is only permitted on public roads in certain countries and otherwise may only be used on private property.

In the absence of approval, in accordance with the road traffic laws, the ATTITUDE Power with speed-settings > 6 kph may not be driven on public roads, bicycle-lanes, or pavement. You need to inform yourself about the country specific legislation regarding usage and your legal obligations regarding the usage of the ATTITUDE Power with speed settings higher than 6 kph (10/15 kph). When you're travelling with your ATTITUDE Power, always check the specific legislation in the respective country.

When placing an order for a max. speed-setting > 6 kph, please confirm with your signature below, that you have understood the above information and that you only intend the usage of your ATTITUDE Power on private property.

I herewith confirm, that I am aware of the information above, and that I will strictly follow the country specific legislation.

Date			Customer Signature
Day	Month	Year	

#### **Comments**

Please find some examples for already existing B4me options below:

FMG-MJ02-3187-02 - Tetra operation (ATTITUDE Hybrid)
FMG-MA03-3201-01 Adaptation link -2 to + 6 cm (ATTITUDE Manual, Hybrid & Power)



ATTITUDE Manual	€
Base Price	00,000.00
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total Price	

Date			S	ignature		
Day	Month	Year				



### **Sunrise Medical GmbH**

Kahlbachring 2-4 D-69254 Malsch/HD

Phone: +49 (0) 72 53 / 9 80-0 Fax: +49 (0) 72 53 / 9 80-222 E-Mail: export@sunrisemedical.de

www.SunriseMedical.eu