

ATTITUDE Power



Status:01/2023

ORDER FORM

Errors and imissions excepted.

Billing Address Or Customer-ID			Shipping Address	Identical To Billing Address
C.-ID:			C.-ID:	
Name:			Name:	
Street:			Street:	
Town/PC:			Town / PC:	
E-Mail:			E-Mail:	
Phone:			Phone:	
Order Information			User Weight	
Order	Calculation	Built-4-Me®	Max. user weight: 100 kg	
Purchase Order No.:			User Weight:	kg
Art. No.: 47500000 / 47500001 IC		Reimbursement Code: xxx		
Order Date:	Day	Month	Year	

Base Price

Attitude - Model Selection

€

	ATTITUDE Power	
ATT010803	Speed 6 kph (standard); handlebar; disk brake; 9 Ah Lithium-ion battery front and rear lamp; docking system; speedometer integrated in control display; stand with wheels; parking brake.	
ATT072111	Hand throttle position right side	XXX,-
ATT072112	Hand throttle position left side	–

Technical Data Overview

Max. user weight	100 kg	Engine	250 W
Front frame width	260 – 460 mm	Battery	9 Ah oder 13,4 Ah
Weight of the attachment adapters	85 kg	Handlebar width	570 mm
Total weight	15,3 kg	Brake	disc brake (180 mm)
Wheel size	16"	Parking brake	yes
Maximum speed of the engine	6 km/h (optional: 21 km/h)	Frame colors	31


Wheelchair Model - which will be used in combination with the ATTITUDE

€


Sunrise Wheelchairs		Other Wheelchairs	
Easy Life T (fixed front frame only)	–	Küschall K-serie; KSL Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s Fits Kueschall round-tube frames until build date 03/ 2020	XXX,-
Easy Life RT (fixed front frame only)	–	Küschall Advance, Champion Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s Fits Kueschall round-tube frames until build date 03/ 2020	XXX,-
Easy Life (fixed front frame only)	–	Otto Bock Avantgarde CS/CLT Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s Only possible for frames without inset	XXX,-
Easy Life R (fixed front frame only)	–	Otto Bock Motus CS Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s Only possible for frames without inset	XXX,-
Easy 200	–	Meyra Avanti Pro Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-
Easy Max (fixed front frame only)	–	Meyra Hurricane Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-
Neon (fixed front frame only)	–	Meyra Nano Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-
Xenon/Xenon² (fixed front frame only)	–	Meyra Smart F Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-
Argon²	–	PRO ACTIV Traveler Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-
Helium Helium with handbike axle is only approved with frame reinforcement kit for add-on bikes	–	PRO ACTIV Speedy Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-
Nitrum Nitrum with handbike axle is only approved with frame reinforcement kit for add-on bikes	–	Progeo Joker Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-
RGK Tiga Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s	XXX,-	TiLite TR, TRA	XXX,-
		TiLite Aero T, Z, ZR, ZRA	XXX,-
		Panthera S2, S3, U2, U3, Build 4 me - different lead-times and discount structures	XXX,-
		Panthera U2 Light, U3 Light Build 4 me - different lead-times and discount structures	XXX,-

Attitude manual fork: Angle and depth adjustability

A1 T080035



// ATTITUDE Manual / Hybrid - crank position range with option ATT080035 "Fork, angle and depth-adjustability of crank-position "



// **Depth adjustability:** 100mm (+/- 50mm compared to standard fork) continuously adjustable

Angle adjustment: from 0° (parallel to the ground) to 28° continuously adjustable

B4ME-Options

FVG-MJ02-3187-02



// Tetra operation for ATTITUDE Hybrid

FVG-MA03-3201-01



// To move the pedal position 2 cm closer or up to 6 cm further

Order process information

ATT090213	ATTITUDE only - without a related wheelchair order	
ATT090214	ATTITUDE with wheelchair order - on a separate wheelchair order form	
FMG- MA03-3201- 01	B4Me option: Adaptation link -2 to + 6 cm Build 4 me - different lead-times and discount structures	

Wheelchair front frame width - measured from outside front frame tube to outside front frame tube

€

260 mm	380 mm
280 mm	400 mm
300 mm	420 mm
320 mm	440 mm
340 mm	460mm
360 mm	

Fork 

€

ATT080034	Fork, Standard	-
-----------	----------------	---

Tyres 

€

ATT070110	Tyre, pneumatic, tread, Mountainbike	-
ATT070111	Tyre, pneumatic, tread, Big Apple	-

Handlebar & Stem - ergonomic handlebar & height-adjustable stem standard 

€

ATT080050	Stem standard; height-adjustable	-
ATT080051	Stem multiadjustable; height- and depth adjustable	XXX,-

Disk brake - disc-diameter 180 mm, parking brake: V-brake 

€

ATT060050	Brake, manual actuation not with gear hub, 8 speed, coaster brake	-
ATT060053	Performance brake lever (offers improved adjustability & modulation of the brake)	XXX,-
	ATT060102 Brake lever mounted to right handle	-
	ATT060101 Brake lever mounted to left handle	-

Tyres

A1T070110




// Tyre, pneumatic, tread, Mountain-bike

A1T070111



// Tyre, pneumatic, tread, Big Apple



// Stem, multiadjustable

Shifter and handel

FMG-MJ02-3187-01



// Tetra operation

A1T080023



// Tyre, pneuma Handle, vertical, 10° angle, round, diameter 30 mm tic, tread, Big Apple

A1T080027



// Quad, hand support

A1T080028



// Quad, arm support

A1T080025



// Handle, vertical, 25° angle, oval

Disk brake

ATT060050



// Performance brake lever

Speed only for countries which allow a higher speed or for use on private ground only. This option can only be ordered  €

ATT000025	Speed, max. 6 kph	-
ATT000027	Speed, max. 10 kph	-
ATT000028	Speed, max. 15 kph	-

Battery - charger always included  €

ATT160021	Battery, Lithium-ion, 9 Ah	XXX,-
ATT160022	Battery, Lithium-ion, 13,4 Ah	XXX,-
ATT090086	Additional battery, Lithium-ion, 9 Ah	XXX,-
ATT090087	Additional battery, Lithium-ion, 13,4 Ah	XXX,-
ATT090089	Additional charger, Power	XXX,-

Accessories  €

ATT090074	Front- & rear lamp	-
ATT090080	Speedometer	-
ATT090095	Mudguard	XXX,-
ATT090067	Rear view mirror	XXX,-
ATT090081	Bottle holder	XXX,-
ATT090082	Low rider carrier for saddle bags	XXX,-
ATT090024	High pressure pump (0 - 11 bar)	XXX,-
ATT090084	Additional weight, removable, 5 kg, to improve traction	XXX,-
ATT090085	Bell	XXX,-
ATT090041	Multitool	XXX,-
ATT090096	Protection foil	XXX,-

Chain guard Colours You can choose separate colours for the frame, the cranks and the chain guard.

	Frame	Chain guard	Crank		Frame	Chain guard	Crank
02 Brilliant Silver	ATT100102	ATT100802	ATT100902	29 Black	ATT100129	ATT100829	ATT100829
03 Silver Matt	ATT100103	ATT100803	ATT100903	31 Matt Black	ATT100131	ATT100831	ATT100931
06 Sun Yellow	ATT100106	ATT100806	ATT100906	32 Signal White	ATT100132	ATT100832	ATT100932
14 Blue	ATT100114	ATT100814	ATT100914	33 Pink	ATT100133	ATT100833	ATT100933
15 Brilliant Marine	ATT100115	ATT100815	ATT100915	34 Dark Chocolate Metallic	ATT100134	ATT100834	ATT100934
16 Matt Marine	ATT100116	ATT100816	ATT100916	35 Skyblue	ATT100135	ATT100835	ATT100935
19 Brilliant Purple	ATT100119	ATT100819	ATT100919	36 Cyan-Metallic	ATT100136	ATT100836	ATT100936
21 Red Ruby	ATT100121	ATT100821	ATT100921	37 Marsred (Orange)	ATT100137	ATT100837	ATT100937
22 Brilliant Red	ATT100122	ATT100822	ATT100922	40 Kiwi	ATT100140	ATT100840	ATT100840
23 Matt Red	ATT100123	ATT100823	ATT100923	41 Flamingo-Glitter	ATT100141	ATT100841	ATT100941
24 Tutti Frutti Orange	ATT100124	ATT100824	ATT100924	42 Matt Anthracite	ATT100142	ATT100842	ATT100942
27 Graphite-metallic	ATT100127	ATT100827	ATT100927	46 Mamba Green	ATT100146	ATT100846	ATT100946

Sticker colours €

ATT100550	Black	-
ATT100551	Silver	-

Accessories

A1T060051



// Brake, backpedal actuation

A1T090095



// Mudguard, bolt on, black

A1T090041



// Multitool

A1T090067



// Rear view mirror

A1T090084



// Additional weight, removable, 5 kg, to increase traction

A1T090085



// Bell

A1T090081



// Bottle holder

A1T090024



// High pressure pump (0 - 11 bar)

A1T090082



// Low rider carrier for saddle bags

A1T090081



// Connect Display
 connects with your smartphone (download of neodrive app necessary) Records trip data such as average speed, maximum speed, trip distance, and total distance.

Letter of Acknowledgement

We would like to point out that using the version of the ATTITUDE Power version 21 kph is only permitted in road traffic in certain countries and otherwise may only be used on private land.

In the absence of approval, in accordance with the road traffic laws, the ATTITUDE Power version >6kph may not be driven on public roads or even cycle ways. You need to inform yourself about the country specific legislation about the use and the insurance duty of the ATTITUDE Power versions 10/15 kph.

When placing an order, please confirm to us with your signature that you have understood this information and that we should deliver the version of the ATTITUDE Power versions 10/15 kph

If I want to use the ATTITUDE Power versions 10/15 kph in another country, I will first obtain information about the regulations and legislation in force there.

I hereby confirm, that I am aware of these circumstances and that I will follow strictly the country specific legislation.

Date**Customer Signature**

Day Month Year

Comments

Please find some examples for already existing B4me options below:

FMG-MJ02-3187-02 - Tetra operation (ATTITUDE Hybrid)

FMG-MA03-3201-01 Adaptation link -2 to + 6 cm (ATTITUDE Manual, Hybrid & Power)

**ATTITUDE Manual**

€

Base Price	00,000.00
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total Price	

Date**Signature**

Day Month Year

**Sunrise Medical GmbH**

Kahlbachring 2-4

D-69254 Malsch/HD

Phone: +49 (0) 72 53 / 9 80-0

Fax: +49 (0) 72 53 / 9 80-222

E-Mail: kundenservice@sunrisemedical.de

www.SunriseMedical.eu