



ATTITUDE Hybrid



 ϵ

Status:10/2023

ORDER FORM

Errors and omissions excepted

| Billing Address Or Customer-ID | | | Shipping Addre | ess | Identical | To Billing Address | |
|--------------------------------|------------------|-------|-------------------------|-------------------|-----------|--------------------|-------|
| CID: | | | | CID: | | | |
| Name: | Name: | | | | Name: | | |
| Street: | | | | Street: | | | |
| Town/PC: | | | Town/PC: | | | | |
| E-Mail: | E-Mail: | | | | E-Mail: | | |
| Phone: | | | Phone: | | | | |
| Order Information | | | User Weight | | | | |
| Order | Calculation | | Built-4-Me® | Max. user weight: | 100 kg | | |
| Purchase Orde | er No.: | | | User Weight: | kg | | |
| Art. No.: 475 | 00000 / 47500001 | IC | Reimbursement Code: xxx | D | D! | | VVV |
| Order Date: | Day | Month | Year | Rase | Price | | XXX,- |

| Attitude - Mo | del Selection | € |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| ATT010802 | ATTITUDE Hybrid 10 speed casette and derailleur; trigger shifter; 16 Ah Lithium-ion battery; motor support up to max 25 kph; front and rear lamp; docking system; stand with wheels, handle; v-crank, disk brake; parking brake; speedometer integrated in control display. | XXX,- |
| ATT072102 | Connect Display - coloured Display, includes Smartphone connectivity via bluetooth | _ |
| FMG- MJ02-3187- 02 | B4Me option: Tetraplegia operation for Neodrives power unit Build 4 me - different lead-times and discount structures | XXX,- |

| Technical Data Overview | | | |
|--------------------------------|-----------------------------|---------------------|---------------------|
| Max. user weight | 100 kg | Width of V-crank | 470 mm |
| Front frame width | 260 - 460 mm ⁽¹⁾ | Length of the crank | 170 mm |
| Total weight | 21,5 kg | Brake | disc brake (180 mm) |
| Wheel size | 20" | Parking brake | yes |
| Shifter | thumb shifter | Frame colors | 24 |
| Gears | 10 | | |


| nrise Wheelchairs | | Other Wheelchairs | |
|-------------------------------------------------------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Easy Life T (fixed front frame only) | - | Küschall K-serie; KSL Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Fits Kueschall round-tube frames until build date 03/ 2020 | XXX |
| Easy Life RT (fixed front frame only) | - | Küschall Advance, Champion Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Fits Kueschall round-tube frames until build date 03/ 2020 | XX |
| Easy Life (fixed front frame only) | _ | Otto Bock Avantgarde CS/CLT Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset | XX |
| Easy Life R (fixed front frame only) | - | Otto Bock Motus CS Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset | XX |
| Easy 200 | - | Meyra Avanti Pro Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's | XX |
| Easy Max (fixed front frame only) | - | Meyra Hurricane Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's | XX |
| Neon (fixed front frame only) | - | Meyra Nano Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's | XX |
| Xenon/Xenon² (fixed front frame only) | - | Meyra Smart F Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo´s | XX |
| Argon ² | - | PRO ACTIV Traveler Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's | XX |
| Helium Helium with handbike axle is only approved with frame reinforecment kit for add-on bikes | - | PRO ACTIV Speedy Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's | XX |
| Nitrum Nitrum with handbike axle is only approved with frame reinforecment kit for add-on bikes | - | Progeo Joker Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's | XX |
| RGK Tiga Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's | XXX,- | TiLite TR, TRA | X |
| QS5 X (fixed front frame only) | _ | TiLite Aero T, Z, ZR, ZRA | XX |
| | | Panthera S2, S3, U2, U3, Build 4 me - different lead-times and discount structures | XX |
| | | Panthera U2 Light, U3 Light | X> |

Attitude manual adjustment and set-up




// ATTITUDE Manual with Standard fork: crank position range (adjustment via spacers in the upper docking clamp)

Attitude manual fork: Angle and depth adjustability



// ATTITUDE Manual / Hybrid crank position range with option ATT080035 "Fork, angle and depthadjustability of crank-position "



// Depth adjustability: 100mm (+/-50mm compared to standard fork) continuosly adjustable Angle adjustment: from 0° (parallel to the ground) to 28° continuosly adjustable

B4ME-Options




// Tetra operation for ATTITUDE Hybrid



// To move the pedal position 2 cm closer or up to 6 cm further

| ruci proce. | ss information | | |
|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|--|
| ATT090213 | ATTITUDE only - without a related wheelchair order | | |
| ATT090214 | ATTITUDE with wheelchair order - on a seperate wheelchair order form | | |
| FMG- MA03-3201- | B4Me option: Adaptation link -2 to + 6 cm | | |
| 01 | Build 4 me - different lead-times and discount structures | | |
| Vheelchair | front frame width - measured from outside front frame tube to outside front frame tube | : | |
| 260 mm | 380 mm | | |
| 280 mm | 400 mm | | |
| 300 mm | 420 mm | | |
| 320 mm | 440 mm | | |
| 340 mm | 460mm | | |
| 360 mm | | | |
| ork 🖒 | | • | |
| ATT080034 | Fork, Standard | - | |
| ATT080035 | Fork, angle and depth-adjustability of crank-position | XXX, | |
| yres 🕥 | | + | |
| ATT070104 | Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution | - | |
| ATT070110 | Tyre, pneumatic, tread, Mountainbike | _ | |
| ear and sh | fters | € | |
| ATT070045 | 10 speed casette with derailleur for Hybrid, Shifter, trigger | - | |
| FMG- MJ02-3187-01 | B4Me option: Tetraplegia operation for universal shifter Build4me - different lead-times and discount structures; only in combination with ATT070044 | - | |
| rank and h | andle - special length, widths and shapes via B4Me 🌀 | · · · · · · · · · · · · · · · · · · · | |
| ATT080022 | | | |
| | V-crank, standard (Length: 170 mm, Width: 470 mm) | _ | |
| ATT080023 | V-crank, standard (Length: 170 mm, Width: 470 mm) Handle, vertical, 10° angle, round, diameter 30 mm | - | |
| ATT080023 | | _ _ XXX, | |
| ATT080023 | Handle, vertical, 10° angle, round, diameter 30 mm | | |
| ATT080023 | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support | | |
| | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support | XXX, | |
| ATT080024 | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support Handle, vertical, 10° angle, round, diameter 40 mm | - XXX, XXX, XXX, - XXX, XXX, | |
| ATT080024 ATT080025 ATT080026 | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support Handle, vertical, 10° angle, round, diameter 40 mm Handle, vertical, 25° angle, oval, diameter 37 x 21 mm | XXX, | |
| ATT080024 ATT080025 ATT080026 | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support Handle, vertical, 10° angle, round, diameter 40 mm Handle, vertical, 25° angle, oval, diameter 37 x 21 mm Handle, vertical, 25° angle, oval, diameter 47 x 32 mm lisc-diameter 180 mm, parking brake: V-brake Brake, manual actuation | XXX, | |
| ATT080024 ATT080025 ATT080026 Disk brake- 0 ATT060050 | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support Handle, vertical, 10° angle, round, diameter 40 mm Handle, vertical, 25° angle, oval, diameter 37 x 21 mm Handle, vertical, 25° angle, oval, diameter 47 x 32 mm lisc-diameter 180 mm, parking brake: V-brake Brake, manual actuation not with gear hub, 8 speed, coaster brake | XXX, - XXX, XXX, | |
| ATT080024 ATT080025 ATT080026 Disk brake- | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support Handle, vertical, 10° angle, round, diameter 40 mm Handle, vertical, 25° angle, oval, diameter 37 x 21 mm Handle, vertical, 25° angle, oval, diameter 47 x 32 mm lisc-diameter 180 mm, parking brake: V-brake Brake, manual actuation not with gear hub, 8 speed, coaster brake Tyre, pneumatic, tread, Mountainbike | XXX, - XXX, XXX, | |
| ATT080024 ATT080025 ATT080026 Disk brake- 0 ATT060050 | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support Handle, vertical, 10° angle, round, diameter 40 mm Handle, vertical, 25° angle, oval, diameter 37 x 21 mm Handle, vertical, 25° angle, oval, diameter 47 x 32 mm lisc-diameter 180 mm, parking brake: V-brake Brake, manual actuation not with gear hub, 8 speed, coaster brake Tyre, pneumatic, tread, Mountainbike | XXX, - XXX, XXX, | |
| ATT080024 ATT080025 ATT080026 Disk brake- 0 ATT060050 | Handle, vertical, 10° angle, round, diameter 30 mm ATT080027 Quad, hand support ATT080028 Quad, arm support Handle, vertical, 10° angle, round, diameter 40 mm Handle, vertical, 25° angle, oval, diameter 37 x 21 mm Handle, vertical, 25° angle, oval, diameter 47 x 32 mm lisc-diameter 180 mm, parking brake: V-brake Brake, manual actuation not with gear hub, 8 speed, coaster brake Tyre, pneumatic, tread, Mountainbike ATT060102 Brake lever mounted to right handle | XXX, | |

Fork



// Fork for Attitude Manual, angle and depth-adjustability of crank-position

Tyres



// Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution



// Tyre, pneumatic, tread, Mountainhike

Shifter and handel



// Shifter, trigger



// Tetra operation



// Tyre, pneuma Handle, vertical, 10° angle, round, diameter 30 mm tic, tread, Big Apple



// Quad, hand support



// Quad, arm support



// Handle, vertical, 25° angle, oval

Disk brake



// Performance brake lever

| Battery - charg | er always included 🔘 | € |
|-----------------|---------------------------------------------------------|-------|
| ATT160020 | Battery, Lithium-ion, 16 Ah | - |
| ATT090088 | Additional battery, Lithium-ion, 16 Ah | - |
| ATT090091 | Additional charger, Hybrid | |
| | | 0 |
| Accessories | | € |
| ATT090074 | Front- & rear lamp | - |
| ATT090080 | Speedometer | _ |
| ATT090095 | Mudguard | XXX,- |
| ATT090067 | Rear view mirror | XXX,- |
| ATT090081 | Bottle holder | XXX,- |
| ATT090082 | Low rider carrier for saddle bags | XXX,- |
| ATT090024 | High pressure pump (0 - 11 bar) | XXX,- |
| ATT090084 | Additional weight, removable, 5 kg, to improve traction | XXX,- |
| ATT090085 | Bell | XXX,- |
| ATT090041 | Multitool | XXX,- |
| ATT090096 | Protection foil | XXX,- |

Chain guard Colours You can choose separate colours for the frame, the cranks and the chain guard. Frame Chain guard Crank Frame Chain guard Crank **02 Brilliant Silver** 29 Black ATT100102 ATT100802 ATT100902 ATT100129 ATT100829 ATT100829 03 Silver Matt ATT100103 ATT100803 ATT100903 31 Matt Black ATT100131 ATT100831 ATT100931 06 Sun Yellow ATT100106 ATT100806 ATT100906 32 Signal White ATT100132 ATT100832 ATT100932 14 Blue 33 Pink ATT100933 ATT100114 ATT100814 ATT100914 ATT100133 ATT100833 34 Dark Chocolate **15 Brilliant Marine** ATT100115 ATT100815 ATT100915 ATT100134 ATT100834 ATT100934 Metallic **16 Matt Marine** 35 Skyblue ATT100935 ATT100116 ATT100816 ATT100916 ATT100135 ATT100835 19 Brilliant Purple 36 Cyan-Metallic ATT100119 ATT100819 ATT100919 ATT100136 ATT100836 ATT100936 37 Marsred 21 Red Ruby ATT100121 ATT100821 ATT100921 ATT100137 ATT100837 ATT100937 (Orange) 22 Brilliant Red ATT100122 ATT100822 ATT100922 40 Kiwi ATT100140 ATT100840 ATT100840 41 Flamingo-23 Matt Red ATT100123 ATT100823 ATT100141 ATT100841 ATT100941 ATT100923 Glitter 24 Tutti Frutti ATT100124 ATT100824 **42 Matt Anthracite** ATT100142 ATT100842 ATT100942 ATT100924 Orange 27 Graphite-metal-ATT100127 ATT100827 46 Mamba Green ATT100146 ATT100846 ATT100946 ATT100927

| Sticker colours | | | |
|-----------------|-----------|--------|---|
| | ATT100550 | Black | - |
| | ATT100551 | Silver | _ |

Accessories



// Brake, backpedal actuation



// Mudguard, bolt on, black



// Multitool



// Rear view mirror



// Additional weight, removable, 5 kg, to increase traction




// Bell



// Bottle holder



// High pressure pump (0 - 11 bar)



// Low rider carrier for saddle bags





// Cc nnect Display cc nnects with your smartphone (download of neodrives app necessary) Records trip data such as average speed, maximum speed, trip distance, and total distance.

Comments

Please find some examples for already existing B4me options below:

FMG-MJ02-3187-02 - Tetra operation (ATTITUDE Hybrid)
FMG-MA03-3201-01 Adaptation link -2 to + 6 cm (ATTITUDE Manual, Hybrid & Power)



| ATTITUDE Manual | € |
|-------------------------------|-----------|
| Base Price | 00,000.00 |
| Total Of Additional Equipment | |
| Packaging And Transport | |
| Exclusive VAT | |
| VAT | |
| Total Price | |



Sunrise Medical GmbH

Kahlbachring 2-4 D-69254 Malsch/HD

Phone: +49 (0) 72 53 / 9 80-0 Fax: +49 (0) 72 53 / 9 80-222

E-Mail: kundenservice@sunrisemedical.de

www.SunriseMedical.eu