★ 密 遠 By Air



仅限货机 CAO





运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

危险品

样品名称: 锂离子电池组 HC-149 24V 10Ah 240Wh

Sample name: Li-ion Battery Pack HC-149 24V 10Ah 240Wh

委托单位: 金华市恒创新能源有限公司

Jinhua Hengchuang New Energy Co., LTD

生产单位: 金华市恒创新能源有限公司

Jinhua Hengchuang New Energy Co., LTD





上海化工院检测有限公司

SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.





Page 1/3

Hazard Classification and Identification Report for Transport of Goods

			畑本マムソガ				
		中文	锂离子电池组 HC-149	24V 10Ah 240Wh			
样品	品名称	Chinese					
Sampl	le Nar	ne					
		英文	Li-ion Battery Pack	HC-149 24V 10Ah 240Wh			
		English					
委托单位			金华市恒创新能源有限公司				
Applicant			Jinhua Hengchuang New Energy Co., LTD				
生产单位			金华市恒创新能源有限公司				
Manufacturer			Jinhua Hengchuang New Energy Co., LTD				
检验方法、程序			国际航空运输协会《危险品规则》65版				
Inspection method and procedure			IATA Dangerous Goods Regulations (DGR) 65th Edition				
	样	品外观	黑色塑胶外壳				
Sample appearance			Black Plastics cement shell				
	包装	件信息	/				
Pa	ckage	information	The state of the s				
序号		电池种类	型号	容量Capacity	放置方式	单颗重量kg	数量
NO.	-	Battery type	Model	/锂含量Li content	Placement	Unit weight	Quantity
1		E电锂离子电池组 pargeable Li-ion	HC-149	10Ah 240Wh	电池单独运输	1.43	10
	Keci	battery			Battery only	E.A.	
		1. 危险性识别(H	azards identificat:	ion)			
		杂项。					
		Miscellaneous.					
	_						
114	DENTI						
鉴	크	2. 空运按照国际	抗空运输协会《危险品	品规则》办理的类项(Suggestion according	ig to TATA I	OGR)
			nium ion batteries			-0	
定	AT	Class or Division	:9				
	0	UN Number:UN3480					
A.L.	0				Add to the control of		
结	ONCL				加工胜义		
	5	3. 包装要求(Pack	aging requirements	The second secon	XX NJ LOT 1	The state of the s	
论	US	安包装说明965第TA	部分要求办理。		The state of the s	-rot	
	USI ON	he article is pac	kaged according to the	e Packaging Instruction	on 965 section IA.	- STA	
		又限货机			B. B. M.	Z	
		argo Aircraft Onl	V		型型测关》	(A)	
		J OIII	J		(08) PH	3	
		检验日期:	2023-12-18 签发日期	1: 2000 10 10	生效日期:		1
		Inspection Date:	Issue Da	2023-12-18 te:	Effective Date: 2024-0	1-01	
b ···	/						
备注							
Comme	ent						

批准

Approver: Z

审核 Checker:

主检 Appraiser:



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

NO. 212400815946179 Page 2/3

	rage 2/3
序号	位
No.	Inspection results and other things
1	本鉴定书所述锂电池按照《危险品规则》(65版) 3.9.2.6.1(e)规定的质量管理体系进行制造。本鉴定书所述锂电池不属于因安全原因召回的锂电池。本鉴定书所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IA DGR 65th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer f safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipp for recycling or disposal.
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3 试验概要编号 The UN38.3 Test Summary No.(s) 812100000762169 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	锂电池必须完全封装在内包装内,位于坚固的外包装中。完成包装件必须满足II级包装的性能要求。 Lithium cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed i a strong outer packaging. The completed package must meet the Packing Group II performance requirements.
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须使用9类锂电池危险性标签(DGR图7.3.X)。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be labelled with the Class 9-Lithium Battery hazard label(Figure 7.3.X in IATA DGR). Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).
6	根据委托单位声明,本鉴定书所述锂离子电池交付运输时,其荷电状态必须不超过额定容量的30%。 According to the statement of the applicant, lithium ion cells and batteries listed in this report must be offered for transpor at a state of charge (SoC) not exceeding 30% of their rated capacity.
7	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (exiding as)
	solids) or Division 5.1 (oxidizers).


-St.

(8)

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

NO. 212400815946179
Page 3/3



报告结束