



## Customer Contact Details

Customer Name: \_\_\_\_\_

Advisor: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Ship to Customer Address: ☐

Shipping Name: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

## Additional Information

Notes: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Current Wheelchair: \_\_\_\_\_

Customer Weight: \_\_\_\_\_

Customer Height: \_\_\_\_\_

Customer Disability: \_\_\_\_\_

## Other

**Guide:**

☒ Base product

☐ Required option

☐ Optional Extra

Critical Information

Information Needed

PRODUCT STYLE

☒ **ECAXZ010 ELITE CX**  
**ELITE CX**

☐ XA600 Heat treated frame  
**Heat treated frame**

☐ ECAXA062 Standard  
**Standard**

☐ ECAXA063 Standard with 25mm seatrail  
**Standard with 25mm seatrail**

**Max User Weight 125kg (275lbs)**

**PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM**

CAD APPROVAL

☐ XW009 QUOTE ONLY (NO CAD FOR APPROVAL)  
**QUOTE ONLY (NO CAD FOR APPROVAL)**

☐ XW012 QUOTE CAD drawing for approval  
**QUOTE CAD drawing for approval**

☐ XW011 ORDER (NO CAD FOR APPROVAL)  
**ORDER (NO CAD FOR APPROVAL)**

☐ XW010 ORDER CAD drawing for approval  
**ORDER CAD drawing for approval**

(2 amendments ONLY)

KEY FRAME MEASUREMENTS

☒ XY010 Seat width (Inside to inside of sideguards)  
**Seat width**

mm

(Max - 390mm)  
(Min=270mm)

Select CX shell width (optional)  
**Select CX shell width (optional)**

☐ A-330mm XY010 = 270-315  
  
☐ B-355mm XY010 = 295-340

☐ C-380mm XY010 = 320-365  
  
☐ D-405mm XY010 = 345-390

Hard foam will be used to get Seat width  
**Hard foam will be used to get Seat width**

Note: CX Shell Seat Taper  
**Note: CX Shell Seat Taper**

Seat Taper	Seat length (mm)				
	250	300	350	400	
330	305	280	255	230	
355	330	305	280	255	
380	355	330	305	280	
405	380	355	330	305	

☒ XY020 Seat length  
**Seat length**

mm

Std = 20mm less than seat upholstery  
**Std = 20mm less than seat upholstery**  
(Max - 500mm)

☐ XY030 Extra seat length (Provides additional leg support & hand grip)  
**Extra seat length**

mm

☒ ECAXY050 Front seat height (Floor to middle of seat without cushion)  
**Front seat height**

mm

(Max - 630mm)  
(Min - 360mm)

☒ ECAXY060 Rear seat height (Floor to middle of seat without cushion)  
**Rear seat height**

mm

(Max - 630mm)  
(Min - 360mm)

☒ XY070 Frame length  
**Frame length**

mm

(Min = XY020 + XY030 + 140mm)

orders@rgkwheelchairs.com


2 of 8

RGK\_ELITE-CX\_01.01.2024\_V1\_NOTES\_ENGLISH

## FRONT FRAME

- ☐ XY080 Seat taper design  
Seat taper design

☐ Specify taper width  
mm



## FOOTREST

### Footrest Type

- ☒ ECAXB080 Fixed position footrest  
Fixed position footrest

- ☐ ECAXB145 Multi position footrest tubes  
Multi position footrest tubes



### Footrest Measurements


- ☐ Front footrest height  
Front footrest height  
mm (min = 35mm)




- ☐ Rear footrest height  
Rear footrest height  
mm (min = 35mm)




- ☐ Footrest width  
Footrest width  
mm (Std = 200mm)



- ☐ Footrest length  
Footrest length  
mm (Std = 250mm)



- ☐ Footrest position (front of footplate to castor pot)  
Footrest position (front of footplate to castor pot)  
mm



### Footrest Plate

- ☐ XB190 Carbon fibre footplate  
Carbon fibre footplate

- ☐ XB100 ABS moulded foot tray  
ABS moulded foot tray  
Specify length  
mm Max = 380mm (Full)  
Std = 330mm

- ☐ ECAXB140 Spacer kit (Allows for 25mm increase in height)  
Spacer kit (Allows for 25mm increase in height)

### Footrest Plate Options

- ☐ XB240 Aluminium raised edges (Cost per Edge)  
Aluminium raised edges (Cost per Edge)  
☐ Front ☐ Back ☐ Left ☐ Right  
Front Back Left Right  
Specify height  
mm (Max = 60mm)


- ☐ XB250 Carbon Fibre raised edge (1 side only)  
Carbon Fibre raised edge (1 side only)  
☐ Front ☐ Back  
Front Back  
Specify height  
mm (Max = 45mm)

### Castor Pin Width

- ☒ XY330 Castor pin width  
Castor pin width  
mm MAX 320mm





- ☐ Optimise measurements  
Optimise measurements



## CAMBER BAR, WING AND ANTI-TIP


### Centre of Gravity and Camber Angle



**ECAXY510** Fixed centre of gravity  
 Fixed centre of gravity  
 Specify measurement  
 mm




XY390 Camber angle  
Camber angle 18 20

Wing Options (Choose one)


 ECAXA110 Round design basketball wing  
Round design basketball wing


 ECAXA120 Straight sided design basketball wing  
Straight sided design basketball wing



ECAXA125 Arrow design basketball wing  
Arrow design basketball wing




 ECAXA120 Straight sided design basketball wing  
Straight sided design basketball wing



Anti-tip options (Choose one)

☐ ECAXJ040    Single fixed anti tip  
Single fixed anti tip

 ECAXJ060 Double fixed anti tip  
Double fixed anti tip


## CX SIDES

## Side Measurements

Sideguard height  
Sideguard height  
(std = 150mm)(follow tyre)(Max = 180)




Backrest depth  
Backrest depth  
(std = 120mm)(Max = 150)



### Individual Shape

## BACKREST

Backrest Height (Choose One)


**XY230** Fixed backrest height  
 Fixed backrest height  
 Specify height

Backrest depth **top** (distance from front of back post to middle of upholstery)  
Backrest depth **top** (distance from front of back post to middle of upholstery)


mm

Backrest depth **bottom** (distance from front of back post to middle of upholstery)  
Backrest depth **bottom** (distance from front of back post to middle of upholstery)

mm

Note: Take measurement from existing chair

Note: Take measurement from existing chair



## CASTOR AND REAR WHEELS





## Castor Options

- |                                                                                                                  |                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> XC160 Sport 61mm castor<br><b>Sport 61mm castor</b><br><i>(Black)</i><br><b>(Black)</b> | <input type="checkbox"/> XC181 Bones Reds bearings<br><b>Bones Reds bearings</b><br><i>(All castor bearings)</i><br><b>(All castor bearings)</b>                   |
| <input type="checkbox"/> XC200 Sport micro fork<br><b>Sport micro fork</b>                                       | <input type="checkbox"/> XC182 Bones Swiss Ceramic bearings<br><b>Bones Swiss Ceramic bearings</b><br><i>(All castor bearings)</i><br><b>(All castor bearings)</b> |

## Rear Wheel Size

- |                                                                |                                                                |                                                                |                                                                  |
|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------------|
| <input type="checkbox"/> XY420 24" Wheels<br><b>24" Wheels</b> | <input type="checkbox"/> XY430 25" Wheels<br><b>25" Wheels</b> | <input type="checkbox"/> XY440 26" Wheels<br><b>26" Wheels</b> | <input type="checkbox"/> XY450 700C Wheels<br><b>700C Wheels</b> |
|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------------|

## Rear Wheel Gap

- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                   |                                                                                                                                                                                                                                                                             |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <input type="checkbox"/> XY460 Rear wheel gap<br><b>Rear wheel gap</b><br> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin: 0 5px;">15</div> <div style="border: 1px solid black; padding: 2px; margin: 0 5px;">20</div> <div style="border: 1px solid black; padding: 2px; margin: 0 5px;">25</div> <div style="border: 1px solid black; padding: 2px; margin: 0 5px;">30</div> </div> <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div> |  | <input type="checkbox"/> XY470 Inside to inside of wheel<br><b>Inside to inside of wheel</b><br> <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div> |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

## Rear Wheel Options

- |                                                                                                        |                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> XK080 Spinerger SLX 24 spoke<br><b>Spinerger SLX 24 spoke</b>                 | <input type="checkbox"/> XK330 Spinerger SLX R10 heavy duty 24 spoke<br><b>Spinerger SLX R10 heavy duty 24 spoke</b><br><b>(18 deg camber only)</b><br><b>(18 deg camber only)</b> |
| <input type="checkbox"/> XK101 Spinerger XSLX 24 spoke + Caps<br><b>Spinerger XSLX 24 spoke + Caps</b> | <input type="checkbox"/> XK521 Spinerger Ceramic bearing upgrade<br><b>Spinerger Ceramic bearing upgrade</b>                                                                       |


Spinerger Colour Options: 

- |                                                                |                                                                |                                                                |                                                                                                                     |
|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> Black spokes<br><b>Black spokes</b>   | <input type="checkbox"/> White spokes<br><b>White spokes</b>   | <input type="checkbox"/> Yellow spokes<br><b>Yellow spokes</b> | <input type="checkbox"/> XK180 Individual spoke design<br><b>Individual spoke design</b><br><i>(Specify colour)</i> |
| <input type="checkbox"/> Red spokes<br><b>Red spokes</b>       | <input type="checkbox"/> Blue spokes<br><b>Blue spokes</b>     | <input type="checkbox"/> Pink spokes<br><b>Pink spokes</b>     | <b>Individual spoke design</b><br><i>(Specify colour)</i>                                                           |
| <input type="checkbox"/> Purple spokes<br><b>Purple spokes</b> | <input type="checkbox"/> Orange spokes<br><b>Orange spokes</b> | <input type="checkbox"/> Green spokes<br><b>Green spokes</b>   | Inside: _____<br>Inside: _____<br>Outside: _____<br>Outside: _____                                                  |

## Spinerger Anodise Options

- |                                                                                                            |                                                                      |                                                                      |
|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| <input type="checkbox"/> XK190 Black hub<br><b>Black hub</b><br><i>(std option)</i><br><b>(std option)</b> | <input type="checkbox"/> XK200 Silver hub<br><b>Silver hub</b>       | <input type="checkbox"/> XK201 Red hub/rims<br><b>Red hub/rims</b>   |
| <input type="checkbox"/> XK202 Purple hub/rims<br><b>Purple hub/rims</b>                                   | <input type="checkbox"/> XK203 Blue hub/rims<br><b>Blue hub/rims</b> | <input type="checkbox"/> XK204 Gold hub/rims<br><b>Gold hub/rims</b> |

## Supply Without Wheels

- |                                                                                                                  |                                                                                                                                                                          |                                                                                     |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <input type="checkbox"/> XK040 Supply without Wheels and Axle Pins<br><b>Supply without Wheels and Axle Pins</b> |  Wheel Type: <div style="border: 1px solid black; width: 150px; height: 20px;"></div> | Tyre Type: <div style="border: 1px solid black; width: 150px; height: 20px;"></div> |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

## Handrim Position / Options

- |                                                                                                                                                                                            |                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> XY480 Narrow set handrim<br><b>Narrow set handrim</b>                                                                                                             | <input type="checkbox"/> XY485 Wide set handrim<br><b>Wide set handrim</b>                                                                                                                                   |
| <input type="checkbox"/> XL090 Remove excess mounting tabs<br><b>Remove excess mounting tabs</b><br><i>(recommended for small wheel gaps)</i><br><b>(recommended for small wheel gaps)</b> | <input type="checkbox"/> XL080 Super narrow set handrim<br><b>Super narrow set handrim</b><br><i>(only with XL010 and XL070 and includes XL090)</i><br><b>(only with XL010 and XL070 and includes XL090)</b> |

## Handrim Style

- |                                                                                                                                                                    |                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> XL010 Aluminium hard anodised 6 tab<br><b>Aluminium hard anodised 6 tab</b>                                                               | <input type="checkbox"/> XL040 Titanium 6 tab<br><b>Titanium 6 tab</b><br><b>(Not with 700C)</b><br><b>(Not with 700C)</b> |
| <input type="checkbox"/> XL070 Aluminium hard anodised 12 tab<br><b>Aluminium hard anodised 12 tab</b><br><b>(24" not available)</b><br><b>(24" not available)</b> | <input type="checkbox"/> XL050 Stainless steel 6 tab<br><b>Stainless steel 6 tab</b>                                       |



## Tyre Options

- |                                                                                                                                                                                        |                                                                                                            |                                              |                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> XM070 Kenda Kaliente<br><b>Kenda Kaliente</b>                                                                                                                 | <input type="checkbox"/> Red<br><b>Red</b>                                                                 | <input type="checkbox"/> Blue<br><b>Blue</b> | <input type="checkbox"/> XM080 Tufo MS3 tubeless<br><b>Tufo MS3 tubeless</b><br><b>(Blue only)</b><br><b>(Blue only)</b> |
| <input type="checkbox"/> XM150 IRC Exeracer Pro<br><b>IRC Exeracer Pro</b><br><b>(Red Only)</b><br><b>(Red Only)</b>                                                                   | <input type="checkbox"/> XM095 Kenda Wide<br><b>Kenda Wide</b><br><b>(Grey Only)</b><br><b>(Grey Only)</b> |                                              |                                                                                                                          |
| <input type="checkbox"/> XM096 Schwalbe Dunk King<br><b>Schwalbe Dunk King</b><br><i>(not available with Spinerger 28" (700C))</i><br><i>(not available with Spinerger 28" (700C))</i> |                                                                                                            |                                              |                                                                                                                          |

## Spare Wheel

- |                                                                                                                                                         |                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> ECAXK500 Spare wheel Spinerger<br><b>Spare wheel Spinerger</b><br><i>(Built up + axle pin)</i><br><i>(Built up + axle pin)</i> | <input type="checkbox"/> XK523 Spare wheel upcharge - Individual Hubs/Rims<br><b>Spare wheel upcharge - Individual Hubs/Rims</b>       |
| <input type="checkbox"/> XK520 Spare wheel upcharge - Titanium Rims<br><b>Spare wheel upcharge - Titanium Rims</b>                                      | <input type="checkbox"/> XK524 Spare wheel upcharge - Individual Spoke Colour<br><b>Spare wheel upcharge - Individual Spoke Colour</b> |
| <input type="checkbox"/> XK522 Spare wheel upcharge - Remove Excess Tabs<br><b>Spare wheel upcharge - Remove Excess Tabs</b>                            | <input type="checkbox"/> XK526 Spare wheel upcharge - R10 Hub<br><b>Spare wheel upcharge - R10 Hub</b>                                 |

## Inner Tube Valve Options

- |                                                                                                |                                                                                     |                                                                                                                                                                                |                                                                                       |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <input type="checkbox"/> XY500 Schraeder inner tube valve<br><b>Schraeder inner tube valve</b> |  | <input type="checkbox"/> XY490 Presta inner tube valve<br><b>Presta inner tube valve</b><br><b>(Standard if no option selected)</b><br><b>(Standard if no option selected)</b> |  |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

## FINISH OPTIONS

### Frame finish

☐ XN010 Powder coated frame  
Powder coated frame

Frame

Gloss

Frame

Matt

Frame

Special

- ☐ Black gloss 103
- ☐ White gloss 100
- ☐ Grey gloss 132
- ☐ Cream gloss 135
- ☐ Red gloss 108
- ☐ Yellow gloss 120
- ☐ Forest green gloss 143
- ☐ Green gloss 107
- ☐ Dark blue gloss 151
- ☐ Royal blue gloss 154
- ☐ Blue gloss 174
- ☐ Duckegg blue gloss 141
- ☐ Pink gloss 188
- ☐ Orange gloss 180
- ☐ Purple gloss 157

- ☐ Black matt 105
- ☐ White matt 101
- ☐ Grey matt 131
- ☐ Light grey matt 133
- ☐ Navy blue matt 152

- ☐ Chrome Mirror 300
- ☐ Sparkle silver 170
- ☐ Metallic black matt 104
- ☐ Metallic grey matt 130
- ☐ Black sandpaper 201
- ☐ Grey sandpaper 202
- ☐ White sandpaper 200

☐ ECAXN030 Brushed frame  
(All parts black unless XN160 chosen)

☐ ECAXN050 Polished frame  
(All parts black unless XN170 chosen)

### Accent Colour

**Note:** Accent colour includes, forks, castor caps, and decals.

- ☐ Black accent  
Black accent
- ☐ Silver accent  
Silver accent
- ☐ Red accent  
Red accent
- ☐ Blue accent  
Blue accent
- ☐ Purple accent  
Purple accent

## CUSHION

Cushion foam options

- ☐ XP200 CX seat and backrest upholstery  
CX seat and backrest upholstery

Seat cushion foam thickness  
Seat cushion foam thickness

7mm ☐ 10mm ☐ 25mm ☐ 50mm ☐ Individual thickness

Backrest foam thickness  
Backrest foam thickness

7mm ☐ 10mm ☐ 25mm ☐ 50mm ☐ Individual thickness

Indicate Max Height:  
Indicate Max Height:

☐ 580mm ☐ 630mm

Seat cushion foam type  
Seat cushion foam type

Soft ☐ Med ☐ Plastazote (Hard) ☐  
Soft ☐ Med ☐ Plastazote (Hard) ☐

Backrest foam type  
Backrest foam type

Soft ☐ Med ☐ Plastazote (Hard) ☐  
Soft ☐ Med ☐ Plastazote (Hard) ☐



## STRAPPING

## Velcro straps

- ☐ XS050 100mm Pro adjustable velcro strap  
100mm Pro adjustable velcro strap
- ☐ XS055 50mm Pro adjustable velcro strap  
50mm Pro adjustable velcro strap
- ☐ XS057 50mm Pro adjustable velcro **Knee** strap  
(measurement from tube to tube over knees)  
50mm Pro adjustable velcro **Knee** strap

## Velcro strap position



☐ Strap 1 Type

Specify strap length  mm

Specify distance from back post  mm

☐ Strap 2 Type

Specify strap length  mm

Specify distance from back post  mm

## Ratchet Straps

- ☐ XS020 Sport ratchet strap (Click strap) *(11" x 2" pad)*  
Sport ratchet strap (Click strap) *(11" x 2" pad)*
- ☐ XS021 Sport ratchet strap (Single)  
Sport ratchet strap (Single)
- ☐ XS025 Pelvi Loc 2DA ratchet strap *(For thighs and knees)*  
Pelvi Loc 2DA ratchet strap

Select size:

- ☐ Medium (12") ☐ Large (14")  
Medium (12") Large (14")
- ☐ XS030 Pelvi Loc 3DA ratchet strap *(For hips)*  
Pelvi Loc 3DA ratchet strap
- Select size:
- ☐ XS (8") ☐ S (12") ☐ M (14") ☐ L (17")  
XS (8") S (12") M (14") L (17")

- ☐ XS035 M2 ratchet strap *(For thighs and knees)*  
M2 ratchet strap *(For thighs and knees)*



- ☐ 8" ☐ 10" ☐ 12"  
8" 10" 12"

- ☐ XS036 M2 ratchet strap (Single) *(For Feet)*  
M2 ratchet strap (Single) *(For Feet)*

- ☐ 8" ☐ 10" ☐ 12"  
8" 10" 12"

## Ratchet strap position

☐ Strap 1 Type

Specify distance from back post  mm

Specify distance from back post  mm

☐ XS040 Fixed mounting points *(one set per click strap)*  
Fixed mounting points

☐ x1 ☐ x2 ☐ x3

## FRAME OPTIONS

- ☐ XR060 Calf strap mounting loops  
Calf strap mounting loops

- ☐ XR065 Strap location loops  
Strap location loops

## ACCESSORIES

- ☐ XR030 Triple wheel bag *(Black)*  
Triple wheel bag *(Black)*

- ☐ XP130 Frame protectors full length  
Frame protectors full length

- ☐ XA150 Plastic tube fitted to offensive wing  
Plastic tube fitted to offensive wing

- ☐ XS070 Foot strap *(select if required)*  
Foot strap

- ☐ XS060 Calf strap *(select if required)*  
Calf strap

- ☐ XP400 Back bar protector  
Back bar protector

- ☐ XR090 Tool kit  
Tool kit

### ADDITIONAL NOTES

**SPEC NOTES:**

**OFF SPEC REQUEST\***

(please specify below the page number(s) and details to which the off spec request applies.

☐

**OFF SPEC REQUEST**

**APPROVED** (for internal  
RGK office only)

	<b>X</b>
--	----------

RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.\*