

SERIAL NO: _____



Customer Contact Details

Customer Name: _____ Advisor: _____ Address: _____ _____ _____ Phone: _____ Email: _____	Ship to Customer Address: <input type="checkbox"/> Shipping Name: _____ Shipping Address: _____ _____ _____ Phone: _____ Email: _____
--	---

Additional Information

Notes: _____ _____ _____ _____	Current Wheelchair: _____ Customer Weight: _____ Customer Height: _____ Customer Disability: _____
---	---

Other

<p>VAT Exemption Declaration (UK Only):</p> <p>I declare that I am chronically sick or disabled by reason of:</p> <p>_____</p> <p>and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.</p> <p>Signature: _____ Date: _____</p>	<p>RGK Contact Authorisation:</p> <p>From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.</p> <p>I would like to be contacted by RGK: <input type="checkbox"/></p> <p>Signature: _____ Date: _____</p>
--	---

SERIAL NO: _____

Guide: ● Base product ■ Required option □ Optional Extra ⚠ Critical Information ⓘ Information Needed

PRODUCT STYLE

● GCAXZ010 GRANDSLAM CX

Max User Weight 125kg (275lbs)

PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM

CAD APPROVAL

XW009 QUOTE ONLY (NO CAD FOR APPROVAL)

XW012 QUOTE CAD drawing for approval
(2 customer amendments ONLY)

XW011 ORDER (NO CAD FOR APPROVAL)

XW010 ORDER CAD drawing for approval
(2 customer amendments ONLY)

KEY FRAME MEASUREMENTS

■ XY010 Seat width (*Inside to inside of sideguards*)

mm

(Max - 390mm)

(Min=270mm)

Select CX shell width (optional)

A-330mm XY010 = 270-315

C-380mm XY010 = 320-365

B-355mm XY010 = 295-340

D-405mm XY010 = 345-390

Hard foam will be used to get Seat width

■ XY020 Seat length

mm

(Max - 500mm)

XY030 Extra seat length
(not required with Knee support)

mm

■ GCAXY050 Front seat height (*Floor to middle of seat without cushion*)

mm

(Max - 630mm)

(Min - 360mm)

■ GCAXY060 Rear seat height (*Floor to middle of seat without cushion*)

mm

(Max - 630mm)

(Min - 360mm)

■ XY070 Frame length

mm

(Min = XY020 + XY030 + 140mm)

Note: CX Shell Seat Taper


Seat Taper	Seat length (mm)			
	250	300	350	400
330	305	280	255	230
355	330	305	280	255
380	355	330	305	280
405	380	355	330	305

FRONT FRAME

XY080 Seat taper design

i Specify taper width

mm




Knee support options

XA200 Knee support ratchet system
*(Tubes on the **outside** as std)*

i Specify length

mm



XA203 Carbon fibre shin pads
(Includes 7mm hard padding)

XA204 Extra padding for shin pads

i Specify padding thickness

mm

Specify padding density

Medium Hard

FOOTREST**Footrest Type**

GCAXB080 Fixed position footrest

Footrest Measurements

Front footrest height

mm (min = 35mm)



Footrest width

mm (Std= 200mm)



Rear footrest height

mm (min = 35mm)



Footrest length

mm (Std = 250mm)



Footrest position
(front of footplate to castor pot)

mm



Footrest Plate

XB190 Carbon fibre footplate

GCAXB140 Spacer kit
(Allows for 25mm increase in height)

XB100 ABS moulded foot tray

Specify length

i mm

Max = 380mm (Full)
Std = 330mm

Footrest Plate Options

XB240 Aluminium raised edges
(Cost per Edge)

Front Back Left Right

Specify height

(Max = 60mm)

XB250 Carbon Fibre raised edge
(1 side only)

Front Back

Specify height

(Max = 45mm)

Castor Pin Width






XY330 Castor pin width

! mm

Optimise measurements



CAMBER BAR AND ANTI-TIP	
Centre of Gravity and Camber Angle	
<p><input checked="" type="checkbox"/> GCAXY510 Fixed centre of gravity</p> <p style="margin-left: 20px;"><i>Specify measurement</i></p> <div style="display: flex; align-items: center;"> <input style="width: 100px; height: 20px; border: 1px solid black;" type="text"/> mm </div>	<p><input checked="" type="checkbox"/> XY390 Camber angle</p> <div style="display: flex; align-items: center;"> <div style="display: flex; gap: 10px;"> <input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22 </div> </div>
<p style="text-align: center;">XY510</p>	
Anti-tip options (Choose one)	
<p><input checked="" type="checkbox"/> GCAXJ040 Single fixed anti tip</p> <p style="margin-left: 20px;"><i>Specify distance behind rear wheel</i></p> <div style="display: flex; align-items: center;"> <input style="width: 100px; height: 20px; border: 1px solid black;" type="text"/> mm (Std = 100mm) </div>	
CX SIDES	
Side Measurements	
<p><input type="checkbox"/> Sideguard height <i>(std = 150mm)(follow tyre)(Max = 180)</i></p> <div style="display: flex; align-items: center;"> <input style="width: 100px; height: 20px; border: 1px solid black;" type="text"/> mm </div>	<p><input type="checkbox"/> Backrest depth <i>(std = 150mm)(Max =)</i></p> <div style="display: flex; align-items: center;"> <input style="width: 100px; height: 20px; border: 1px solid black;" type="text"/> mm </div>
Individual Shape	
<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid #ccc; width: 45%; height: 80px; background-image: linear-gradient(to right, #ccc 1px, transparent 1px), linear-gradient(to bottom, #ccc 1px, transparent 1px); background-size: 20px 20px;"></div> <div style="border: 1px solid #ccc; width: 45%; height: 80px; background-image: linear-gradient(to right, #ccc 1px, transparent 1px), linear-gradient(to bottom, #ccc 1px, transparent 1px); background-size: 20px 20px;"></div> </div>	
BACKREST	
Backrest Height (Choose One)	
<p><input checked="" type="checkbox"/> XY230 Fixed backrest height</p> <p style="margin-left: 20px;"><i>Specify height</i></p> <div style="display: flex; align-items: center;"> <input style="width: 100px; height: 20px; border: 1px solid black;" type="text"/> mm </div>	<p><input checked="" type="checkbox"/> Backrest depth top <i>(distance from front of back post to middle of upholstery)</i></p> <div style="display: flex; align-items: center;"> <input style="width: 100px; height: 20px; border: 1px solid black;" type="text"/> mm </div>
<p><input checked="" type="checkbox"/> Backrest depth bottom <i>(distance from front of back post to middle of upholstery)</i></p> <div style="display: flex; align-items: center;"> <input style="width: 100px; height: 20px; border: 1px solid black;" type="text"/> mm </div>	<p><i>Note: Take measurement from existing chair</i></p>

CASTOR AND REAR WHEELS	
Castor Options	
<input type="checkbox"/> XC160 Sport 61mm castor <i>(Std, Black)</i>	<input type="checkbox"/> XC181 Bones Reds bearings <i>(All castor bearings)</i>
<input type="checkbox"/> XC170 Sport 72mm castor <i>(Black)</i>	<input type="checkbox"/> XC182 Bones Swiss Ceramic bearings <i>(All castor bearings)</i>
Rear Wheel Size	
<input type="checkbox"/> XY420 24" Wheels	<input type="checkbox"/> XY430 25" Wheels
<input type="checkbox"/> XY440 26" Wheels	<input type="checkbox"/> XY450 700C Wheels
Rear Wheel Gap	
<input type="checkbox"/> XY460 Rear wheel gap 	<input type="checkbox"/> XY470 Inside to inside of wheel 
 <div style="display: flex; justify-content: space-around; width: 100px;"> 15 20 25 30 </div> <div style="border: 1px solid black; width: 100px; height: 15px; margin-top: 5px;"></div> <p style="font-size: 8px; margin-top: 2px;">Individual mm</p>	OR
<div style="border: 1px solid black; width: 100px; height: 15px; margin: 0 auto;"></div> <p style="font-size: 8px; margin-top: 2px;">mm</p>	
Rear Wheel Options	
<input type="checkbox"/> XK080 Spinerger SLX 24 spoke	<input type="checkbox"/> XK521 Spinerger Ceramic bearing upgrade
<input type="checkbox"/> XK100 Spinerger XSLX 24 spoke	
Spinerger Colour Options: 	
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes
<input type="checkbox"/> Yellow spokes	<input type="checkbox"/> Pink spokes
<input type="checkbox"/> Green spokes	<input type="checkbox"/> XK180 Individual spoke design <i>(Specify colour)</i>
Inside: _____ Outside: _____	
Spinerger Anodise Options	
<input type="checkbox"/> XK190 Black hub <i>(std option)</i>	<input type="checkbox"/> XK200 Silver hub
<input type="checkbox"/> XK202 Purple hub/rims	<input type="checkbox"/> XK203 Blue hub/rims
<input type="checkbox"/> XK201 Red hub/rims	<input type="checkbox"/> XK204 Gold hub/rims
<input type="checkbox"/> XK205 Individual hub/rims Select colour: _____	
Supply Without Wheels	
<input type="checkbox"/> XK040 Supply without Wheels	 <div style="display: flex; justify-content: space-between; width: 100%;"> <div style="border: 1px solid black; width: 150px; height: 20px; margin: 0 auto;"></div> <div style="border: 1px solid black; width: 150px; height: 20px; margin: 0 auto;"></div> </div>
Wheel Type: _____ Tyre Type: _____	
Handrim Position / Options	
<input type="checkbox"/> XY480 Narrow set handrim	<input type="checkbox"/> XY485 Wide set handrim
<input type="checkbox"/> XL090 Remove excess mounting tabs <i>(recommended for small wheel gaps)</i>	
Handrim Style	
<input type="checkbox"/> XL010 Aluminium hard anodised 6 tab	<input type="checkbox"/> XL040 Titanium 6 tab (Not with 700C)
<input type="checkbox"/> XL130 Aluminium hard anodised 6 tab Painted <i>(Select Colour)</i>	<input type="checkbox"/> XL100 Para grip 6 tab (Not with 700C)
<input type="checkbox"/> XL070 Aluminium hard anodised 12 tab (24" not available)	<input type="checkbox"/> XL020 Tetra Grip 6 tab
Tyre Options	
<input type="checkbox"/> XM070 Kenda Kaliente	<input type="checkbox"/> XM080 Tufo MS3 tubeless <i>(Blue only)</i>
<input type="checkbox"/> XM150 IRC Exeracer Pro <i>(Red Only)</i>	<input type="checkbox"/> XM095 Kenda Wide (Grey Only)
<input type="checkbox"/> Red <input type="checkbox"/> Blue	
Spare Wheel	
<input type="checkbox"/> GCAXK500 Spare wheel Spinerger <i>(Built up + axle pin)</i>	<input type="checkbox"/> XK523 Spare wheel upcharge - Individual Hubs/Rims
<input type="checkbox"/> XK520 Spare wheel upcharge - Titanium Rims	<input type="checkbox"/> XK524 Spare wheel upcharge - Individual Spoke Colour
<input type="checkbox"/> XK522 Spare wheel upcharge - Remove Excess Tabs	
Inner Tube Valve Options	
<input type="checkbox"/> XY500 Schraeder inner tube valve	<input type="checkbox"/> XY490 Presta inner tube valve <i>(Standard if no option selected)</i>

FINISH OPTIONS

Frame finish

XN010 Powder coated frame

<i>Frame</i> <u>Gloss</u>	<i>Frame</i> <u>Matt</u>	<i>Frame</i> <u>Special</u>
<input type="checkbox"/> Black gloss 103	<input type="checkbox"/> Black matt 105	<input type="checkbox"/> Chrome Mirror 300
<input type="checkbox"/> White gloss 100	<input type="checkbox"/> White matt 101	<input type="checkbox"/> Sparkle silver 170
<input type="checkbox"/> Grey gloss 132	<input type="checkbox"/> Grey matt 131	<input type="checkbox"/> Metallic black matt 104
<input type="checkbox"/> Cream gloss 135	<input type="checkbox"/> Light grey matt 133	<input type="checkbox"/> Metallic grey matt 130
<input type="checkbox"/> Red gloss 108	<input type="checkbox"/> Navy blue matt 152	<input type="checkbox"/> Black sandpaper 201
<input type="checkbox"/> Yellow gloss 120		<input type="checkbox"/> Grey sandpaper 202
<input type="checkbox"/> Forest green gloss 143		<input type="checkbox"/> White sandpaper 200
<input type="checkbox"/> Green gloss 107		
<input type="checkbox"/> Dark blue gloss 151		
<input type="checkbox"/> Royal blue gloss 154		
<input type="checkbox"/> Blue gloss 174		
<input type="checkbox"/> Duckegg blue gloss 141		
<input type="checkbox"/> Pink gloss 188		
<input type="checkbox"/> Orange gloss 180		
<input type="checkbox"/> Purple gloss 157		

XN200 Individual paint colour (State Colour/RAL code)
 €165,00

GCAXN030 Brushed frame
 GCAXN050 Polished frame

Accent Colour

Note: Accent colour includes, forks, castor caps, and logo decals.

<input type="checkbox"/> Black accent	<input type="checkbox"/> Silver accent	<input type="checkbox"/> XN250 Individual accent
<input type="checkbox"/> Red accent	<input type="checkbox"/> Blue accent	Select Colour:
<input type="checkbox"/> Purple accent	<input type="checkbox"/> Carbon accent <i>(caps only, otherwise black)</i>	

UPHOLSTERY AND CUSHION	
CX Options	
<p><input type="checkbox"/> XP200 CX seat and backrest upholstery</p> <p>Seat cushion foam thickness</p> <p> <input type="checkbox"/> 7mm <input type="checkbox"/> 10mm <input type="checkbox"/> 25mm <input type="checkbox"/> 50mm <input type="text" value="Custom thickness"/> </p> <p>Backrest foam thickness</p> <p> <input type="checkbox"/> 7mm <input type="checkbox"/> 10mm <input type="checkbox"/> 25mm <input type="checkbox"/> 50mm <input type="text" value="Custom thickness"/> </p> <p>Indicate Max Height:</p> <p> <input type="checkbox"/> 580mm <input type="checkbox"/> 630mm </p>	<p>Seat cushion foam type</p> <p> <input type="checkbox"/> Soft <input type="checkbox"/> Med <input type="checkbox"/> Plastazote (Hard) </p> <p>Backrest foam type</p> <p> <input type="checkbox"/> Soft <input type="checkbox"/> Med <input type="checkbox"/> Plastazote (Hard) </p>
STRAPPING	
<p style="text-align: center; font-size: small;">Velcro straps</p> <p><input type="checkbox"/> XS050 100mm Pro adjustable velcro strap</p> <p><input type="checkbox"/> XS055 50mm Pro adjustable velcro strap</p> <p><input type="checkbox"/> XS057 50mm Pro adjustable velcro Knee strap <i>(measurement from tube to tube over knees)</i></p>	<p style="text-align: center; font-size: small;">Ratchet Straps</p> <p><input type="checkbox"/> XS020 Sport ratchet strap (Click strap) <i>(11" x 2" pad)</i></p> <p><input type="checkbox"/> XS021 Sport ratchet strap (Single)</p> <p><input type="checkbox"/> XS025 Pelvi Loc 2DA ratchet strap <i>(For thighs and knees)</i></p> <p><input type="checkbox"/> XS030 Pelvi Loc 3DA ratchet strap <i>(For hips)</i></p> <p><input type="checkbox"/> XS035 M2 ratchet strap <i>(For thighs and knees)</i></p> <p><input type="checkbox"/> XS036 M2 ratchet strap (Single) <i>(For Feet)</i></p>
Velcro strap position	
<p><input type="checkbox"/> Strap 1 <input type="text" value="Type"/></p> <div style="display: flex; justify-content: space-around;"> </div> <p>Specify strap length <input type="text" value="mm"/> Specify distance from back post <input type="text" value="mm"/></p> <p><input type="checkbox"/> Strap 2 <input type="text" value="Type"/></p> <div style="display: flex; justify-content: space-around;"> </div> <p>Specify strap length <input type="text" value="mm"/> Specify distance from back post <input type="text" value="mm"/></p>	
Ratchet strap position	
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p><input type="checkbox"/> Strap 1 <input type="text" value="Type"/></p> <p>Specify distance from back post <input type="text" value="mm"/></p> </div> <div style="width: 48%;"> <p><input type="checkbox"/> Strap 2 <input type="text" value="Type"/></p> <p>Specify distance from back post <input type="text" value="mm"/></p> </div> </div> <p><input type="checkbox"/> XS040 Fixed mounting points <i>(one set per click strap)</i></p> <p style="text-align: right;"><input type="checkbox"/> x1 <input type="checkbox"/> x2 <input type="checkbox"/> x3</p>	
FRAME OPTIONS	
<p><input type="checkbox"/> XR060 Calf strap mounting loops</p>	<p><input type="checkbox"/> XR065 Strap location loops</p>
ACCESSORIES	
<p><input type="checkbox"/> XR030 Triple wheel bag <i>(Black)</i></p> <p><input type="checkbox"/> XP130 Frame protectors full length</p> <p><input type="checkbox"/> XS100 Bodypoint waist strap</p> <p><input type="checkbox"/> Small <input type="checkbox"/> Large</p>	<p><input type="checkbox"/> XS070 Foot strap <i>(select if required)</i></p> <p><input type="checkbox"/> XS060 Calf strap <i>(select if required)</i></p> <p><input type="checkbox"/> XP400 Back bar protector</p> <p><input type="checkbox"/> XR090 Tool kit</p>

ADDITIONAL NOTES

--	--

OFF SPEC REQUEST* *(please specify below the page number(s) and details to which the off spec request applies.*

OFF SPEC REQUEST APPROVED *(for internal RGK office only)*

x
RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*