



<image/> <image/>	<image/>
	Ship to Customer Address:
Customer Name: Advisor:	Shipping Name:
Address:	Shipping Address:
Phone:	Phone:
Email:	Email:
Additional	Information
Notes:	Current Wheelchair:
	Customer Weight:
	Customer Height:
	Customer Disability:
	ther




SERIAL NO:



Guide: Base product	Required option	Optional Extra		Critical Informatior	n () Information Needed
		PRODUCT	STYLE		
ADAXZ010	ALLSTAR A2				
	ALLSTAN AZ			Ø	
				17 (6	
				H H	
	ght 125kg (275lbs) ALL RGK CHAIRS ARE HAND BUILT A		ING		
	T TOLERANCE OF +/- 5MM	IND HAVE A MANOFACTOR		0	
		CAD APPR	_		
	UOTE ONLY (NO CAD FOR APPROVA UOTE ONLY (NO CAD FOR APPROVA		XW011		D FOR APPROVAL) D FOR APPROVAL)
(2	UOTE CAD drawing for approval customer amendments ONLY) UOTE + CAD APPROVAL		XW010		wing for approval eendments ONLY) PPROVAL
		KEY MEASUF	REMENTS		
ADAXY010	Standard seat width <i>(Inside of side</i> Standard seat width <i>(Inside of side</i>				XY010
se Se	elect option:				
	355mm (14") 380mm (15")	405mm (16") 43	30mm (17")	455mm (18")	
ADAXY012	Individual seat width (Inside to ins Individual seat width	ide of sideguards)			
	pecify width:	Max = 510mm)			() .m. «Ո» «Ո» .m. ()
		Min = 300mm)			ß
ADAXY020	Standard seat length Standard seat length				
∆ ^{Se}	elect option:			Ĥ	
	355mm (14") 380mm (15")	405mm (16")		4	
ADAXY022	Individual seat length Individual seat length				CONTRACTOR OF CONT
	pecify length:	Max = 420mm)		6	0
		Min = 300mm)		+	ХҮ070
		m +/-20mm with COG adjus m +/-20mm with COG adjus			
	une length (Jeur Length - 2001)	Rear Whee			
	4" Wheels 4" Wheels	XY430 25" Whe			XY440 26" Wheels 26" Wheels
	ear frame height ear frame height		ne height ne height		XY060 Rear frame height Rear frame height
	pecify initial height mm)		initial height m	m)	(Specify initial height mm)
375	400 425 450	400 42	5 450	475	450 475 500 525
	ont frame height		me height		XY050 Front frame height
	ront frame height pecify initial height mm)		me height initial height m	m)	(Specify initial height mm)
475	500 525	475 50	0 525		475 500 525
				(rever	if chair is configured with XY060 > than XY050 se bucket), option ADAXE330 (p. 4) must be
	_			selecte	ed.
	gonomic seat (Std length = 130) gonomic seat (Std length = 130)				
Er	gonomic seat (Std length = 130)				



SERIAL NO:




3 of 8





SERIAL NO:





CASTORS AND REAR WHEELS				
		Castor	Options	
XC160	Sport 61mm castor (Black) Sport 61mm castor		ADAXC230	Extruded aluminium castor fork Extruded aluminium castor fork
XC170	Sport 72mm castor Sport 72mm castor			
		Rear Wi	neel Gap	
XY460	Rear wheel gap(Standard)Rear wheel gap(Standard)	XY460	ADAXY462	Individual rear wheel gap Individual rear wheel gap
	25mm		Individu	Max = 50mm Jual mm Min = 15mm
		Rear Whe	el Options	
	Equalizer 36/48 spoke (B Equalizer 36/48 spoke	lack hub, black spokes)) Spinergy XSLX 24 spoke (Tennis) Spinergy XSLX 24 spoke
	Spinergy SLX 24 spoke Spinergy SLX 24 spoke		ХК101	Spinergy XSLX 24 spoke + caps (Basketball) Spinergy XSLX 24 spoke + caps
Spinergy Colo Black spoke Black spoke Red spokes Purple spok Purple spok	s White spokes s White spokes Blue spokes Blue spokes es Orange spokes es Orange spokes	Yellow spokes Yellow spokes Pink spokes Pink spokes Green spokes Green spokes	Д ХК180	Individual spoke design Inside: Inside: Outside:
Spinergy Ano	dise Options			Outside:
	lack hub (Std) XK200 lack hub (Std)	Silver hub Silver hub		ub/rims ub/rims
	urple hub/rims XK203 urple hub/rims	Blue hub/rims Blue hub/rims		nub/rims nub/rims
		Supply With	nout Wheels	
	upply without Wheels and Axle Pir upply without Wheels and Axle Pir		Гуре:	Туге Туре:
		Handrim	Position	
XY480	Narrow set handrim Narrow set handrim	Handrir	XY485	Wide set handrim Wide set handrim
XL010	Aluminium hard anodised 6 tab	Tanun	II Styles	
////	Aluminium hard anodised 6 tab			
		Tyre C	ptions	
XM010	Kenda Grey Kenda Grey	Blue Red	XM15	0 IRC Exeracer Pro (Red only) IRC Exeracer Pro (Red only)
XM075	Kenda KalienteRedKenda KalienteRed	Blue Blue	XM09	5 Kenda Wide (Grey Only) Kenda Wide (Grey Only)
XM096		available with Spinergy 28" available with Spinergy 28"	(700CC))	
—		Spare	_	
ADAXK500		up + axle pin) up + axle pin)	ХК523	Spare wheel upcharge - Individual Hubs/Rims Spare wheel upcharge - Individual Hubs/Rims
ХК524	Spare wheel upcharge - Individu Spare wheel upcharge - Individu		ХК526	Spare wheel upcharge - R10 Hub Spare wheel upcharge - R10 Hub
Inner Tube Valve Options				
XY500	Schraeder inner tube valve Schraeder inner tube valve		XY490	Presta inner tube valve (Std) Presta inner tube valve (Std)





FRAME FINISH OPTIONS							
XN010 Powder coated frame (Includes: frame + wing) XN150 Powder coated components (Frame colour if not specified) (Includes: sideguards, axle posts, footplate) Powder coated frame Powder coated components (Frame colour if not specified)							
Frame Comp.	<u>Gloss</u>	Frame Comp.	<u>Matt</u>	Fram	e Comp. <u>Special</u>		
	Black gloss 103	Black m			Chrome Mirror 300		
	White gloss 100	White r	natt 101		Sparkle silver 170		
	Grey gloss 132	Grey m	att 131		Metallic black matt 104		
	Cream gloss 135	Light gr	ey matt 133		Metallic grey matt 130		
	Red gloss 108	Navy bl	ue matt 152		Black sandpaper 201		
	Yellow gloss 120				Grey sandpaper 202		
	Forest green gloss 143				White sandpaper 200		
	Green gloss 107						
	Dark blue gloss 151						
	Royal blue gloss 154						
	Blue gloss 174						
	Duckegg blue gloss 141		(j)				
	Pink gloss 188						
	Orange gloss 180						
	Purple gloss 157						
ADAXNO	ADAXN030 Brushed frame finish (Includes: frame + wing; not components) Brushed frame finish						
	Accent Colour						
Note: Accent colour includes forks & castor caps. Black accent Black accent							
UPHOLSTERY							
XP040	Seat sling strap adjustable	Seat Up	pholstery				
XF040	Seat sling strap adjustable						
			Upholstery				
XP030	Nylon backrest strap adjustable Nylon backrest strap adjustable	(Black)					
Colour Information / Colour Information							
	Backrest stitching	_	go Colour	Mod	el Logo Colour		
	Black Black		te (Std) te (Std)		White (Std) White (Std)		
Backrest Accessories							
XP170	Individual backrest embroidery Individual backrest embroidery	ADD DETAILS ON I					





CUSHION Cushion Foam Options				
ХР080	Cushion foam (select size below) Cushion foam	cusilion roam options		
	Medium (CMS050)			
(i)	50mm 75mm 50mm 75mm			
		Cushion Cover Options		
XP085	Nylon cushion cover (Black) Nylon cushion cover	XP380	Neoprene cushion cover (Black) Neoprene cushion cover	
XP090	Air Lite cushion cover (Black) Air Lite cushion cover			
	Velcro straps	STRAPS	Ratchet Straps	
XS010	100mm adjustable velcro strap (Optimised position and length)	xso20	Sport ratchet strap (Click strap) (11" x 2" pad) Sport ratchet strap (Click strap)	
	100mm adjustable velcro strap (Optimised position and length)	XS021	Sport ratchet strap (Single) Sport ratchet strap (Single)	
		XS035	M2 ratchet strap (For thighs and knees) M2 ratchet strap	
		X x2036	8" 10" 12" 8" 10" 12" M2 ratchet strap (Single) (For Feet) M2 ratchet strap (Single)	
			B ⁸ " □10" □12" 8" 10" 12"	
			Ratchet strap position	
		Strap 1	Type	
	Specify distance from back post			
		X 5040	Optimised fixed mounting points (one set per click strap) Optimised fixed mounting points x1 x2 x3	
		XS045	Clamped mounting points(one set per click strap)Clamped mounting pointsX1x2X3	
		ACCESSORIES		
XR030	Triple wheel bag (Black) Triple wheel bag	X \$070	Foot strap (select if required) Foot strap (select if required)	
XP130	Frame protectors full length Frame protectors full length	XS060	Calf strap (select if required) Calf strap (select if required)	
XA150	Plastic tube fitted to offensive wing Plastic tube fitted to offensive wing	XP400	Back bar protector Back bar protector	
		XR090	Tool kit Tool kit	







ADDITIONAL NOTES INDIVIDUAL BACKREST EMBROIDERY PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW ALLSTAR AZ **BRACE BAR** SPEC NOTES: **OFF SPEC REQUEST OFF SPEC REQUEST*** (please specify below the page number(s) and details **APPROVED** (for internal to which the off spec request applies. RGK office only) x K Internal Sign-ofj Off spec requests require a feasability study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*